



2018 Health Facility Assessment for Reproductive Health Commodities and Services

2018 Health Facility Assessment for Reproductive Health Commodities and Services

Department of Medical Research
Department of Public Health
Department of Medical Services and
UNFPA

November 2019

INVESTIGATORS

Principal Investigator

Dr. Moe Kyaw Myint Director DMR(POLB)

Co-investigators

 Dr. Kyaw Oo
 Deputy Director General
 DHRH

 Dr. Hla Mya Thwe Einda
 Director (Maternal & Reproductive Health Division)
 DOPH

 Dr. Kyaw Thu Soe
 Research Officer (Health System Research)
 DMR(POLB)

Technical coordinators

 Dr. Yin Yin Htun Ngwe
 Assistant Representative
 UNFPA

 Dr. Aung Thu Tun
 Programme Analyst (RHCS)
 UNFPA

 Dr. Yadanar
 Programme Analyst (RHCS)
 UNFPA

ASSESSMENT TEAM

Field Technical Supervisors

| 1. | Dr. Moe Kyaw Myint | Director | DMR(POLB) |
|-----|----------------------|---|-----------|
| 2. | Dr. Myintzu Tin Oung | Deputy Director (Medical Statistics) | DMR(POLB) |
| 3. | Dr Kyaw Thu Hein | Research Officer (Epidemiology) | DMR(POLB) |
| 4. | Dr. Kyaw Thu Soe | Research Officer (Health System Research) | DMR(POLB) |
| 5. | Dr Kyaw Ko Ko Htet | Research Officer (Epidemiology) | DMR |
| 6. | Dr. Yadanar Aung | Research Officer (Medical Statistics) | DMR(POLB) |
| 7. | Dr Tin Maung Naing | Research Officer (Health System Research) | DMR(POLB) |
| 8. | Daw Phyu Phyu Wynn | Research Scientists (Parasitology Division) | DMR(POLB) |
| 9. | Dr Kyaw Thu | Research Officer (Health System Research) | DMR(POLB) |
| 10. | Dr Ei Ei Swe | Research Officer (Medical Statistics) | DMR(POLB) |
| 11. | Dr. Kyi Thar Min | Research Scientists (Medical Statistics) | DMR(POLB) |

Field Local Supervisors

| 1. | Dr. Than Than Myint | Deputy Director General (Department of Medical services) | Mandalay Region |
|----|---------------------|--|------------------------|
| | Dr. Yu Yu Wai | Deputy director | Mandalay Region |
| | Daw Khin San Moe | HA-1 State Public Health Department | Mandalay Region |
| 2. | Dr. Win Lwin | Regional Public Health Director | Sagaing Region |
| | Dr Chit Htun | Assistant Director, Regional Public Health Department | Sagaing Region |
| | Dr. Kyaw Moe Htun | Assistant Director, Regional Public Health Department | Sagaing Region |
| | U Phone Myint Kyaw | HA-1 State Public Health Department | Sagaing Region |
| 3. | Dr Htun Aung Kyi | State Public Health Director | Mon State |
| | Dr.Wint Mone Min | THO- State Public Health Department | Mon State |
| | Daw Moh Moh Lwin | HA-1 State Public Health Department | Mon State |
| 4. | Dr Htun Myint | Regional Public Health Director | Yangon Region |
| | Dr Kyaw Zin Htut | MO Regional Public Health Department | Yangon Region |
| 5 | Dr Khin Maung Yin | State Public Health Director | Kaya State |
| | Daw Nobel Lynn | Township Health Nurse | Kayah State |
| | Dr Yee Myint Aung | Medical Superintendent ,Loikaw Hospital | Kayah State |
| 6. | Dr Myint Kyaw | Head / District Public Health Department | Lashio, Shan (N) State |
| | Dr Tin Maung Nyunt | Medical Superintendent ,Lashio Hospital | Shan(N) State |
| 7. | Dr Zaw Lin | State Public Health Director | Shan(E) State |

| | Dr Zaw Lynn | State Medical Service Director | Shan(E) State |
|-----|------------------------|--|---------------------|
| | Daw Maw Maw Win | State Public Health Department | Shan (E) |
| 8. | Dr Kyi Lwin | State Public Health Director | Rakhine State |
| | Dr Khin Khin Zaw | Deputy State Public Health Director | Rakhine State |
| | Dr Thiri Thazin Khaing | TL- State Medical services Department | Rakhine State |
| 9. | Dr Lwin Lwin Yi | Assistant Director Regional Public Health | Bago Region |
| | Dr Wai Wai Oo | Regional Medical Service Director | Bago Region |
| 10. | Dr Htun Min | State Public Health Director | Kayin State |
| | Dr Kyaw Swar Myint | Deputy Director / State Public Health Department | Kayin State |
| | Daw San Thi | THA- State Public Health Department | Kayin State |
| 11. | Dr Zaw Min Htun | Regional Public Health Director | Thaninthari Region |
| | Dr Aye Aung | Medical Superintendent ,Htarwei Hospital | Thaninthari Region |
| | Daw May May Aye | NO- Regional Public Health Department | Thaninthari Region |
| 12. | Dr Aung Kyaw Htwe | Regional Public Health Director | Ayeyarwady Region |
| | Dr Thiha Aung | Deputy Director Regional Public Health Department | Ayeyarwady Region |
| | U Kyaw Tint | THA, Regional Public Health Department | Ayeyarwady Region |
| 13. | Dr Myat Wana Soe | Deputy Director General (Department of Medical services) | Nay Pyi Taw Council |
| 14. | Dr Mon Mon Myint | Deputy Director Regional Public Health Department | Magway Region |
| 15. | Dr Sai Win Zaw Hlaing | Deputy Director State Public Health Department | Shan (South) |
| | Dr Khin Moe Hlaint | AD- Medical Service Department | Shan (South) |
| 16. | Dr Zaw Myint Naing | MS-Teddin Hospital | Chin State |
| | Daw Oam Owe | AD State Public Health Department | Chin State |
| 17. | Dr Kyaw Soe | State Medical Services/ Public Health Director | Kachin State |
| | Dr Phyo Nandar Swe | TMO-State Public Health Department | Kachin State |
| | 152 | | |

Field enumerators by assigned Regions/States

| 1. | Daw Malar Aung | Research Assistant , DMR (POLB) | Kachin State |
|----|----------------------|---------------------------------|---------------------|
| 2. | Daw Ei Ei Soe | Research Assistant , DMR (POLB) | Shan State (South) |
| 3. | U Win Htay Hlaing | Research Assistant , DMR (POLB) | Shan State(North) |
| 4. | Daw Khine Khine Lin | Research Assistant , DMR (POLB) | Mon State |
| 5. | U Bo Lynn | Research Assistant , DMR (POLB) | Kayin State |
| 6. | U Min Htut Kyaw | Research Assistant , DMR (POLB) | Chin State |
| 7. | Daw Malar Aung | Research Assistant , DMR (POLB) | Thaninthari Region |
| 8. | Daw Pyae Phyo Htwe | Research Assistant , DMR (POLB) | Nay Pyi Taw Council |
| 9. | Daw Moe Thandar | Research Assistant , DMR (POLB) | Bago Region |
| 10 | U Lai Lyan Maung | Research Assistant , DMR (POLB) | Kayah State |
| 11 | Daw Nilar Moe Khaing | Research Assistant , DMR (POLB) | Shan State (East) |
| 12 | Daw Myint Myint Khin | Research Assistant, DMR (POLB) | Shan State (East) |
| 13 | U Min Htut Kyaw | Research Assistant , DMR (POLB) | Bago Region |
| 14 | Daw Thandar Myint | Research Assistant , DMR (POLB) | Ayeyarwady Region |
| 15 | U Phone Zin Myint | Research Assistant, DMR (POLB) | Magway Region |
| 16 | U Bo Lynn | Research Assistant , DMR (POLB) | Sagaing Region |
| 17 | U Hlaing Lian Moung | Research Assistant , DMR (POLB) | Sagaing Region |
| 18 | U Thura Ko Ko | Research Assistant , DMR (POLB) | Mandalay Region |
| 19 | U Thura Ko Ko | Research Assistant , DMR (POLB) | Rakhine State |
| 20 | U Zaw Ye Naing | Research Assistant , DMR (POLB) | Yangon Region |

Field enumerators for client assessment by assigned Regions/States

| 21 U Soe Thu Aung | PHS-II | Mandalay |
|--------------------|--------|----------|
| 22 Daw Ngwe Ni Win | PHS-II | Mandalay |

| 22 | II Wai Dhya Thu | PHS-II | Cogging |
|----|--|-------------|--------------|
| | U Wai Phyo Thu | NEW YORK OF | Sagaing |
| 24 | 50000000000000000000000000000000000000 | PHS-II | Sagaing |
| 25 | Daw San Tint Yin | PHS-II | Mon |
| 26 | Daw Khin Khant Khant Khaing | PHS-II | Mon |
| 27 | U Phyo Min Thu | PHS-II | Yangon |
| 28 | U Moe Zaw | PHS-II | Yangon |
| 29 | Daw Su Myat Thin | PHS-II | Kayah |
| 30 | Daw Ae Ni | PHS-II | Kayah |
| 31 | Daw Ei Thae Phyu | PHS-II | Shan(N) |
| 32 | Daw Ei Phaw Mon | PHS-II | Shan(N) |
| 33 | Daw Aster | PHS-II | Shan (E) |
| 34 | U David | PHS-II | Shan (E) |
| 35 | Daw Myint Myint Maw | PHS-II | Rakhine |
| 36 | Daw Ohmar Yee | PHS-II | Rakhine |
| 37 | Daw Hnin Yu Aung | PHS-II | Bago |
| 38 | Daw May Myat Noe | PHS-II | Bago |
| 39 | Daw Kyu Kyu Khaing Win | PHS-II | Kayin |
| 40 | Daw Naw Yut Hla Wine | PHS-II | Kayin |
| 41 | U Hlaing Ko Aung | PHS-II | Thaninthari |
| 42 | Daw Moe Thuzar Win | PHS-II | Thaninthari |
| 43 | Daw Naw Ba Lu Lae Bawe | PHS-II | Ayeyarwady |
| 44 | Daw Su Htet Wai | PHS-II | Ayeyarwady |
| 45 | Daw Zu Zu Zin | PHS-II | Nay Pyi Taw |
| 46 | Daw Aye Aye Aung | PHS-II | Nay Pyi Taw |
| 47 | U Aung Si Thu | PHS-II | Magway |
| 48 | U Myo Thi Ha | PHS-II | Magway |
| 49 | Daw Myo Myo | PHS-II | Shan (South) |
| 50 | Daw Myat Mon Khaing | PHS-II | Shan (South) |
| 51 | Daw Zine Dwe Tee | PHS-II | Chin |
| 52 | Daw Tune Lae Htan | PHS-II | Chin |
| 53 | U Than Zaw Oo | PHS-II | Kachin |
| 54 | Daw Hnin Yu Htwe | PHS-II | Kachin |

Foreword

More than 200 million women in developing regions who want to avoid pregnancy are not using safe and effective family planning methods, for reasons ranging from lack of access to information or services to lack of support from their partners or communities. Systematic supplies of contraceptives secure couples to plan their families; basic medications save lives of women from obstetric emergencies; and condoms protect people from HIV and sexually transmitted infections.

Maternal and reproductive health is one of priorities of National Health Plan in Myanmar. Safe and effective family planning and ending preventable maternal mortalities are strategic action plans for achieving the country's SDG goals. Proportion of married or in-union women of reproductive age who have their need for family planning satisfied with modern methods is 75% in 2016. Proportion of the population with access to affordable medicines on a sustainable basis is 43% in 2015. Linking to this situation, the country's CPR would increase from 52 percent to 69 percent if all married women's contraceptive needs are met.

UNFPA has provided it's Programme of Assistance to Myanmar since 2012, to support for our efforts to increase access to contraceptives and maternal medicines and to translate UNFPA's global RHCS strategy into national action plans. To end unmet need for family planning in Myanmar in few years, we need the continuation of assistance of UNFPA for the next years.

This survey is conducted in Myanmar as one of 46 countries programmed for Global Supplies and to cover both the availability of RH commodities and salient aspects of health facilities that underpin good RH programmes. This is a fifth-year assessment as a continuation of 2014, 2015, 2016 and 2017. This assessment method based on standardized structured methodology of UNFPA. The report also provides 5-Years trend of RH Commodities and Services of the health facilities at a representative sample of urban and rural sites, States/Regions, government and private sectors across the country. Maternal and Reproductive Health Division from Department of Public Health closely collaborated with Department of Medical Research (Pyin Oo Lwin Branch) to conduct these assessments in technical as well as administrative aspects. The findings and recommendations from these year-wise assessments were being translated into the strategic plans and implementation plans for relevant sectors of MRH activities.

We appreciate UNFPA for close collaboration, funding and necessary inputs for the assessments along five consecutive years.

Professor Dr Zaw Than Htun

Director General

Department of Medical Research

Ministry of Health and Sports

Contents

| Abbreviations | Ì |
|---|----|
| Executive summaryi | i |
| Part I: Introduction | 1 |
| Background of the report | 1 |
| Country profile of Myanmar | 1 |
| Rationale | 2 |
| Objective | |
| General objective | |
| Specific objectives | |
| Methodology | |
| Study design | |
| Sampling procedure, | |
| Questionnaire | |
| Fieldwork/data collection | |
| Data analysis | |
| Ethical consideration | |
| Part II. National protocols in 2017 | |
| Part III: Findings on facility assessment1 | |
| Sample health facilities | |
| Section A1. Modern contraceptives offered by primary facilities | |
| Offering at least three modern contraceptive methods by primary health facilities | |
| Offering at least three modern contraceptive methods at primary HFs by Administrative Uni (Region) | |
| Offering at least three modern contraceptive methods at primary HFs by urban/rural residence . 16 | ô |
| Offering at least three modern contraceptive methods at primary HFs management of facility 1 | 7 |
| Offering at least three modern contraceptive methods at primary HFs by distance from neares warehouse/source of supplies | |
| Section A2. Modern contraceptives offered by secondary and tertiary facilities | 3 |
| Offering at least five modern contraceptive methods at secondary and tertiary HFs by type of facility | f |
| Offering at least five modern contraceptive methods at secondary and tertiary HFs by Administrative Unit (Region) | |
| Offering at least five modern contraceptive methods at secondary and tertiary HFs by urban/rura residence | |
| Offering at least five modern contraceptive methods at secondary and tertiary HFs by management of facility | 26 |
| Offering at least five modern contraceptive methods at secondary and tertiary HFs by distance from nearest warehouse/source of supplies | 0 |
| Section B. Availability of Maternal and RH Medicines | 2 |
| Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines a HFs by type of facility | |

| Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines HFs by Administrative Unit (Region) | |
|---|------|
| Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines HFs by urban/rural residence | at |
| 14. Percentage distribution of service delivery points with seven (including 2 essential) life-sav maternal/reproductive health medicines available by management of facility | - |
| Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines HFs by distance from nearest warehouse/source of supplies | |
| Section C. Incidence of "No Stock Out" of modern contraceptives in the last three months | 27 |
| Incidence of "no stock out" of a modern contraceptive method in the last three months by type facility | |
| Incidence of "no stock out" of a modern contraceptive method in the last three months Administrative Unit (Region) | |
| Incidence of "no stock out" of a modern contraceptive method in the last three months urban/rural residence | 7.50 |
| Incidence of "no stock out" of a modern contraceptive method in the last three months management of facility | 7.0 |
| Incidence of "no stock out" of a modern contraceptive method in the last three months by distar from nearest warehouse/source of supplies | nce |
| MRH and UNFPA defined "no-stock-out a modern contraceptive in last three months" | 30 |
| Section D. Incidence of "No Stock-Out" of modern contraceptives on the day of the survey | 33 |
| Incidence of "no stock out" of modern contraceptive method at the time of the survey by type facility | e of |
| Incidence of "no stock out" of modern contraceptive method at the time of the survey Administrative Unit (Region) | |
| Incidence of "no stock out" of modern contraceptive method at the time of the survey urban/rural residence | 200 |
| Incidence of "no stock out" of modern contraceptive method at the time of the survey management of facility | |
| Incidence of "no stock out" of modern contraceptive method at the time of the survey by distar from nearest warehouse/source of supplies | |
| FP 2020 indicators for Maternal and Reproductive Health | 35 |
| Section E. Supply chain, including cold chain | |
| Responsible persons for ordering medical supplies by type of SDPs | 42 |
| Responsible persons for ordering medical supplies by Administrative Unit (Region) | |
| Responsible persons for ordering medical supplies by urban/rural residence | |
| Responsible persons for ordering medical supplies by management of facility | 44 |
| E2. Quantifying re-supplies | 45 |
| Quantifying re-supplies by type of SDPs | 45 |
| Quantifying re-supplies by Administrative Unit (Region) | 45 |
| Quantifying re-supplies by urban/rural residence | |
| Quantifying re-supplies by management of facility | 46 |
| E3. Source of supplies | 49 |
| Main source of supplies type of SDPs | 49 |

| | Main source of supplies by Administrative Unit (Region) | . 49 |
|----|--|------|
| | Main source of supplies by management of facility | . 50 |
| | Main source of supplies by urban/rural residence | . 50 |
| E4 | . Transportation of supplies | . 51 |
| | Responsibility for transportation of supplies by type of SDPs | . 51 |
| | Responsibility for transportation of supplies by Administrative Unit (Region) | . 51 |
| | Responsibility for transportation of supplies by urban/rural residence | |
| | Responsibility for transportation of supplies by management of facility | . 52 |
| E5 | . Length of time between order and receiving of supplies | . 53 |
| | Length of time between order and receiving of supplies by type of SDPs | . 53 |
| | Length of time between order and receiving of supplies by Administrative Unit (Region) | . 53 |
| | Length of time between order and receiving of supplies by urban/rural residence | . 54 |
| | Length of time between order and receiving of supplies by management of facility | . 54 |
| E6 | . Frequency of resupply | . 55 |
| | Frequency of resupply by type of SDPs | . 55 |
| | Frequency of resupply by Administrative Unit (Region) | . 55 |
| | Frequency of resupply by urban/rural residence | . 56 |
| | Frequency of resupply by management of facility | . 56 |
| E7 | . Availability of cold chain | . 57 |
| | Availability of cold chain by type of SDP | . 57 |
| | Availability of cold chain by Administrative Unit (Region) | . 57 |
| | Availability of cold chain by urban/rural residence | . 58 |
| | Availability of cold chain by management of facility | . 59 |
| | Source of power for Fridges used for cold chain by type of SDP | . 62 |
| | Source of power for Fridges used for cold chain by Administrative Unit (Region) | . 63 |
| | Source of power for Fridges used for cold chain by urban/rural residence | . 63 |
| | Source of power for Fridges used for cold chain by management of facility | . 64 |
| Se | ction F. Staff training and supervision | . 65 |
| | Trained staff to provide FP services and for the insertion and removal of Implants | . 65 |
| | Trained staff to provide FP services and for the insertion and removal of Implants by type of S | |
| | Trained staff to provide FP services and for the insertion and removal of Implants Administrative Unit (Region) | by |
| | Trained staff to provide FP services and for the insertion and removal of Implants by urban/residence | |
| | Trained staff to provide FP services and for the insertion and removal of Implants by managem of facility | . 69 |
| | Last time staff received training for FP including for provision of implants by type of SDP Last time staff received training for FP including for provision of implants by Administrative (Region) | Jnit |
| | Last time staff received training for FP including for provision of implants by urban/rural reside | |
| | *************************************** | . 12 |

| Last time staff received training for FP including for provision of implants by managem facility | |
|--|-----|
| Last time of supervision for RH in the past 12 months by type of SDP | |
| Last time of supervision for RH in the past 12 months by Administrative Unit (Region) | |
| Last time of supervision for RH in the past 12 months by urban/rural residence | |
| Last time of supervision for RH in the past 12 months by management of facility | |
| Frequency of supervisory visits by type of SDP | |
| Frequency of supervisory visits by Administrative Unit (Region) | |
| Frequency of supervisory visits by urban/rural residence | |
| Frequency of supervisory visits by management of facility | |
| Issues included in supervisory visits by type of SDP | |
| Issues included in supervisory visits by Administrative Unit (Region) | |
| Issues included in supervisory visits by urban/rural residence | |
| Issues included in supervisory visits by management of facility | |
| Section G. Availability of guidelines, check-lists and job aids | |
| Availability guidelines, check-lists and job aids | |
| Section H. Use of Information Communication Technology (ICT) | |
| Availability of Information Communication Technology | |
| Source of ICT acquired | |
| Main purpose for which ICT is used | |
| Section I. Waste disposal | |
| Health wastes disposal | 94 |
| Section J. Charges for user fees | |
| Charged for consultation | 96 |
| Charged for medication | 98 |
| Charged for services provided by a qualified health care provider | 99 |
| Offering modern contraceptive methods | 101 |
| Availability of any Maternal/RH Medicine | 103 |
| Any modern contraceptive method in stock (NO STOCK OUT) in the last three months | 105 |
| Any modern contraceptive method in stock (NO STOCK-OUT) at the time of the survey | 106 |
| Stock-out situation and reasons for stock-out by specific contraceptive methods (For F indicators) | |
| PART IV. Findings from clients interview | |
| Background characteristics of Clients | |
| Sex distribution of clients | |
| Age distribution of clients | |
| Marital status of clients | |
| Education level | |
| Clients' perception of family planning service provision | |
| Clients' frequency of visit to the SDP for FP services | |
| Clients' perspective of FP service provider's adherence to technical issues | |
| Clients' perspective on organizational aspects of FP service | 120 |

| Clients' perspective on inter-personal aspects of FP service | 121 |
|---|-----|
| Clients' perspective on outcome aspects of FP service | 122 |
| Clients' appraisal of cost of family planning services | 124 |
| Clients' appraisal on paying for service and average amount paid by type of SDP | 124 |
| Clients' mode of transportation, distance travelled and cost of transportation | 127 |
| Time spent by client for FP services | 131 |
| Clients' activities they would have engaged in during the time spent receiving FP services | 132 |
| Persons indicated to have performed activities on clients' behalf while they were away rec FP Services | |
| Amount paid to persons who performed activities on behalf of clients while client was receiving FP services | |
| Source of money paid for FP services | 136 |
| Amount paid from each source by background characteristics of clients | 137 |
| Part V: Summary of findings | 138 |
| Summary findings of Health Facility assessment | 138 |
| Summary findings of clients' interview | 142 |
| Part VI: Discussion and conclusion | 143 |
| Challenges of RHC-LS program | 143 |
| Stock out situation | 144 |
| Community engagement for demand creation | 144 |
| Assuring quality of care | 144 |
| Supervision mechanism and checklist logbook | 145 |
| Aligning in NHP Strategy | 145 |
| Reallocation procedure for supplies | 145 |
| Waste disposal guideline for HFsFs | 146 |
| Conclusion | 146 |
| Recommendations | 147 |
| Annex 1. GPRHCS Survey Questionnaire (ENGLISH) | 149 |
| Annex 2. GPRHCS Survey Questionnaire (MYANMAR) | 150 |

List of Tables

| Table A. Sample health facilities |
|--|
| Table B. Urban rural distribution of HFs by region |
| Table 1a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by type of facility |
| Table 2a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by Administrative Unit (Region) |
| Table 3a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by urban/rural residence |
| Table 4a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by management of facility |
| Table 5a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by distance from nearest warehouse/source of supplies |
| Table 1b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by type of facility |
| Table 2b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by Administrative Unit (Region) |
| Table 3b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by urban/rural residence |
| Table 4b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by management of facility |
| Table 5b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by distance from nearest warehouse/source of supplies21 |
| Table 6. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by type of facility |
| Table 7. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by Administrative Unit (Region) |
| Table 8. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by urban/rural residence |
| Table 9. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by management of facility |
| Table 10. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by distance from nearest warehouse/source of supplies |
| Table 11. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by type of facility |
| Table 12. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by Administrative Unit (Region) |
| Table 13. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by urban/rural residence |
| Table 14. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by management of facility |
| Table 15. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by distance from nearest warehouse/source of supplies |
| |

| of HFs | |
|--|-----|
| Table 15b. No stock-out status in the last three months for each modern contraceptive method Regions of HFs | by |
| Table 16. Percentage distribution of service delivery points with "no stock-out" of modern contracept methods at the time of the survey by type of facility | |
| Table 17. Percentage distribution of service delivery points with "no stock-out" of modern contracept methods at the time of the survey by Administrative Unit (Region) | |
| Table 18. Percentage distribution of service delivery points with "no stock-out" of modern contracept methods at the time of the survey by urban/rural residence | |
| Table 19. Percentage distribution of service delivery points with "no stock-out" of modern contracept methods at the time of the survey by management of facility | |
| Table 20. Percentage distribution of service delivery points with "no stock-out" of modern contracept methods at the time of the survey by Distance to nearest medical depot | |
| Table 20a. Incidence of 'No stock-out' of each modern contraceptive by level of HFs | 35 |
| Table 20b. Incidence of 'No stock-out' of modern contraceptives by Administrative Regions of HFs | |
| Table 20c. Incidence of 'No stock-out' of modern contraceptives by urban rural HFs | 37 |
| Table 20d. Incidence of 'No stock-out' of modern contraceptives by location of HFs | 38 |
| Table 20e. Incidence of 'No stock-out' of modern contraceptives by travel duration from HFs to near medical depot | |
| Table 20f. Incidence of 'No stock-out' of modern contraceptives by route of travel from HFs to near medical depot | est |
| Table 20g. HF Level-wise comparison of recent stock-out for at least one method between 2014, 20 2016, 2017 and 2018 | |
| Table 20h. Comparison of method specific stock-out at the time of assessment between 2014, 20 2016, 2017and 2018 | 15, |
| Table 21. Percentage distribution of SDPs with persons responsible for ordering medical supplies type of SDPs | |
| Table 22. Percentage distribution of SDPs with persons responsible for ordering medical supplies Administrative Unit (Region) | |
| Table 23. Percentage distribution of SDPs with persons responsible for ordering medical supplies urban/rural residence | by |
| Table 24. Percentage distribution of SDPs with persons responsible for ordering medical supplies management of facility | 100 |
| Table 25. How re-supply is quantified by type of SDPs | |
| Table 26. How re-supply is quantified by Administrative Unit (Region) | 45 |
| Table 27. How re-supply is quantified by urban/rural residence | |
| Table 28. How re-supply is quantified by management of facility | 46 |
| Table 28a. How re-supply is quantified by distance to depot from facility | 47 |
| Table 28b. Use of standard form for indent | |
| Table 29. Main source of supplies type of SDPs | |
| Table 30. Main source of supplies by Administrative Unit (Region) | |
| Table 31. Main source of supplies by management of facility | |
| Table 32. Main source of supplies by urban/rural residence | |

| Table 33. Responsibility for transportation of supplies by type of SDPs | 51 |
|--|-------------------|
| Table 34. Responsibility for transportation of supplies by Administrative Unit (Region) | 51 |
| Table 35. Responsibility for transportation of supplies by urban/rural residence | 52 |
| Table 36. Responsibility for transportation of supplies by management of facility | 52 |
| Table 37. Estimated length of time between order and receiving of supplies by type of SDPs (N=298 | 8) 53 |
| Table 38. Estimated length of time between order and receiving of supplies by Administrative | |
| (Region) | |
| Table 39. Estimated length of time between order and receiving of supplies by urban/rural residence | |
| Table 40. Estimated length of time between order and receiving of supplies by management of fa | |
| Table 41. Frequency of resupply by type of SDPs | |
| Table 42. Frequency of resupply by Administrative Unit (Region) | 55 |
| Table 43. Frequency of resupply by urban/rural residence | |
| Table 44. Frequency of resupply by management of facility | |
| Table 45. Availability of cold chain by type of SDP | |
| Table 46. Availability of cold chain by Administrative Unit (Region) | |
| Table 47. Availability of cold chain by urban/rural residence | |
| Table 48. Availability of cold chain by management of facility | |
| Table 48a. Type of cold chain | |
| Table 48b. Other specified Cold chainby Level of Health Facility | |
| Table 48c. Other specified Cold chainby State/Region | |
| Table 48d. Other specified Cold chainby Urban/Rural | |
| Table 48e. Other specified Cold chainby Distance to nearest medical depot | |
| Table 48f. Other specified Cold chainby Travel duration to nearest med depot | |
| Table 48g. Other specified Cold chainby Route to travel to nearest med depot | |
| Table 49. Source of power for Fridges used for cold chain bytype of SDP | |
| Table 50. Source of power for Fridges used for cold chain by Administrative Unit (Region) | |
| Table 51. Source of power for Fridges used for cold chain by urban/rural residence | |
| Table 52. Source of power for Fridges used for cold chain by management of facility | |
| Table 53. Percentage of SDPs with staff trained to provide FP services and for the insertion removal of Implants | 65 |
| Table 54a. Percentage distribution of staff trained to provide BS services by type of SDP | |
| Table 54b. Percentage distribution of staff trained to provide the insertion and removal of Implant type of SDP | 65 |
| Table 55a. Percentage distribution of staff trained to provide FP services by Administrative (Region) | 66 |
| Table 55b. Percentage distribution of staff trained to provide the insertion and removal of Implant Administrative Unit (Region) | The second second |
| Table 56a. Percentage distribution of staff trained to provide FP services by urban/rural residence | 68 |
| Table 56b. Percentage distribution of staff trained to provide the insertion and removal of Implanturban/rural residence | -ENGA |
| Table 57a. Percentage distribution of staff trained to provide FP services by management of facility | 69 |
| Table 57b. Percentage distribution of staff trained to provide the insertion and removal of Implant | s by |

| management of facility | 69 |
|--|--|
| Table 58a. Percentage distribution of the last time staff received training for FP (BS) by type of SDF | o 69 |
| Table 58b. Percentage distribution of the last time staff received training for provision of implant type of SDP | |
| Table 59a. Percentage distribution of the last time staff received training for FP (BS) by Administra Unit (Region) | ative |
| Table 59b. Percentage distribution of the last time staff received training for provision of implants Administrative Unit (Region) | s by |
| Table 60a. Percentage distribution of the last time staff received training for FP (BS) including urban/rural residence | g by |
| Table 60b. Percentage distribution of the last time staff received training for provision of implant urban/rural residence | |
| Table 61a. Percentage distribution of the last time staff received training for FP (BS) including provision of implants by management of facility | |
| Table 61b. Percentage distribution of the last time staff received training for FP (Implant) including provision of implants by management of facility | The Control of the Co |
| Table 62. Percentage distribution of the last time the facility was supervised in the past 12 month type of SDP | |
| Table 63. Percentage distribution of the last time the facility was supervised in the past 12 month Administrative Unit (Region) | |
| Table 64. Percentage distribution of the last time the facility was supervised in the past 12 month urban/rural residence | s by |
| Table 65. Percentage distribution of the last time the facility was supervised in the past 12 month management of facility | |
| Table 66. Percentage distribution of the frequency of supervisory visits by type of SDP | |
| Table 67. Percentage distribution of the frequency of supervisory visits by Administrative Unit (Reg | gion) |
| Table 68. Percentage distribution of the frequency of supervisory visits by urban/rural residence | |
| Table 69. Percentage distribution of the frequency of supervisory visits by management of facility | |
| Table 70. Percentage of SDPs with issues included in supervisory visits by type of SDP | 78 |
| Table 71. Percentage of SDPs with issues included in supervisory visits by Administrative Unit (Reg | gion) |
| Table 72. Percentage of SDPs with issues included in supervisory visits by urban/rural residence | 80 |
| Table 73. Percentage of issues included in supervisory visits by management of facility | 80 |
| Table 74. Percentage of SDPs with guidelines, check-lists and job-aids | 81 |
| Table 74a. Have Guidelines, check-lists and job aids (could show) | 81 |
| Table 74b. Have guidebook for national birth spacing observed | 83 |
| Table 74c.Have checklist for birth spacing observed | 84 |
| Table 74d. Have ANC guidelines (National/WHO) observed | |
| Table 74e. Have checklist/job aid for AN care observed | 86 |
| Table 74f. Have guidebook for waste disposal observed | 87 |
| Table 75. Percentage of SDPs with Types of Information Communication Technology available | 88 |
| Table 75a. Types of Information Communication Technology available | |
| Table 81. Percentage of SDPs by how ICT was acquired | 89 |

| Table 81a. Percentage of SDPs by how ICT was acquired by HF's background (N=370) | 90 |
|--|------|
| Table 82. Percentage of SDPs by main purpose for which ICT is used | 92 |
| Table 83. Percentage distribution of SDPs | 94 |
| Table 84. Percentage distribution of SDPs by issues for which user fee is charged for con (N=19) | 1000 |
| Table 84a. Types of users' charge | 98 |
| Table 85. Percentage distribution of SDPs by issues for which user fee ischargedforme (N=110) | 98 |
| Table 86. Percentage distribution of SDPs by issues for which user fee is charged for services play aqualified healthcare provider (N=47) | |
| Table 107. Percentage distribution of service delivery points offering modern contraceptive (N=377) | 101 |
| Table 108. Percentage distribution of service delivery points with any Maternal/ RH Medicine A | |
| Table 109. Percentage distribution of service delivery points with any modern contraceptive me stock (NO STOCK-OUT) in the last three months (N=336) | |
| Table 110. Percentage distribution of service delivery points with a modern contraceptive me stock (NO STOCK-OUT) at the time of the survey | |
| Table 110b. Availability of life-saving MRH Medicine comparison in four years | 107 |
| Table 110c. Contraceptive stock-out in last 3 months | 108 |
| Table 110d. Contraceptive stock-out at time of survey | 108 |
| Table 110e. Reasons for stock-out recently | 109 |
| Table 87. Sex distribution of clients | 111 |
| Table 88. Age distribution of clients | 112 |
| Table 89. Marital status of clients | 114 |
| Table 90. Percentage distribution of clients by education level | 115 |
| Table 91. Percentage distribution of clients by frequency of visit to the SDP for FP services | 116 |
| Table 92. Percentage distribution of clients' perspective of FP service provider's adherence to t issues | |
| Table 93. Percentage distribution of Clients' perspective of FP service organizational aspects | 120 |
| Table 94. Percentage distribution of clients' perspective of FP service inter-personal aspects | 121 |
| Table 95. Percentage distribution of clients' perspective of FP service outcome aspects | 122 |
| Table 96a. Percentage of clients reporting paying for service and average amount paid by type | 124 |
| Table 96b. Clients reporting average amount paid by type of SDP | 124 |
| Table 97a. Percentage of clients reporting paying for service by Administrative Unit (Region) | 124 |
| Table 97b. Clients reporting average amount paid by Administrative Unit (Region) | 125 |
| Table 98a. Percentage of clients reporting paying for serviceby urban/rural | 127 |
| Table 98b. Clients reporting average amount paid visitsby urban/rural | 127 |
| Table 100. Percentage distribution of clients by mode of transportation, distance travelled and transportation | |
| Table 100a.Percentage distribution of clients by mode of transportation | 128 |
| Table 100b. Percentage distribution of clients by mode of distance travelled | 129 |

| Table 100c. Percentage distribution of clients by cost of transportation | 129 |
|--|---------|
| Table 100d. Average cost spent to travel clinic by client | 131 |
| Table 100e. Average time spent to travel clinic by client | 131 |
| Table 102. Percentage distribution of clients by activities they would have engaged in during spent receiving FP services | |
| Table 103. Percentage distribution of clients by persons indicated to have performed activities behalf while they were away | |
| Table 104. Average amount paid to persons who performed activities on behalf of clients by performed while client was away receiving FP services | |
| Table 105. Percentage distribution of clients by source of funds used to pay for FP services | 136 |
| Table 106. Average amount paid from each source by background characteristics of clients | 137 |
| List of Figures | |
| Figure 1. Distance to nearest medical depot from sample HFs by Regions | 14 |
| Figure 2. Percentage of primary HFs providing three modern contraceptives by regions | 16 |
| Figure 3. Percentage of tertiary & secondary HFs providing five modern contraceptives by reg | ions 19 |
| Figure 4. Percentage of HFs which could provide 7 lifesaving RH medicines by Regions | 24 |
| Figure 5. Percentage of HFs which have contraceptive no stock-out in last three months | 29 |
| Figure 6. Percentage of HFs which have recently no-stock out a modern contraceptive by regi | on 34 |
| Figure 7. HFs which have recent no stock-out of each modern contraceptive across the region | ıs 37 |
| Figure 8. Comparison of recent "no-stock-out" by level of HFs in five-years assessment | 39 |
| Figure 9. Percentage distribution of HFs with four major categories responsible for orderin supplies by regions | |
| Figure 10. Percentage of HFs which have cold chain system by regions | 58 |
| Figure 11. Percentage of HFs which have trained staff for birth spacing and implant | 68 |
| Figure 12. Percentage of HFs which have staff trained for birth spacing at more than one year | ago71 |
| Figure 13. Percent of HFs which had supervision for RH matter never reached | 75 |
| Figure 14. Percentage of HFs supervised for different issues | 79 |
| Figure 15. Percentage of HFs which have received government supply for ICTs by regions | 91 |
| Figure 16. Two years comparison of recent availability of RH Medicine | 108 |
| | |

Abbreviations

ARH Adolescent Reproductive Health

AYFSH Adolescent and Youth Friendly Sexual Health

BEmOC Basic Emergency Obstetric Care

BS Birth Spacing

CEmOC Comprehensive Emergency Obstetric Care

CMSD Central Medical Store Depot
COC Combined Oral Contraceptive Pill
CIP Costed Implementation Plan
CPR Contraceptive Prevalence Rate

mCPR Modern Contraceptive Prevalence Rate

DMO District Medical Officer

DMR-POLB Department of Medical Research (Pyin Oo Lwin Branch)

DoPH Department of Public Health

DMS Department of Medical Services

DPMA Depo Medroxyprogesterone Acetate

DPMA-SC Subcutaneous Depo Medroxyprogesterone Acetate

EMOC Emergency Contraceptive Pill
EmOC Emergency Obstetric Care

EPHS Essential Package of Health Services
EPI Expanded Programme for Immunization
EPMM End Preventable Maternal Mortality

FDA Food and Drug Authority

FOC Free-of-charge FP Family Planning

GIS Geographical information system

GPRHCS Global Programme to Enhance Reproductive Health Commodity Security

HA Health Assistant

HF Health Facility (Service Delivery Point)

HMIS Health Information Management System

ICT Information and Communication Technology

ICPD International Conference on Population and Development

IEC Information, Education and Communication

IUD Intrauterine Device LHV Lady Health Visitor

LMIS Logistic Management Information System

MCH Maternal and Child Health
MDG Millennium Development Goal

MDHS Myanmar Demographic Health Survey
MIMU Myanmar Information Management Unit

MMEIG Maternal Mortality Estimation Inter-Agency Group

MMR Maternal Mortality Ratio

MNCH Maternal, Newborn and Child Health

MO Medical Officer

MRH Maternal and Reporductive Health

MS Medical Superintendent

NO Nursing Officer

ObGy Obstetrics and Gynaecology

PATH

PMTCT Prevention of Mother to Child Transmission

RH Reproductive Health RHC Rural Health Center

RHCS Reproductive Health Commodity Security

RHC-LS Reproductive Health Commodity Logistic System

SDP Service Delivery Point (Health Facility)
SRHR Sexual and Reproductive Health and Rights

THO Township Health Officer
THN Township Health Nurse
TMO Township Medical Officer
UHC Urban Health Center

VCT Voluntary Counselling and Testing

Executive summary

This report is findings from a fifth consecutive assessment of RHCS in Myanar using standardized structured methodology of UNFPA, which cover both the availability of RH commodities and salient aspects of service delivery facilities that underpin good RH programmes. The report informs design of the Maternal and Reproductive Health programme for the planning, implementing and should also encourage some developments within the current one. Assessment activities and findings also reflect comparison among five consecutive years for the country.

A cross-sectional descriptive design covering all regions with a representative sample size and sampling methods was used. The standardized questionnaire which was adapted in translation and formatting was used. Department of Medical Research (Pyin Oo Lwin Branch) mainly carried out data collection activities with assistance of Department of Public Health and Department of Medical Services. A total of 380 health facilities were surveyed and this included 175 at primary level, 167 at secondary level, 19 at tertiary level and 19 at private hospitals. Out of the total number of health facilities surveyed; 148 were located at urban and 232 were at rural areas.

Modern contraceptives offered by health facilities: Out of total 175 primary level HFs, 94.3% were providing at least three modern contraceptives (compare to 81.4% at 2016 and 82.3% at 2017) and majority was fulfilling basically required services for family planning. Among secondary level HFs, 48.5% were available of at least "five" modern contraceptive methods. The comparison between government and private sectors showed 52% vs. 79% respectively.

Availability of Maternal and RH Medicines: Of total HFs, 55% were available of essential life saving MRH medicine. It was highest in tertiary level (78.9%) and lowest in primary level (48%). The urban rural gap (4%) was narrower in 2018 compare to 2017 (8.7%). Less than 40% of HFs in Chin, Rakhine, Bago and Ayeyarwady were available 7 essential MRH medicines like 2017 situation. Four most common RH life-saving medicines available in 2018 were "Inj Metronidazole" (86.6%), "Inj Na Lactate" (93.9%), "Oral Misoprostol" (70.5%) and "Inj Oxytocin" (88.7%). Injection TT was available at 58.4% of HFs of all levels.

Incidence of contraceptives "No Stock-Out": It was 62% at the day of assessment. Stock for "OCP" and "Injectable" methods were high in all levels (>75%). Implant stock were lower in secondary level HFs compare to tertiary level HFs (35% vs. 68.4%). Five common modern methods (OCP, Male condom, Injectable, IUD and ECP) were available over all regions. Comparison for specific methods between five years showed reduction of stock-out of implant while other methods stock-out rates were increasing. Contraceptive "no stock-out" at last three months was well observed only for OCP and injectable at all level HFs (>65%). Female condom was least frequent for "no stock-out" for all level HFs (<20%).

Supply chain, including cold chain: Main responsible person for drug indent were "MS", and "Assigned MO" at tertiary and secondary level HFs, while "HA/LHV/Sister" in primary level HFs. Supplies for majority of secondary and primary levels HFs were also quantified by calculation (63%). Main source of supplies for all levels HFs were respective Township Health Department and State/Region Health Department (68.4% and 15.7% respectively). Most of HFs (>70%) at all levels had their own arrangement for transportation of supplies to their HFs. About 40% of HFs at all levels were irregular in the interval. Availability of cold chain was 67.6% of HFs and was higher in tertiary and secondary level HFs (100% & 86.2%) and too much less in primary level HFs (42.9%).

Staff training and supervision: About 61.6% of HFs had trained staff for birth spacing and it becomes higher than last two year figures (50.4% at 2017 and 55% at 2016). Proportion of HFs which had trained staff for implant was increased to 31.3% from the last year data (i.e. 21.1%). Supervision for RH matter was received by 52.1% of HFs and it was higher in secondary level (57.5%) and highest in private hospitals (63.2%).

Availability of guidelines, check-lists and job aids: Availability of any guidelines was

(157/380=41.3%) of HFs. Most frequently available guidebook was "Job aid for antenatal care" (24.7%) and "Guidebook for antenatal care" (18.7%). "National guidebook for BS" was available at 7.1% of HFs only.

Use of Information Communication Technology (ICT): Almost all of HFs had at least one of ICT appliances and it was much higher than last year. Most frequently used ICT appliance were "Smart phone" (92%), and "computer" (39.1%). Use ICT for "Hospital record", and "patient register" were more prevalent in this year assessment.

Waste disposal: Burying and burning were still mostly used method for waste disposal. However, waste disposal of 52.6% of tertiary level and 100% of private HFs used municipal disposal system.

Charges for user fees: User fee charge was noted at (132/380=34.7%) of HFs. 33.4% of HFs charged user fees especially for "medicine". Private sector HFs had no FOC services. User fees for medication was more frequent at tertiary level and at urban HFs.

Recommendations:

- Linking to NHP which township level EPHS is core function, RHCS should also align to NHP
 centering it towards secondary level HFs because web-based databased software called
 "Logistimo" could be mostly functioning at township level.
- Standard operating procedures (SOP) for RHC-LS should be developed to support system
 implementation and management to optimize stock balance. The standardized LMIS forms and
 the inventory control system for each health facility could be used across townships and
 States/Regions by following SOP.
- Stock reallocation among different levels of health facilities across townships should be encouraged to keep adequate stock for RH and FP logistics. Innovated distribution method to HF should be found out for reaching in shorter interval between townships to health centers.
- The system management could be further strengthened with effective, efficient and consistant supervision, using a formal structure of checklist or logbook keeping at HFs at all levels. The standard supervision checklist logbook will help and guide supervisors/visitors reached to the HF at any time and any reasons.
- Continuous supportive supervision, including responsiveness on clients' need would improve service quality on the aspect of continuity of care and inter-personal communication. It needs to develop a formal mechanism for reporting side effects and adverse events related to contraceptive service provision for both short term and long term methods in all levels of health facilities.
- Providing more training for staff at secondary level HFs with further strengthening capacities to
 effectively forecast, procure, distribute and track the delivery of sexual and reproductive health
 commodities should be expanded, ensuring resilient supply chains and services. Incorporation
 of FP training updates into pre-services curriculum on how to offer comprehensive, quality, and
 voluntary rights-based family planning and SRHR counseling should be considered.
- Country capacities for quality assurance of procuring contraceptives and RH medicine should be facilitated by aligning national procurement policies and procedure with global intervention system to foster national ownership and multisectoral collaboration.
- Ways for task shifting of volunteers in some of FP services (such as providing SC-DMPA, counseling, information sharing, referring etc.) should be considered.
- The contraceptives waste disposal mechanism to be linked with other waste management systems. Distribution of the guidelines, SOP and system for monitoring & supervision of disposal practices should be assured to reach all target areas. There should be budget line with enough amount for establishment and maintenance of waste disposal systems at all level of HFs. Uniformity of implementing RH waste disposal at all level HFs should be monitored.

Part I: Introduction

Background of the report

Access to safe, voluntary family planning is a human right and central to achieving gender equality. This strengthens their economic security and well-being and that of their families. However, 214 million women in developing regions who want to avoid pregnancy are not using safe and effective family planning methods, for reasons ranging from lack of access to information or services to lack of support from their partners or communities.

Reproductive health supplies could be considered as a vital aspect of reproductive health system. Systematic supplies of contraceptives secure couples to plan their families; basic medications save lives of women from obstetric emergencies; and condoms protect people from HIV and sexually transmitted infections.

The United Nations Population Fund (UNFPA) aims to support for countries' efforts to increase access to these products and translate UNFPA's global RHCS strategy into national action plans¹. UNFPA also provides global leadership in increasing access to family planning, by convening partners – including governments – to develop evidence and policies, and by offering programmatic, technical and financial assistance to developing countries. UNFPA works to support family planning by: ensuring a steady, reliable supply of quality contraceptives; strengthening national health systems; advocating for policies supportive of family planning; and gathering data to support this work.

UNFPA has provided it's Programme of Assistance to Myanmar since 2012 and UNFPA has used modify assistance to the government departments to implement the activities that contribute to the strategic priorities of promoting good governance and strengthening democratic institutions and rights under the United Nations Strategic Framework prepared by UN agencies and the Government. UNFPA's Fourth Country Programme Document (2018-2022) for Myanmar was approved September 2017. The Programme focuses on three key areas of intervention 1) sexual and reproductive health) 2) gender equality and women's empowerment and 3) population dynamics. RHCS ensures the effective management of UNFPA supported Reproductive Health Commodity Security related programmes, comprising of family planning commodities, maternal health life-saving medicines and emergency kits and supplies. UNFPA has partnerships with the government departments, UN agencies, INGOs and local NGOs, foundations and research institutions. UNFPA has a presence in a number of priority states/regions, integrating development, peace building and humanitarian.²

This report is findings from a fifth consecutive assessment of RHCS in Myanar using standardized structured methodology of UNFPA. The conclusions of this report will inform design of the Maternal and Reproductive Health programme for the planning, implementing and should also encourage some developments within the current one.

Country profile of Myanmar

Myanmar, located in South-East Asia with the land area occupied by Myanmar is approximately 676,600 square kilometres, extending about 2,050 kilometres (1,270 miles) from north to south and 930 kilometres (580 miles) from east to west. It is slightly larger than the country of Afghanistan, and slightly smaller than the U.S. state of Texas. Myanmar has approximately 1,930 km of coastline on the Bay of Bengal and Andaman Sea. Elsewhere it shares approximately 6,500 kilometres (4,000 miles) of land borders with five neighbouring countries: Bangladesh to the west; India to the north-west; China to the north and north-east; Lao PDR to the east; and Thailand to the east and south-east. Based on geographic variations in relief, soils, drainage patterns and climate, Myanmar can be divided into five distinct physiographic regions: the northern mountains, the western ranges, the eastern plateau, the

¹ https://www.unfpa.org/fr/node/7282 (retreived at 25-6-2018) 2 UNFPA Country Office Myanmar

central basin and lowlands, and the coastal plains and deltas.

Myanmar was divided for administrative purposes into 15 States/Regions, 74 Districts, 330 Townships and 83 Sub-Townships, 3065 Wards, 13,619 Village Tracts and 64,134 Villages. As a large State, Shan State is divided into three parts, i.e. Northern, Eastern and Southern Shan States according to health administrative areas.). The main features of the country are the delta region (consist Ayeyawady and Yangon Regions) and the central plain surrounded by mountains which are mainly composed of Ethnic States.³ The 2014 Myanmar Census estimated the total population of the country at 51,486,253. The population of Myanmar is most heavily concentrated in the central part of the country, along a corridor connecting the cities of Yangon, Nay Pyi Taw and Mandalay. Geographical information system (GIS) analysis shows that approximately 50 per cent of the total population lives within 100 kilometres of these three urban centres. The other half of the population is distributed relatively sparsely in largely rural areas to the north, south, east and west, though there are smaller urban concentrations in all of these areas.⁴

According to MDHS 2015-2016, 52 percent of currently married women use a method of family planning, with 51 percent using a modern method. This indicates that Myanmar is on track for meeting the commitment endorsed for Family Planning 2020, a global partnership for women on reproductive rights, stating that Myanmar aims to increase modern contraceptive use (mCPR) from 41 percent to 50 percent by 2015 and over 60 percent by 2020.⁵

Rationale

Unmet need for contraception remains high in many settings, and is highest among the most vulnerable in society: adolescents, the poor, those living in rural areas and urban slums, people living with HIV, and internally displaced people.⁶.

In Myanmar, according to the estimates of the Maternal Mortality Estimation Inter-Agency Group (MMEIG), Myanmar's MMR stood at 520 per 100,000 live births in 1990 and has decreased to 200(120-330) per 100,000 live births in 2010. This estimate is consistent with the figure of 192 for 2011 MMR reported by the Health Management Information System (HMIS). WHO SEARO estimated that Maternal Mortality Ratio for Myanmar is 178 per 100000 live birth at 2015. Proportion of married or inunion women of reproductive age who have their need for family planning satisfied with modern methods is 75% in 2016. Proportion of the population with access to affordable medicines and vaccines on a sustainable basis is 43% in 2015.

MDHS 2015-2016 stated that 16 percent of currently married women have an unmet need for family planning services. With linking to 52% CPR, 69 percent of currently married women have a demand for family planning. At present, 76 percent of the potential demand for family planning is being met. Thus, if all married women who said they want to space or limit their children were to use family planning methods, the CPR would increase from 52 percent to 69 percent. The results indicate that Myanmar is slightly behind in its commitment to reduce the unmet need for family planning to less than 10 percent and to increase the percentage of demand satisfied to 80 percent by 2015 (Family Planning 2020, 2013).

Fully meeting the need for family planning could reduce maternal mortality by a quarter, and unintended pregnancies by three quarters. Ending unmet need for family planning is one of the three transformative results of the UNFPA Strategic Plan for the next four years, which will contribute to achieving Agenda 2030.8

³ Health in Myanmar, 2015

⁴ Department of Population. THE 2014 MYANMAR POPULATION AND HOUSING CENSUS

⁵ Myanmar Demographic Health Survey 2015-16

⁶ WHO. Ensuring human rights in the provision of contraceptive information and services: guidance and recommendations. 2014

⁷ www.searo.who.int/entity/health_situation_trends/countryprofile_mmr.pdf

⁸ UNFPA Supplies Annual Report 2017

Strong evidences on reproductive health commodity supply chain will help solving a number of problems in allocation of limited resources for contraceptives, inadequacy in forecasting capacity, prolonged procurement process and uncoordinated distribution system in LMIS.

This survey is conducted in Myanmar as one of 46 countries programmed for Global Supplies and to cover both the availability of RH commodities and salient aspects of service delivery facilities that underpin good RH programmes. This is a fifth year assessment as a continuation of 2014, 2015, 2016 and 2017. Assessment activities and findings also reflect comparison between five consecutive years for the country.

Objective

General objective

To assess reproductive health commodities security (RHCS) status of the country

Specific objectives

- 1. To assess availability, utilization and supply chain management system for RH commodities at different level of health facilities
- 2. To assess quality of RH services emphasis on family planning in terms of training, supervision, use of guidelines and ICT
- 3. To determine clients' accessibility to RH services providing at different level of facilities

Methodology

Study design

As a standardized consistant methodology used at last years, the assessment used a cross-sectional descriptive study design covering all states and regions (administrative areas). Three levels of health facilities which were providing reproductive health services including family planning, maternal care and treatment of reproductive tract infections were included. The clients of the respective facilities were also interviewed. Data collection activities were carried out during May and September of 2018.

Sampling procedure,

Health Facilities(HFs) that provide modern methods of contraceptives and maternal/RH services were stratified into three broad categories:

- a) Primary Level HFs (Rural Health Centre, Urban Health Center and Maternal & Child Health Center)⁹
- b) Secondary level HFs/Hospitals (Station or Township Hospital without ObGy Specialist)
- c) Tertiary level Hospitals (District/State/Region Hospitals and Hospitals with ObGy Specialist)

The list of all service delivery points (providing Family Planning and Maternal Health services) in each of the administrative units of the country taken from HMIS/DoPH was used as a frame for the selection of samples. Then, Health facilities (HFs) that could provide modern contraceptives were summarized by area and level. This was used for determination of sample size (number of HFs by administrative regions).

| State/Region | Number of | Number of | Number of |
|---|-----------|-----------|---------------|
| E-SIGNAL - C. F. F. C. F. C. F. C. F. C. F. F. C. F. F. C. F. C. F. F. C. F. C. F. | Tertiary | secondary | primary level |

⁹ In Myanmar, there were two levels in the primary HF (i.e. Rural Health Center and sub-RHC). Under the administration of one RHC, there was about 5-6 sub-RHCs in which one midwife for each is posted. Sub-RHCs are closely supervised by RHC for commodities and services to be in same fashion. Due to this clustering effect, situation of the RHC was representative to the situation of sub-RHCs under its administration. In every RHC, one sub-RHC was attached and providing services to the main villages covered by the RHC. Regarding to these reasons, sub-RHCs were not included in the sampling methodology as another level (4th Level sampling).

¹⁰ Annual Hospital Statistics Report 2013, DHP, MOH

| | Hospitals | level HFs | HFs |
|-------------|-----------|-----------|------|
| Kachin | 1 | 51 | 91 |
| Kayar | 2 | 15 | 34 |
| Kayin | 4 | 34 | 71 |
| Chin | 3 | 26 | 87 |
| Sagaing | 9 | 130 | 275 |
| Tanintheri | 3 | 37 | 59 |
| Bago | 4 | 104 | 227 |
| Magwe | 6 | 93 | 201 |
| Mandalay | 11 | 85 | 180 |
| Mon | 2 | 40 | 76 |
| Rakhine | 4 | 70 | 139 |
| Yangon | 11 | 58 | 112 |
| Shan South | 4 | 63 | 115 |
| Shan North | 6 | 62 | 130 |
| Shan East | 3 | 26 | 61 |
| Ayeyawady | 6 | 119 | 274 |
| Nay Pyi Taw | 4 | 17 | 36 |
| Total | 83 | 1030 | 2168 |

Again, all HFs were listed and unique number was assigned and this list was used for sampling frame. The total sample should contain a minimal number of each level of facility to support good estimation of the parameters of the population. The following formula is used:

$$n = \frac{Z^2 p(1-p)}{d^2}$$
 Where $n = minimal sample size for each domain$
$$Z = Z score that corresponds to a confidence interval$$

$$p = the proportion of the attribute (type of SDP) expressed in decimal of ir$$

the primary facilities.

Step 1) Calculate relative proportion for the types of SDPs

The relative proportion for Tertiary level SDPs is calculated as follows:

[Total number of tertiary SPDs]÷[Total number of SDPs on the sample frame].

| | Tertiary level HFs | Secondary level HFs | Primary Level HFs | Total |
|---------------------|-----------------------|------------------------|----------------------|-------|
| Number of SDPs | 83 | 1030 | 2168 | 3281 |
| Relative Proportion | 0.025297 | 0.313929 | 0.660774 | |

Step 2) Apply the formula above to obtain the minimal sample size for each Type of HFs. The confidence interval is set at Z-score = 95 per cent and 5 per cent confidence limit.

$$n = \frac{Z^2 p(1-p)}{d^2}$$

p = relative proportion

d =0.0711, Z=1.96

| Agricultural per consultation of the form of agricultural | MARKA MA | 1 |
|--|--|---|
| Confidence Interval and Confidence Limit | Minimal Sample Size of Service Delivery Point | |

¹¹Due to reduction of total budget for 2015 activities, the number of health facilities for field survey (sample size requirement) was adjusted accordingly. Not to severely affected the representativeness of the sample size, the precision (D) in the calculation was adjusted from routine value (0.05) to (0.07). Due to this adjustment, the precision of every calculated proportion (percentages) are less précised than last year (2014) report.

| | Tertiary level | Secondary level | Primary Level | Total |
|---|-------------------|--------------------|------------------|-------|
| [95% confidence interval (Z = 1.96) and 10% confidence limit (d = 0.07) | 19 | 167 | 176 | 362 |

Step 3: Correction for abnormal-oversize samples

There was no abnormal sample size larger than actual existing total number in each category. Thus, the calculated numbers were set as minimum requirement.

Step 4: Distribution of Sample Sizes for Administrative Units

To distribute total sample size for each category of HFs among the administrative units, the relative proportions for each domain was made from the calculation where the region-wise and level-wise total HFs was divided mathematically by level-wise total HFs. Then these proportions were multiplied with required number of total HFs in each level.

| Required | numbers of | HFs | were as | in the | following | table: |
|----------|------------|-----|---------|--------|-----------|--------|
| | | | | | | |

| State/Region | Tertiary | Secondary | Primary | Private ¹² | Total |
|--------------|----------|-----------|---------|-----------------------|-------|
| Kachin | 0 | 8 | 7 | 0 | 15 |
| Kayah | 0 | 2 | 3 | 0 | 5 |
| Kayin | 1 | 6 | 6 | 1 | 14 |
| Chin | 1 | 4 | 7 | 1 | 13 |
| Sagaing | 2 | 21 | 22 | 2 | 47 |
| Tanintheri | 1 | 6 | 5 | 1 | 13 |
| Bago | 1 | 17 | 18 | 1 | 37 |
| Magway | 1 | 15 | 16 | 1 | 33 |
| Mandalay | 3 | 14 | 15 | 3 | 35 |
| Mon | 0 | 6 | 8 | 0 | 14 |
| Rakhine | 1 | 11 | 11 | 1 | 24 |
| Yangon | 3 | 10 | 9 | 3 | 25 |
| Shan (South) | 1 | 10 | 9 | 1 | 21 |
| Shan (North) | 1 | 10 | 11 | 1 | 23 |
| Shan (East) | 1 | 4 | 4 | 1 | 10 |
| Ayeyawady | 1 | 20 | 22 | 1 | 44 |
| Nay Pyi Taw | 1 | 3 | 3 | 1 | 8 |
| Total | 19 | 167 | 176 | 19 | 381 |

Finally, systematic sampling method was used to select the HFs based on the list (sampling frame). The list of sample HFs was described in the coordination meeting with local regional health authorities for security assurance. In case of security concern, some HFs in their areas were replaced with second HF from the list, after discussion and getting agreement of concerned UNFPA National Programme Officer. Replacement was less than 5% of total sample size and thus the representativeness was not severely affected.

Questionnaire

There is a generic standardized questionnaire for the survey version 2017 and it was translated and reformatted for convenience and easy understanding of survey team of DMR-POLB. Some of the information given by interviewee was verified by interviewer using observation of relevant evidences and records available in the facility. To have a good comparison between successive years, same questionnaire to previous year assessment was used.

Fieldwork/data collection

DMR-POLB organized a one-day coordination meeting in March 2017 with health authorities from all state/regional health departments for advocating, sampling, formation of team and trip plan before survey. Face-to-face interview using structured questionnaire was used. Way to assure the quality was mainly focused in the meeting. It was confirmed that 19 tertiaries, 167 secondary, 176 primary level HFs, and 19 private hospitals totaling 381were covered.

Enumerator training was conducted in May 2018 for two days' duration. Research assistants from DMR-POLB were recruited. Fifty-two field enumerators, (14) technical supervisors (team leader) and (5) investigators attended the training sessions. Pilot testing on field activities was carried out at five HFs (including one district hospital, one station hospital, one MCH and two RHC covering three levels of HFs) in Pyin Oo Lwin Township. We conducted household visits with random sample clients from register list at most of regions. Interviews were done by quantitative approache.

The data collection started in May 2018 simultaneously in all state/regions under close supervision of local administrative supervisors and DMR-POLB technical supervisors. Data collection activities were completed in Sep 2018.

¹² Private HFs were included in this year assessment after discussion with stakeholders and permission from Deputy Minister of Health.
Number of private HFs to be included was decided to be same with tertiary level HFs and sampling method is to be convenient sampling.

Data analysis

Data entry was made using EpiData software. Data analysis was done in SPSS after transfer of the EpiData record file into SPSS format. Descriptive analysis was mainly used. Frequency tables were mainly described in accordance with the list of dummy tables described in the guideline document. Disaggregates on Urban/rural, State/Region, levels of HFs and locations were mainly calculated. Tables and graphs were produced for presentations.

Ethical consideration

Prior permission from central authorities was taken first because the report would disclose the country's situation and weaknesses in the health services provision. Informed consent from local authorities of the facility was made according to the guidelines of Department of Medical Research Ethics Review Committee. Report did not uncover individual facility's information. Permission for dissemination and printing of report from MOHS was taken properly. Sharing of information and dissemination of the report would be beneficial for service providers, programme manager, policy makers and donor agencies as the findings can be utilized for evidence based and informed decision making in provision of relevant implementation activities in the respective areas.

Part II. National protocols in 2017

A. Sexual and Reproductive Health and Rights (SRHR) Policy development¹³

Existing national-level policies on sexual and reproductive health are limited to the 2002. Reproductive Health Policy, which was not explicit in stating that sexual and reproductive health services and rights are for all people of all ages. Ministry of Health and Sports (MOHS) has reviewed and expanded on the 2002 Reproductive Health Policy to reprioritize areas of need based on emerging global normative guidance such as the World Health Organization's Global Strategy on Reproductive Health. The new National Sexual and Reproductive Health and Rights (SRHR) Policy aims to provide an inclusive policy framework for SRHR and SRH services for people of all ages.

MOHS conducted a literature review of lessons learned from other countries' experiences in SRHR policy development and implementation. Reflecting local needs, local experts are collaborated to conduct an analysis of current Myanmar legislation and relevant policies to provide context for the new policy. To ensure that the policy is rooted in the current needs of the Myanmar population, a reproductive health needs assessment of service provision is implemented to identify barriers, and areas to address and prioritize in the National SRHR Policy. Multi-stakeholder consultations with an inclusive network of stakeholders for policy development are carried out. The MOHS has established a core working group composed of MOHS staff, UN agencies, INGOs, and local NGOs, organized into advisory groups for six key areas-adolescents' SRHR, inclusivity and special groups, gender, maternal newborn and child health, family planning, and reproductive health-related morbidities. The National SRHR Policy is finalized and launched in 2018. It will establish an overarching policy framework that will guide the development of subsequent strategic plans, clinical guidelines, care pathways, service standards, and data collection that take a rights-based approach to SRH service delivery. By clearly outlining fundamental principles of SRHR in such a critical time in its democratic transition, Myanmar is making a bold commitment to improving the health of people of all ages and genders for generations to come.

B. Guideline for Safe disposal and Management of unused, unwanted contraceptives 14

UNFPA encourages the use of good procurement practices and places emphasis on the quality of the contraceptive products that reach the end users. A key part in the procurement of reproductive health commodities is the management of the product throughout its life cycle. The management of waste from contraceptives or unusable contraceptives needs to be considered to ensure environmentally



appropriate methods are used during disposal. Contraceptive waste has unique characteristics which require specialized guidelines. There are international guidelines that make recommendations for disposal of various types of medical waste. The purpose of this document are;

1) to provide guidance on the safe disposal of unusable contraceptives;

2) to guide countries in developing or updating country specific waste disposal policies and guidelines that include disposal of contraceptive wastes; and 3) to build awareness and capacity in managing of contraceptive waste.

This guideline provides general information and background on the disposal of contraceptives. This information is complemented by three sections that provide specific information on waste disposal in the below product categories: 1) Hormonal contraceptives. 2) Condoms – male and female and 3) Copper IUDs

¹³ https://path.azureedge.net/media/documents/Myanmar_SRHR_Policy_FactSheet_final_approved.pdf

¹⁴ MoHS, UNFPA. Safe disposal and Management of unused, unwanted contraceptives 2018

C. Four additional commitments for FP2020 by Myanmar¹⁵

Myanmar has pledged to the global partnership initiative – Family Planning 2020 – in November 2013 and has made the commitments; to strengthen the policy of providing clinical contraceptive methods by skilled staff through better collaboration among multi-stakeholders; to implement people-centered policies to address regional disparity and inequity between urban and rural and rich and poor; to expand the forum of family planning under the umbrella of the Health Sector Coordinating Committee and to creat a working Group on Family Planning as a branch of the MNCH Technical Strategy Group ¹⁶. In addition, four clear priorities for the coming years were set in-line with existing agreed focus areas, and 6 strategic areas in the Myanmar Costed Implementation Plan (CIP), and National RH Strategic Plan. These additional priorities are planned to implemented as following action.

1. Sustainable financing for commodities

While the government budget for health has increased, the allocation of government budget for specific RH programmes is minimal and not in accordance with proposed activities in the RH Strategic Plan. In addition, while the budget for commodities has increased, operational costs such as supervisory activities is deficient. There is often non-alignment between donor interest and available financial resource and priorities set by the national programme¹⁷. The commitment was planned to implement by; developing National resources mobilization plan to increase domestic funding and donor investments on family planning, ensuring access to contraceptives is part of basic EPHS, and implementing total market approach and facilitate registration of new contraceptive suppliers.

Reaching the hardest to reach.

By finalizing National Family Planning Guideline and adapting Family Planning Fact sheet for Myanmar context; DMPA-SC program will be expanded to increase access in hard to reach and vulnerable populations.

3. Empowering young people-initiation of Youth contraception

It will be established; by developing strategies to reach adolescent and youth with ASRH information and services in line with the National Youth Policy and Comprehensive Sexual Education; by adapting existing programs and activities to target increased access and utilization of contraception by young people; and by giving training BHS on adolescent and youth friendly health services using the ARH and AYFSH manual.

Strengthen LMIS-RH commodity security

LMIS-RH commodity security will be strengthened; by coordination meeting with partners for strengthening the national LMIS for all health commodities and expansion in to new regions, by implementing joint monitoring visit on strengthening of harmonized RH-LMIS and automated system, by building capacity of staff for LMIS and inventory management, analysis and utilization of data generated by automated LMIS system and health facility survey reports for quantification, by conducting quantification training workshop for sub-national levels, and by streamlining consumption data from EHOs and volunteers. It needs to find an appropriate mechanism for continuing RHCS Assessment

¹⁵ FP2020 Country Actions for Acceleration (https://www.medbox.org/myanmar-actions-for-acceleration/download.pdf)

¹⁶ Costed Implementation Plan to meet FP2020 Commitments Myanmar. MoHS

¹⁷ MRH, MoHS. Stargety to End Preventable Maternal Mortality (2017-2021)

¹⁸ Report on Children's Investment Fund Foundation (CIFF) FPRHCCI2. UNFPA Myanmar.

A. SayanaPress (SC-DMPA)18

SayanaPress is a combination of a long-acting, reversible contraceptive, and an all-in-one prefilled, single-use, non-reusable Uniject injection system, reducing the need to prepare a needle and syringe. Injectable contraception, including SC-DMPA, can make a big difference in the health and lives of




women and adolescent girls but can only do so with political commitment, supportive policies, and adequate funding in place. Decision-makers, donors, implementing organizations, supply chain partners, the private sector, and advocates must work together to ensure injectables, as part of a broad method mix, are widely accessible.

UNFPA developed SC-DMPA roll out strategy as part of a community based family planning package through a conflict sensitivity approach. Since June 2017, Myanmar introduced SC-DMPA (SayanaPress) as a new method and initiated in 60 townships

(Northern Shan, Southern Shan, Chin, Kayin States and Magway Region). In 2018, the additional 120 townships for scale up of SC-DMPA programme through different implementing partners where low CPR and high unmet need prevails SC-DMPA was designed and programmed targeting urban poor, young people and underserved population in and hard to reach areas especially ethnic groups. The additional new 120 project townships in 5 States and Regions (Shan East and Mon States, Bago, Ayeyawady and Yangon Regions) in 2018 were rolled out and with the support of CIFF Fund, UNFPA could scale up the SC-DMPA programme in 73 townships of Bago and Yangon Region. Procurement only 15,000 units of SC-DMPA was done in 2018.

B. National Family Planning Guideline

The 'Family Planning Guideline for Service Providers 2018' has been developed to reduce the unmet need for contraception by increasing knowledge and services provided by the health service providers in Myanmar. With increase service delivery points in the community, the ultimate goal is to reduce unintended pregnancies, maternal morbidity and mortality. This guideline will serve as a reference guide for health service providers at different levels of health system to provide quality and right-based family planning services to their clients. The guideline spells out the background of family planning in Myanmar and the details of processes and procedures relevant in directly delivering family planning services. These details are arranged in six chapters: human rights principles; counselling; quality of care; access to family planning services; and different contraceptive methods available in Myanmar; serving people with special needs, and job aids as annexes. This guideline was developed in line with country's policy and context adapting from evidence based



global guidelines. Much of the information in this guideline have been adapted from WHO Family Planning: A Global Handbook for Providers 2018.

C. Reproductive Health Commodity Logistics System (RHC LS) Achievements of the Partnership Project Implemented by MRH/MOHS, UNFPA and JSI¹⁹

Since April 2013, the Ministry of Health and Sports (MOHS), with technical support from JSI and funding from UNFPA, has been working to improve the availability of 36 key reproductive and maternal health products by strengthening the management of these products through the design and implementation of the Reproductive Health Commodity Logistics System (RHC LS). During the September 2014 to February 2015 pilot of RHC LS in 12 Townships in four States/Regions (Ayeyawady, Mandalay, Southern Shan, and Yangon), a number of supply chain system strengthening activities were implemented, including: development of a comprehensive, MOHS-approved and validated standard operating procedures (SOP) manual and accompanying training curricula, and the development of an automated database called Logistimo at the Township level used to capture logistics information from health facilities.

RHC LS encompasses three interventions, when implemented as a whole, have proven to achieve the goal of making data accessible, increasing the use of that data and improving product availability. These interventions are:

- Building the capacity of township staff and BHS to accurately record and report supply chain data using LMIS forms harmonized in line with national supply chain, and to use standard inventory management procedures which help guide local managers to appropriately resupply products to health facilities within established inventory parameters.
- Making supply chain data accessible and visible through an automated logistics management information system (LMIS), Logistimo, which features web-based dashboards and reports used routinely by MOHS staff and partners to monitor stock levels and take action to ensure adequate stocks are continuously available to the program and at service facilities.
- Establishing Quality Improvement Teams (QITs), which bring staff from different levels together
 monthly (RHC and Township) or bimonthly (State) to work in teams to review supply chain data
 from the RH LMIS, identify and prioritize problems, and take action to solve challenges (e.g.
 stock imbalance across facilities/townships) with the shared goal of improving product
 availability.

Over the period July 2016 through December 31, 2017, JSI, working with MOHS and with continued support from UNFPA and other partners, expanded implementation of RHC LS initially to all Townships in Southern Shan and Mandalay, and then in Northern Shan, Kayin, Mon, Kayah and Kachin States. More than 8,000 BHSs from 121 townships under nine States/Regions have been trained; they understand how to complete LMIS forms, to submit monthly reports to townships, to follow the procedures recommended by RHC LS, and to manage their own inventory to ensure continuous availability of RH/FP products.

In 2013, Myanmar committed to meet its FP2020 goals: increase the contraceptive prevalence rate for modern methods from 32.6% to 60% and reduce unmet need for contraceptives from 19% to below 10%. With two and a half years remaining to reach these targets, investing in the RHC LS is an effective way to empower MOHS central managers with the data they need to forecast commodity requirements and procure an uninterrupted supply of health products needed to meet these goals. To that end in the next few years, the following will be accomplished:

- Expansion of RHC LS in three additional States and Regions before the end of 2018.
- Expansion of RHC LS to remaining States and Regions in 2019, achieving national implementation.

With the expansion of RHC LS, MOHS will have access to national level data that can be used to

¹⁹ MRH, DoPH, MoHS. Achievements of the Partnership Project Implemented by MRH/MOHS, UNFPA and JSI (April 2013 – August 2018)

improve supply chain performance, inform product procurement, reduce waste and ensure more efficient use of government resources. Experience with RHC LS will continue to inform MOHS' efforts to design and implement a national supply chain system inclusive of all health commodities through collaboration with the other SC partners. The RHC LS provides a backbone that a national LMIS system can be built upon in the future. The RHC LS has informed the design of logistics tools for the national system as well as processes, including automation, and will continue to share lessons learned, tools, and methodologies as the system is scaled up.

Part III: Findings on facility assessment

Sample health facilities

Table A. Sample health facilities

Level of Health Facility Fertiary level Secondary level Primary level Private hospital Fotal State/Region Kachin Kayah Kayin Chin Sagaing Tanintheri Bago Magway Mandalay Mon Rakhine Yangon Shan (South) Shan (North) Shan (East) Ayeyawady Nay Pyi Taw Total 19 380

Numbers of sample HFs were distributed proportionately to the level of facilities and administrative regions. A total of 380 health facilities including 19 private hospitals were assessed.

Table B. Urban rural distribution of HFs by region

| | | Urban/Rural | | |
|--------------|--------------|-------------|-------|-------|
| | | Urban | Rural | Total |
| State/Region | Kachin | 7 | 10 | 17 |
| | Kayah | 5 | 2 | 7 |
| | Kayin | 4 | 10 | 14 |
| | Chin | 6 | 6 | 12 |
| | Sagaing | 9 | 35 | 44 |
| | Tanintheri | 8 | 5 | 13 |
| | Bago | 21 | 16 | 37 |
| | Magway | 10 | 23 | 33 |
| | Mandalay | 10 | 23 | 33 |
| | Mon | 8 | 7 | 15 |
| | Rakhine | 11 | 13 | 24 |
| | Yangon | 11 | 14 | 25 |
| | Shan (South) | 10 | 11 | 21 |
| | Shan (North) | 8 | 15 | 23 |
| | Shan (East) | 7 | 3 | 10 |
| | Ayeyawady | 9 | 35 | 44 |
| | Nay Pyi Taw | 4 | 4 | 8 |
| | Total | 148 | 232 | 380 |

Selected HFs in Yangon Regions included Urban Health Centers and MCH clinics as primary level HFs. Some of Station Hospitals and all private hospitals were also located at urban rather than rural context. Similarly, all selected secondary level HFs in Kayah, Bago, and Mon were mostly be township hospitals and located in urban setting. Thus, the proportion of HFs at urban was higher than that of

rural in those regions.




Figure 1. Distance to nearest medical depot from sample HFs by Regions

Figure 1 shows more HFs in Bago, and Mandalay were located at less than 10 miles away from nearest medical depot than other regions. Higher proportion of HFs at Ayeyarwady, Shan (north), and Rakhine were located at more than 21 miles away from the nearest medical depot.

Section A1. Modern contraceptives offered by primary facilities

Offering at least three modern contraceptive methods by primary health facilities

Table 1a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by type of facility

| | | | Providing least number of | | |
|--------------------------|---------------|------|---------------------------|-------|--------|
| | | | No | Yes | Total |
| Level of Health Facility | Primary level | Freq | 10 | 165 | 175 |
| 1/2// | | % | 5.7% | 94.3% | 100.0% |
| | Total | Freq | Freq | 165 | 175 |
| | 10.000 | % | % | 94.3% | 100.0% |

Primary level HFs were considered as be essential to have "three" modern contraceptives rather "five" which was especially essential for secondary and tertiary level HFs. Out of total 175 primary level HFs, 94.3% (compare to 81.4% at 2016 and 82.3% at 2017) were providing at least three modern contraceptive and majority was fulfilling basically required services for birth spacing.

Offering at least three modern contraceptive methods at primary HFs by Administrative Unit (Region)

Table 2a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by Administrative Unit (Region)

| | | Providing least num | | | |
|-------------------|-----------------------|---------------------|------|-----------------------|----------------|
| Tota | ontraceptives) Yes | No | | | |
| 100 | 6 | 1 | Freq | Kachin | State/Region |
| 100.09 | 85.7% | 14.3% | % | Nacinii_ | Otate/1 (egion |
| 100.07 | 3 | 0 | Freq | Kayah | _ |
| 100.09 | 100.0% | 0.0% | % | Nayaii_ | |
| 100.07 | 6 | 0.070 | Freq | Kayin | _ |
| 100.09 | 100.0% | 0.0% | % | rayiii_ | |
| 100.07 | 5 | 2 | Freq | Chin | · - |
| 100.09 | 71.4% | 28.6% | % | OIIII_ | |
| 2 | 21 | 20.070 | Freq | Sagaing | _ |
| 100.09 | 91.3% | 8.7% | % | Sayainy_ | |
| 100.07 | 51.5% | 0.770 | Freq | Tanintheri | - |
| 100.09 | 100.0% | 0.0% | % | 1 di ili ili ile il | |
| 2 | 19 | 1 | Freq | Bago | - |
| 100.09 | 95.0% | 5.0% | % | | |
| 1 | 14 | 1 | Freq | Magway | - |
| 100.09 | 93.3% | 6.7% | % | magnay_ | |
| 1 | 15 | 0 | Freq | Mandalay | |
| 100.09 | 100.0% | 0.0% | % | mandalay_ | |
| 10010 | 6 | 0 | Freq | Mon | |
| 100.09 | 100.0% | 0.0% | % | | |
| 1 | 11 | 0 | Freq | Rakhine | _ |
| 100.09 | 100.0% | 0.0% | % | | |
| 00.00.00.00.00.00 | 9 | 0 | Freq | Yangon | - |
| 100.09 | 100.0% | 0.0% | % | 3-11- | |
| 34503,45 | 9 | 0 | Freq | Shan (South) | - |
| 100.09 | 100.0% | 0.0% | % | 1011111111 V-12011111 | |
| 1 | 10 | 2 | Freq | Shan (North) | |
| 100.09 | 83.3% | 16.7% | % | , | |

| 2 | 2 | 0 | Freq | Shan (East) | |
|--------|--------|--------------|------|-------------|--|
| 100.0% | 100.0% | 0.0% | % | | |
| 22 | 21 | 9 7 9 | Freq | Ayeyawady | |
| 100.0% | 95.5% | 4.5% | % | 5 5 5 | |
| 3 | 3 | 0 | Freq | Nay Pyi Taw | |
| 100.0% | 100.0% | 0.0% | % | | |
| 175 | 165 | 10 | Freq | Total | |
| 100.0% | 94.3% | 5.7% | % | | |




Figure 2. Percentage of primary HFs providing three modern contraceptives by regions

More than 90% of primary level HFs in 11 States/Regions were identified as could provide at least three modern contraceptive methods. Bago, Magway Sagaing, Kachin, Shan (North) and Chin were noted to have less than union level 94% of primary level HFs which could provide at least three modern contraceptive methods.

Offering at least three modern contraceptive methods at primary HFs by urban/rural residence

Table 3a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by urban/rural residence

| | | | Providing least numl | per of modern ontraceptives) | |
|-------------|-------|------|----------------------|------------------------------|--------|
| | | | No | Yes | Tota |
| Urban/Rural | Urban | Freq | 2 | 30 | 32 |
| | | % | 6.3% | 93.8% | 100.0% |
| | Rural | Freq | 8 | 135 | 143 |
| | | % | 5.6% | 94.4% | 100.0% |
| | Total | Freq | 10 | 165 | 175 |
| | | % | 5.7% | 94.3% | 100.0% |

About 94.4% of primary level HFs in rural area, was providing at least three modern contraceptive methods compare to those of urban (93.8%%). The differences between urban and rural was not significant (Chi2 test P>0.05). The difference was narrower in 2018.

Offering at least three modern contraceptive methods at primary HFs management of facility

Table 4a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by management of facility

Providing least number of modern contraceptives) Total No Yes Type of administration Govt Freq 10 165 175 % 100.0% 5.7% 94.3% Total Freq 10 165 175 5.7% 94.3% 100.0% %

Since all primary level HFs are under government administration, it was found 94.3% to be doing at least three modern contraceptives.

Offering at least three modern contraceptive methods at primary HFs by distance from nearest warehouse/source of supplies

Table 5a. Percentage distribution of primary service delivery points offering at least three modern contraceptive methods by distance from nearest warehouse/source of supplies

| | | Pro | viding least numb | er of modern | |
|-----------------------------|---------------|------|-------------------|---------------|--------|
| | | | CO | ntraceptives) | |
| | | | No | Yes | Total |
| Distance to nearest medical | <10 miles | Freq | 3 | 84 | 87 |
| depot (mile) (group) | | % | 3.4% | 96.6% | 100.0% |
| | 10-21 miles | Freq | 6 | 46 | 52 |
| | | % | 11.5% | 88.5% | 100.0% |
| - | >21 miles | Freq | 1 | 35 | 36 |
| | | % | 2.8% | 97.2% | 100.0% |
| Travel duration to nearest | Within a day | Freq | 10 | 164 | 174 |
| med depot | | % | 5.7% | 94.3% | 100.0% |
| | Within a week | Freq | 0 | 1 | -1 |
| | | % | 0.0% | 100.0% | 100.0% |
| Route to travel to nearest | Road | Freq | 9 | 160 | 169 |
| med depot | | % | 5.3% | 94.7% | 100.0% |
| | Water | Freq | 1 | 5 | 6 |
| | | % | 16.7% | 83.3% | 100.0% |
| | Total | Freq | 10 | 165 | 175 |
| | | % | 5.7% | 94.3% | 100.0% |

Availability of at least three modern contraceptive methods in primary level HFs was not significantly associating with distance, travel duration and route to travel to nearest medical depot from the HF.

Section A2. Modern contraceptives offered by secondary and tertiary facilities

Offering at least five modern contraceptive methods at secondary and tertiary HFs by type of facility

Table 1b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by type of facility

Description leaves according of an along

| | | Pro | viding least number cor | er of modern ntraceptives) | |
|--------------------------|------------------|------|----------------------------|-------------------------------|--------|
| | | | No | Yes | Total |
| Level of Health Facility | Tertiary level | Freq | 3 | 16 | 19 |
| | 7120 | % | 15.8% | 84.2% | 100.0% |
| | Secondary level | Freq | 86 | 81 | 167 |
| | | % | 51.5% | 48.5% | 100.0% |
| | Private hospital | Freq | 4 | 15 | 19 |
| | | % | 21.1% | 78.9% | 100.0% |
| | Total | Freq | 93 | 112 | 205 |
| | | % | 45.4% | 54.6% | 100.0% |

48.5% availability of at least "five" modern contraceptive methods was found in secondary level HFs. Compare to tertiary level and private HFs (84.2% and. 78.9%), it was significantly low (P<0.001). The highest percentage was in Tertiary Level HFs but it was higher than 2017 data (77.3%).

Offering at least five modern contraceptive methods at secondary and tertiary HFs by Administrative Unit (Region)

Table 2b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by Administrative Unit (Region)

| | | Providing least numb | ığ | ŝi. | |
|--------|-----------------------|----------------------|------|------------|--------------|
| Tota | ontraceptives) Yes | No | | | |
| 10 | 8 | 2 | Freq | Kachin | State/Region |
| 100.0% | 80.0% | 20.0% | % | | T-1 |
| 4 | 3 | 1 | Freq | Kayah | |
| 100.0% | 75.0% | 25.0% | % | | |
| .B | 7 | 1 | Freq | Kayin | |
| 100.0% | 87.5% | 12.5% | % | | |
| 5 | 2 | 3 | Freq | Chin | |
| 100.0% | 40.0% | 60.0% | % | | |
| 21 | 5 | 16 | Freq | Sagaing | |
| 100.0% | 23.8% | 76.2% | % | | |
| 8 | 5 | 3 | Freq | Tanintheri | |
| 100.0% | 62.5% | 37.5% | % | | |
| 17 | 5 | 12 | Freq | Bago | |
| 100.0% | 29.4% | 70.6% | % | 7.60 | |
| 18 | 11 | 7 | Freq | Magway | |
| 100.0% | 61.1% | 38.9% | % | | |
| 18 | 12 | 6 | Freq | Mandalay | |
| 100.0% | 66.7% | 33.3% | % | 150 | |
| 9 | 3 | 6 | Freq | Mon | |
| 100.0% | 33.3% | 66.7% | % | | |
| 13 | 6 | 7 | Freq | Rakhine | |
| 100.0% | 46.2% | 53.8% | % | | |

| 16 | 14 | 2 | Freq | Yangon | |
|--------|--------|-------|------|--------------|--|
| 100.0% | 87.5% | 12.5% | % | | |
| 12 | 12 | 0 | Freq | Shan (South) | |
| 100.0% | 100.0% | 0.0% | % | | |
| 11 | 6 | 5 | Freq | Shan (North) | |
| 100.0% | 54.5% | 45.5% | % | | |
| .8 | 5 | 3 | Freq | Shan (East) | |
| 100.0% | 62.5% | 37.5% | % | | |
| 22 | 6 | 16 | Freq | Ayeyawady | |
| 100.0% | 27.3% | 72.7% | % | | |
| - 5 | 2 | 3 | Freq | Nay Pyi Taw | |
| 100.0% | 40.0% | 60.0% | % | * * | |
| 205 | 112 | 93 | Freq | Total | |
| 100.0% | 54.6% | 45.4% | % | | |




Figure 3. Percentage of tertiary & secondary HFs providing five modern contraceptives by regions

Eight out of 17 areas have noted that only less than 60% of tertiary/secondary and private HFs which could be doing five modern contraceptive services.

Offering at least five modern contraceptive methods at secondary and tertiary HFs by urban/rural residence

Table 3b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by urban/rural residence

Providing least number of modern

| | | | CC | ontraceptives) | |
|-------------|-------|------|-------|----------------|--------|
| | | | No | Yes | Tota |
| Urban/Rural | Urban | Freq | 42 | 74 | 116 |
| | | % | 36.2% | 63.8% | 100.0% |
| | Rural | Freq | 51 | 38 | 89 |
| | | % | 57.3% | 42.7% | 100.0% |
| | Total | Freq | 93 | 112 | 205 |
| | | % | 45.4% | 54.6% | 100.0% |

Urban rural difference (63.8% vs. 42.7%) was still noted to be statistically significant (P<0.001). The difference was narrower than that of 2017 (52.5% vs. 25%).

Offering at least five modern contraceptive methods at secondary and tertiary HFs by management of facility

Table 4b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by management of facility

| | | | Providing least numb | er of modern intraceptives) | |
|------------------------|---------|------|----------------------|--------------------------------|--------|
| | | | No | Yes | Total |
| Type of administration | Govt | Freq | 89 | 97 | 186 |
| | | % | 47.8% | 52.2% | 100.0% |
| | Private | Freq | 4 | 15 | 19 |
| | | % | 21.1% | 78.9% | 100.0% |
| | Total | Freq | 93 | 112 | 205 |
| | | % | 45.4% | 54.6% | 100.0% |

The difference of proportion of HFs which could provide five modern methods between government and private sectors (i.e. 52% vs. 79%) was statistically significant. (P=0.045) Compare to 2017 difference (40.3% vs. 63.2%), there was still obvious difference.

Offering at least five modern contraceptive methods at secondary and tertiary HFs by distance from nearest warehouse/source of supplies

Table 5b. Percentage distribution of secondary and tertiary service delivery points offering at least five modern contraceptive methods by distance from nearest warehouse/source of supplies

| | er of modern traceptives) | viding least numbe | Pro | | |
|--------|------------------------------|--------------------|------|--------------|--------------------------------|
| Total | Yes | No | | | |
| 60 | 32 | 28 | Freq | <10 miles | Distance to nearest medical |
| 100.0% | 53.3% | 46.7% | % | | depot (mile) (group) |
| 62 | 27 | 35 | Freq | 10-21 miles | |
| 100.0% | 43.5% | 56.5% | % | | |
| 83 | 53 | 30 | Freq | >21 miles | |
| 100.0% | 63.9% | 36.1% | % | | |
| 202 | 112 | 90 | Freq | Within a day | Travel duration to nearest |
| 100.0% | 55.4% | 44.6% | % | | med depot |
| 3 | 0 | 3 | Freq | ithin a week | ٨ |
| 100.0% | 0.0% | 100.0% | % | | |
| 197 | 109 | 88 | Freq | Road | Route to travel to nearest med |
| 100.0% | 55.3% | 44.7% | % | | depo |
| 8 | 3 | 5 | Freq | Water | |
| 100.0% | 37.5% | 62.5% | % | 55,112,55 | |
| 205 | 112 | 93 | Freq | Total | |
| 100.0% | 54.6% | 45.4% | % | 5 | |

There was no obvious association between distance to medical depot and travel duration and availability of five modern contraceptive methods in secondary/tertiary level HFs. But, route to travel was associating. 55.3% of HFs which had travel route by road could provide five modern methods while 37.5% of HFs which had travel route by water way could provide. The sorter travel duration, the higher the level of provision.

Section B. Availability of Maternal and RH Medicines

Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines at HFs by type of facility

Table 6. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by type of facility

| | | Avail | able 7 life saving N including MgSO | | |
|--------------------------|---|-------|--|-------|--------|
| | | | No | Yes | Total |
| Level of Health Facility | Tertiary level | Freq | 4 | 15 | 19 |
| | | % | 21.1% | 78.9% | 100.0% |
| | Secondary level | Freq | 70 | 97 | 167 |
| | | % | 41.9% | 58.1% | 100.0% |
| | Primary level | Freq | 91 | 84 | 175 |
| | _ ===================================== | % | 52.0% | 48.0% | 100.0% |
| | Private hospital | Freq | 6 | 13 | 19 |
| | | % | 31.6% | 68.4% | 100.0% |
| | Total | Freq | 171 | 209 | 380 |
| | | % | 45.0% | 55.0% | 100.0% |

Availability of essential life-saving maternal and reproductive health medicine was 55% in total and slight increase (49.9% at 2017) was noted. And there was a significant difference among different levels of HFs (Chi2 P<0.001). The availability was highest in tertiary level (78.9%) and lowest in primary level 48% (slight increase than 2017 i.e. 46.4% and 2016 39.5%).

| Level of health facility | Could provi | de at least | 7 types of lif | e saving me | edication |
|--------------------------|-------------|-------------|----------------|-------------|-----------|
| | 2014 | 2015 | 2016 | 2017 | 2018 |
| Tertiary level HF | 88.7% | 82.6% | 65.2% | 72.7% | 78.9% |
| Secondary level HF | 75.0% | 58.4% | 63.1% | 50.3% | 58.1% |
| Primary level HF | 43.4% | 34.9% | 39.5% | 46.4% | 48.0% |
| Private HF | NA | NA | 69.6% | 52.6% | 68.4% |
| Total | 61.8% | 48.6% | 52.9% | 49.9% | 55.0% |

Comparison for all levels between four years showed fluctuation of percentages for availability of seven essential RH medicine (62% vs. 49% vs. 53%, vs. 50% vs. 55%). The availability increases again at 2018. Obvious rising trend in last three years was noted in tertiary level and primary levels.

Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines at HFs by Administrative Unit (Region)

Table 7. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by Administrative Unit (Region)

Available 7 life saving MR medicine

| | 4 & oxytocin) | including MgSO | | | |
|--------|---------------|----------------|------|--------|--------------|
| Total | Yes | No | | | |
| 17 | 9 | 8 | Freq | Kachin | State/Region |
| 100.0% | 52.9% | 47.1% | % | | |
| 7 | 6 | 1 | Freq | Kayah | |
| 100.0% | 85.7% | 14.3% | % | | |
| 14 | 9 | 5 | Freq | Kayin | |
| 100.0% | 64.3% | 35.7% | % | | |
| 12 | 2 | 10 | Freq | Chin | |

| 100.0% | 16.7% | 83.3% | % | * |
|--------|-------|-------|------|---|
| 44 | 29 | 15 | Freq | Sagaing |
| 100.0% | 65.9% | 34.1% | % | |
| 13 | 10 | 3 | Freq | Tanintheri |
| 100.0% | 76.9% | 23.1% | % | |
| 37 | 13 | 24 | Freq | Bago |
| 100.0% | 35.1% | 64.9% | % | |
| 33 | 20 | 13 | Freq | Magway |
| 100.0% | 60.6% | 39.4% | % | |
| 33 | 16 | 17 | Freq | Mandalay |
| 100.0% | 48.5% | 51.5% | % | 5 |
| 15 | 9 | 6 | Freq | Mon |
| 100.0% | 60.0% | 40.0% | % | |
| 24 | 8 | 16 | Freq | Rakhine |
| 100.0% | 33.3% | 66.7% | % | |
| 25 | 18 | 7 | Freq | Yangon |
| 100.0% | 72.0% | 28.0% | % | W. C. |
| 21 | 19 | 2 | Freq | Shan (South) |
| 100.0% | 90.5% | 9.5% | % | * |
| 23 | 13 | 10 | Freq | Shan (North) |
| 100.0% | 56.5% | 43.5% | % | |
| 10 | 4 | 6 | Freq | Shan (East) |
| 100.0% | 40.0% | 60.0% | % | |
| 44 | 17 | 27 | Freq | Ayeyawady |
| 100.0% | 38.6% | 61.4% | % | |
| 8 | 7 | 1 | Freq | Nay Pyi Taw |
| 100.0% | 87.5% | 12.5% | % | |
| 380 | 209 | 171 | Freq | Total |
| 100.0% | 55.0% | 45.0% | % | 0000000 |

Percentage of HFs which have seven life-saving MR medicine was 55% in total. Least percentage was found in Chin, Rakhine, Bago and Ayeyarwady (<40%) in consistent with 2017 situation. Highest percentage was found in Shan (south), Nay Pyi Taw and Kayah (>80%).




Figure 4. Percentage of HFs which could provide 7 lifesaving RH medicines by Regions

Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines at HFs by urban/rural residence

Table 8. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by urban/rural residence

Available 7 life saving MR medicine

| | | including MgSO4 & oxytocin) | | | |
|-------------|-------|-----------------------------|-------|-------|--------|
| | | | No | Yes | Total |
| Urban/Rural | Urban | Freq | 63 | 85 | 148 |
| | | % | 42.6% | 57.4% | 100.0% |
| | Rural | Freq | 108 | 124 | 232 |
| | | % | 46.6% | 53.4% | 100.0% |
| | Total | Freq | 171 | 209 | 380 |
| | | % | 45.0% | 55.0% | 100.0% |

Availability of life-saving MRH medicine was higher but not significant in HFs at urban compare to that of rural (57.4% vs. 53.4%). The urban rural gap 4% was narrower in 2018 compare to 2017 (8.7%).

14. Percentage distribution of service delivery points with seven (including 2 essential) lifesaving maternal/reproductive health medicines available by management of facility

Table 9. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by management of facility

Available 7 life saving MR medicine including MgSO4 & oxytocin)

| | | | No | Yes | Total |
|------------------------|---------|------|-------|-------|--------|
| Type of administration | Govt | Freq | 165 | 196 | 361 |
| | | % | 45.7% | 54.3% | 100.0% |
| | Private | Freq | 6 | 13 | 19 |
| | | % | 31.6% | 68.4% | 100.0% |
| | Total | Freq | 171 | 209 | 380 |
| | | % | 45.0% | 55.0% | 100.0% |

Availability of life-saving MRH medicine was higher in HFs at private sector compare to that of government sector (68.4% vs. 54.3%). The situation was reverse of 2017 (Govt 49.6% vs. Private 52.6%).

Availability of seven (including 2 essential) life-saving maternal/reproductive health medicines at HFs by distance from nearest warehouse/source of supplies

Table 10. Percentage distribution of service delivery points with seven (including 2 essential) life-saving maternal/reproductive health medicines available by distance from nearest warehouse/source of supplies

Available 7 life saving MR medicine including MgSO4 & oxytocin)

| | | | No | Yes | Total |
|--------------------------------|---------------------------------|------|-------|-------|--------|
| Distance to nearest medical | <10 miles | Freq | 69 | 78 | 147 |
| depot (mile) (group) | ion emineral | % | 46.9% | 53.1% | 100.0% |
| | 10-21 miles | Freq | 58 | 56 | 114 |
| | | % | 50.9% | 49.1% | 100.0% |
| | >21 miles | Freq | 44 | 75 | 119 |
| | | % | 37.0% | 63.0% | 100.0% |
| Travel duration to nearest | Within a day | Freq | 170 | 206 | 376 |
| med depot | | % | 45.2% | 54.8% | 100.0% |
| | Within a week | Freq | 1 | 3 | 4 |
| | V10-110 (0.47-02) (1-10-0-0-24) | % | 25.0% | 75.0% | 100.0% |
| | Total | Freq | 171 | 209 | 380 |
| | | % | 45.0% | 55.0% | 100.0% |
| Route to travel to nearest med | l Road | Freq | 163 | 203 | 366 |
| depo | t . | % | 44.5% | 55.5% | 100.0% |
| | Water | Freq | 8 | 6 | 14 |
| | | % | 57.1% | 42.9% | 100.0% |
| | Total | Freq | 171 | 209 | 380 |
| | | % | 45.0% | 55.0% | 100.0% |

Availability of MRH medicine among HFs located at distances from medical depot were not significant. But it was noted as higher availability in HFs located at easier to travel duration and route to depot.

| RH medicine | | | | | | Percentag | e of HF with | stock-out |
|------------------------|-------|-------|---------|--------|---------|-----------|--------------|--------------|
| | 2014 | 2015 | 2016 | 2016 | 2017 | 2017 | 2018 | 2018 |
| | | | (Both | (govt | (Both | (govt | (Both | (govt |
| | | | Govt+ | sector | Govt+ | sector | Govt+ | sector |
| | | | private | only) | private | only) | private | only) |
| | | | sector) | | sector) | | sector) | 781903777770 |
| inj ampicillin | 39.7% | 39.7% | 31.8% | 32.1% | 49.1% | 50.8% | 47.9% | 50.1% |
| inj azithro | 40.2% | 49.6% | 31.2% | 32.4% | 37.3% | 39.3% | 36.6% | 38.2% |
| inj benz penicillin | 38.0% | 45.1% | 46.8% | 47.7% | 49.6% | 51.9% | 55.5% | 57.9% |
| inj dexa | 31.1% | 37.2% | 30.6% | 31.5% | 38.4% | 40.4% | 38.2% | 40.2% |
| inj cal gluconate | 34.6% | 49.6% | 34.4% | 35.7% | 44.6% | 46.7% | 49.2% | 51.5% |
| oral cefixime | 32.8% | 46.5% | 35.0% | 36.3% | 46.2% | 48.6% | 39.7% | 41.8% |
| inj gentamycin | 31.4% | 36.1% | 21.1% | 21.9% | 32.6% | 34.3% | 24.5% | 25.8% |
| oral hydralazine | 57.4% | 89.3% | 64.7% | 64.6% | 78.1% | 79.4% | 82.1% | 83.9% |
| inj MgSO4 | 28.2% | 43.1% | 27.7% | 27.3% | 21.7% | 21.7% | 27.4% | 27.1% |
| oral M-Dopa | 52.9% | 80.8% | 58.1% | 59.2% | 67.6% | 69.5% | 71.6% | 74.5% |
| inj metro | 5.9% | 10.4% | 4.0% | 3.9% | 13.3% | 14.0% | 13.2% | 13.9% |
| oral misoprostol | 31.1% | 25.4% | 25.4% | 26.1% | 27.4% | 28.8% | 28.2% | 29.6% |
| oral nifedipine | 30.6% | 46.2% | 28.6% | 29.7% | 29.0% | 30.5% | 23.7% | 23.8% |
| inj oxytocin | 24.5% | 27.9% | 23.7% | 24.0% | 13.3% | 14.0% | 19.2% | 19.9% |
| inj Na Lactate | 11.5% | 22.3% | 14.7% | 15.0% | 13.6% | 14.3% | 10.0% | 10.5% |
| inj TT | 35.3% | 58.0% | 39.3% | 40.8% | 32.9% | 34.6% | 5.0% | 5.3% |

RH medicines stock-out situation slightly increased at 2018 compare to 2017 for almost all kinds of medicine but the differences between 2017 and 2018 data were negligible (<2%) except inj. ampicillin (2.2%) and M-dopa (3.9%).

Section C. Incidence of "No Stock Out" of modern contraceptives in the last three months

Incidence of "no stock out" of a modern contraceptive method in the last three months by type of facility

According to information requirement of UNFPA (Myanmar) and Maternal and Reproductive Health Division (MRH), DoPH, "no-stock-outs" are defined in this report when modern methods of contraception are available for a period of three months. For primary level HFs, modern methods of contraceptives include: i) male condoms; ii) oral contraception; iii) injectables; iv) emergency contraception; and v) IUDs. For tertiary and secondary level HFs, modern methods include: i) male condoms; ii) oral contraception; iii) injectables; iv) emergency contraception; v) IUDs; vi) implants; and vii) female sterilization.

Table 11. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by type of facility

At least one Modern contraceptive stock-out within last 3 months (MRH and UNFPA defined)

| | | | No | Yes | Total |
|--------------------------|------------------|------|--------|-------|--------|
| Level of Health Facility | Tertiary level | Freq | 11 | 8 | 19 |
| | | % | 57.9% | 42.1% | 100.0% |
| | Secondary level | Freq | 59 | 108 | 167 |
| | | % | 35.3% | 64.7% | 100.0% |
| | Primary level | Freq | 78 | 97 | 175 |
| | | % | 44.6% | 55.4% | 100.0% |
| | Private hospital | Freq | 19 | 0 | 19 |
| | DIV - | % | 100.0% | 0.0% | 100.0% |
| | Total | Freq | 167 | 213 | 380 |
| | | % | 43.9% | 56.1% | 100.0% |

Pearson Chi-Square=30.797, P<0.001

According to the defined criteria, 56.1% of HFs in this study experienced stock-out of modern contraceptive at least one method in last three months. The lower the level of HFs, thie higher the percents of stock-out.

Incidence of "no stock out" of a modern contraceptive method in the last three months by Administrative Unit (Region)

Table 12. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by Administrative Unit (Region)

| At least one Modern contraceptive |
|-------------------------------------|
| stock-out within last 3 months (MRH |
| and UNFPA defined) |

| Total | Yes | No | | | | |
|--------|-------|-------|------|---|--------------|--|
| 17 | 6 | 11 | Freq | Kachin | State/Region | |
| 100.0% | 35.3% | 64.7% | % | | | |
| 7 | 4 | 3 | Freq | Kayah | - | |
| 100.0% | 57.1% | 42.9% | % | | | |
| 14 | 3 | 11 | Freq | Kayin | | |
| 100.0% | 21.4% | 78.6% | % | | | |
| 12 | 4 | 8 | Freq | Chin | - | |
| 100.0% | 33.3% | 66.7% | % | | | |
| 44 | 27 | 17 | Freq | Sagaing | _ | |
| 100.0% | 61.4% | 38.6% | % | | | |
| 13 | 9 | 4 | Freq | Tanintheri | _ | |
| 100.0% | 69.2% | 30.8% | % | | | |
| 37 | 20 | 17 | Freq | Bago | _ | |
| 100.0% | 54.1% | 45.9% | % | | | |
| 33 | 29 | 4 | Freq | Magway | - | |
| 100.0% | 87.9% | 12.1% | % | | | |
| 33 | 23 | 10 | Freq | Mandalay | _ | |
| 100.0% | 69.7% | 30.3% | % | Winnerson S. | | |
| 15 | 6 | 9 | Freq | Mon | - | |
| 100.0% | 40.0% | 60.0% | % | | | |
| 24 | 11 | 13 | Freq | Rakhine | _ | |
| 100.0% | 45.8% | 54.2% | % | NAME OF THE PARTY | | |
| 25 | 12 | 13 | Freq | Yangon | _ | |
| 100.0% | 48.0% | 52.0% | % | | | |
| 21 | 5 | 16 | Freq | Shan (South) | | |
| 100.0% | 23.8% | 76.2% | % | | | |
| 23 | 8 | 15 | Freq | Shan (North) | _ | |
| 100.0% | 34.8% | 65.2% | % | | | |
| 10 | 7 | 3 | Freq | Shan (East) | _ | |
| 100.0% | 70.0% | 30.0% | % | | | |
| 44 | 34 | 10 | Freq | Ayeyawady | - | |
| 100.0% | 77.3% | 22.7% | % | | | |
| 8 | 5 | 3 | Freq | Nay Pyi Taw | | |
| 100.0% | 62.5% | 37.5% | % | ************************************** | | |
| 380 | 213 | 167 | Freq | Total | | |
| 100.0% | 56.1% | 43.9% | % | | | |




Figure 5. Percentage of HFs which have contraceptive no stock-out in last three months

Comparing different regions for the "stock-out", Kayin, and Shan (South) were lowest having less than 30%.

Incidence of "no stock out" of a modern contraceptive method in the last three months by urban/rural residence

Table 13. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by urban/rural residence

At least one Modern contraceptive stock-out within last 3 months (MRH and UNFPA defined)

| | | | No | Yes | Total |
|-------------|-------|------|-------|-------|--------|
| Urban/Rural | Urban | Freq | 79 | 69 | 148 |
| | | % | 53.4% | 46.6% | 100.0% |
| | Rural | Freq | 88 | 144 | 232 |
| | | % | 37.9% | 62.1% | 100.0% |
| | Total | Freq | 167 | 213 | 380 |
| | | % | 43.9% | 56.1% | 100.0% |

Pearson Chi-Square=8.753, P=0.003

Urban and rural, "stock-out at least modern contraceptive method" were 46.6% and 62.1% respectively. Urban rural difference was 15% and it was noted narrower in 2018 compare to 2017 data (50% and 70%)

Incidence of "no stock out" of a modern contraceptive method in the last three months by management of facility

Table 14. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by management of facility

> At least one Modern contraceptive stock-out within last 3 months (MRH and UNFPA defined)

| | | | No | Yes | Total |
|------------------------|---------|------|--------|-------|--------|
| Type of administration | Govt | Freq | 148 | 213 | 361 |
| | | % | 41.0% | 59.0% | 100.0% |
| - | Private | Freq | 19 | 0 | 19 |
| | | % | 100.0% | 0.0% | 100.0% |
| | Total | Freq | 167 | 213 | 380 |
| | | % | 43.9% | 56.1% | 100.0% |

Pearson Chi-Square=25.509, P<0.001

In comparing between government and private sectors, stock-out status was much higher in government sector (59% vs. 0%)

Incidence of "no stock out" of a modern contraceptive method in the last three months by distance from nearest warehouse/source of supplies

Table 15. Percentage distribution of service delivery points with "no stock out" of a modern contraceptive method in the last three months by distance from nearest warehouse/source of supplies

> At least one Modern contraceptive stock-out within last 3 months (MRH and UNFPA defined)

| | | | No | Yes | Total |
|--------------------------------|---------------|------|-------|--------|--------|
| Distance to nearest medical | <10 miles | Freq | 75 | 72 | 147 |
| depot (mile) (group) | | % | 51.0% | 49.0% | 100.0% |
| | 10-21 miles | Freq | 43 | 71 | 114 |
| | | % | 37.7% | 62.3% | 100.0% |
| | >21 miles | Freq | 49 | 70 | 119 |
| | | % | 41.2% | 58.8% | 100.0% |
| Travel duration to nearest | Within a day | Freq | 167 | 209 | 376 |
| med depot | | % | 44.4% | 55.6% | 100.0% |
| | Within a week | Freq | 0 | 4 | 4 |
| | | % | 0.0% | 100.0% | 100.0% |
| Route to travel to nearest med | l Road | Freq | 161 | 205 | 366 |
| depo | • | % | 44.0% | 56.0% | 100.0% |
| | Water | Freq | 6 | 8 | 14 |
| | | % | 42.9% | 57.1% | 100.0% |
| | Total | Freq | 167 | 213 | 380 |
| | | % | 43.9% | 56.1% | 100.0% |

Pearson Chi-Square=.007, P0.933

The location of HFs regard to the nearest medical depot was not associated with percentage of "at least one modern contraceptive stock-out in last 3 months".

MRH and UNFPA defined "no-stock-out a modern contraceptive in last three months"

Table 15a. No stock-out status in the last three months for each modern contraceptive method by level of HFs

| | | | | | Level of He | alth Facility | |
|--------------------------|----------------------|------|-------------------|-----------------|---------------|------------------|-------|
| | | | Tertiary level | Secondary level | Primary level | Private hospital | Total |
| No stock-out of modern | Male condom | Freq | 15 | 61 | 118 | 11 | 205 |
| contraceptives in last 3 | | % | 78.9% | 43.6% | 73.8% | 64.7% | |
| monthsa | Female condom | Freq | 2 | 9 | 20 | 2 | 33 |
| | | % | 10.5% | 6.4% | 12.5% | 11.8% | |
| | OCP | Freq | 13 | 92 | 134 | 17 | 256 |
| | | % | 68.4% | 65.7% | 83.8% | 100.0% | |
| | Injection | Freq | 13 | 99 | 124 | 16 | 252 |
| | | % | 68.4% | 70.7% | 77.5% | 94.1% | |
| | ECP | Freq | 5 | 44 | 93 | 12 | 154 |
| | | % | 26.3% | 31.4% | 58.1% | 70.6% | |
| - | IUD | Freq | 15 | 69 | 32 | 15 | 131 |
| - | | % | 78.9% | 49.3% | 20.0% | 88.2% | |
| | Implant | Freq | 12 | 59 | 0 | 16 | 91 |
| | | % | 63.2% | 42.1% | | 94.1% | |
| - | Female sterilization | Freq | 15 | 60 | 0 | 10 | 89 |
| | | % | 78.9% | 42.9% | | 58.8% | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 2.

Comparatively higher percentages of no stock-out situation across all levels of HFs were for "OCP" and "Injectable" (more than 65% for all levels). Similarly, the method which was lowest for all HFs were for "female condom" (about 10%) and it was improving compare to 2017 (6%). Implant availability was higher for tertiary and secondary level HFs. Implant method was available at 94.1% of private HFs.

Table 15b. No stock-out status in the last three months for each modern contraceptive method by Regions of HFs

| | No stock-out of modern contraceptives in last 3 months ^a | | | | | | | | | | |
|----------|---|------|-------------|---------------|--------|-----------|-------|-------------|-------|-----------------------------|--------|
| | | - | Male condom | Female condom | OCP | Injection | ECP | IUD Implant | | Female sterilizati on | Total |
| State/Re | Kachin | Freq | 10 | 4 | 13 | 13 | 11 | 4 | 1 | 3 | 15 |
| gion | 11.000.00.000.0 | % | 66.7% | 26.7% | 86.7% | 86.7% | 73.3% | 26.7% | 6.7% | 20.0% | 750000 |
| | Kayah | Freq | 5 | 0 | 6 | 4 | 5 | 4 | 4 | | 7 |
| | • • | % | 71.4% | 0.0% | 85.7% | 57.1% | 71.4% | 57.1% | 57.1% | 42.9% | |
| 13 | Kayin | Freq | 11 | 2 | 13 | 13 | 10 | 8 | 8 | 4 | 14 |
| | 50000 4 0000 | % | 78.6% | 14.3% | 92.9% | 92.9% | 71.4% | 57.1% | 57.1% | 28.6% | |
| | Chin | Freq | 4 | 0 | 7 | 7 | 1 | 2 | 1 | 2 | 8 |
| | 2000 | % | 50.0% | 0.0% | 87.5% | 87.5% | 12.5% | 25.0% | 12.5% | 25.0% | |
| | Sagaing | Freq | 20 | 1 | 27 | 24 | 12 | 13 | 1 | 7 | 39 |
| | | % | 51.3% | 2.6% | 69.2% | 61.5% | 30.8% | 33.3% | 2.6% | 17.9% | |
| | Tanintheri | Freq | 9 | 4 | 10 | 11 | 5 | 6 | 1 | | 13 |
| | _ | % | 69.2% | 30.8% | 76.9% | 84.6% | 38.5% | 46.2% | 7.7% | 46.2% | |
| | Bago | Freq | 15 | 4 | 21 | 22 | 12 | 7 | 7 | | 29 |
| | | % | 51.7% | 13.8% | 72.4% | 75.9% | 41.4% | 24.1% | 24.1% | 27.6% | |
| | Magway | Freq | 17 | 1 | 22 | 20 | 4 | 8 | 9 | 12 | 30 |
| | | % | 56.7% | 3.3% | 73.3% | 66.7% | 13.3% | 26.7% | 30.0% | 40.0% | |
| | Mandalay | Freq | 17 | 3 | 18 | 14 | 13 | 11 | 8 | 7 | 28 |
| | | % | 60.7% | 10.7% | 64.3% | 50.0% | 46.4% | 39.3% | 28.6% | 25.0% | |
| | Mon | Freq | 9 | 0 | 10 | 11 | 7 | 3 | 1 | 0 | 12 |
| | | % | 75.0% | 0.0% | 83.3% | 91.7% | 58.3% | 25.0% | 8.3% | 0.0% | |
| | Rakhine | Freq | 12 | 3 | 17 | 14 | 11 | 1 | 1 | 0 | 19 |
| | | % | 63.2% | 15.8% | 89.5% | 73.7% | 57.9% | 5.3% | 5.3% | 0.0% | |
| | Yangon | Freq | 21 | 3 | 19 | 22 | 10 | 19 | 17 | 13 | 25 |
| | | % | 84.0% | 12.0% | 76.0% | 88.0% | 40.0% | 76.0% | 68.0% | 52.0% | |
| | Shan (South) | Freq | 17 | 0 | 21 | 20 | 16 | 13 | 8 | 4 | 21 |
| | | % | 81.0% | 0.0% | 100.0% | 95.2% | 76.2% | 61.9% | 38.1% | 19.0% | |
| | Shan (North) | Freq | 15 | 0 | 18 | 20 | 13 | 11 | 7 | 7 | 23 |
| | | % | 65.2% | 0.0% | 78.3% | 87.0% | 56.5% | 47.8% | 30.4% | 30.4% | |
| | Shan (East) | Freq | 5 | 1 | 6 | 9 | 5 | 4 | 2 | 3 | 9 |
| | | % | 55.6% | 11.1% | 66.7% | 100.0% | 55.6% | 44.4% | 22.2% | 33.3% | |
| | Ayeyawady | Freq | 14 | 7 | 26 | 24 | 17 | 14 | 11 | 8 | 38 |
| | 15 (24) | % | 36.8% | 18.4% | 68.4% | 63.2% | 44.7% | 36.8% | 28.9% | 21.1% | |
| | Nay Pyi Taw | Freq | 4 | 0 | 2 | 4 | 2 | 3 | 4 | 2 | 6 |
| | | % | 66.7% | 0.0% | 33.3% | 66.7% | 33.3% | 50.0% | 66.7% | 33.3% | |

Most common reasons for stock-out (at last 3 months) were "untimely supplies", "no users" and " no skill staff".

Section D. Incidence of "No Stock-Out" of modern contraceptives on the day of the survey

Incidence of "no stock out" of modern contraceptive method at the time of the survey by type of facility

Table 16. Percentage distribution of service delivery points with "no stock-out" of modern contraceptive methods at the time of the survey by type of facility

| | | IVIOU | em contraceptive | 110 Stock-out | |
|-----------------|------------------|-------|------------------|---------------|--------|
| | | ecen | tly (MRH and UN | FPA defined) | |
| | | | No | Yes | Tota |
| Health Facility | Tertiary level | Freq | 12 | 7 | 19 |
| | | % | 63.2% | 36.8% | 100.0% |
| | Secondary level | Freq | 27 | 140 | 167 |
| | | % | 16.2% | 83.8% | 100.0% |
| | Primary level | Freq | 98 | 77 | 175 |
| | | % | 56.0% | 44.0% | 100.0% |
| - | Private hospital | Freq | 0 | 19 | 19 |
| | | % | 0.0% | 100.0% | 100.0% |
| | Total | Freq | 137 | 243 | 380 |
| | | % | 36.1% | 63.9% | 100.0% |

[&]quot;Recently no-stock-out of a modern contraceptive" was found only in 63.9% of all sample HFs. Tertiary level HFs were much lower in percentages (36.8%).

Incidence of "no stock out" of modern contraceptive method at the time of the survey by Administrative Unit (Region)

Table 17. Percentage distribution of service delivery points with "no stock-out" of modern contraceptive methods at the time of the survey by Administrative Unit (Region)

| | Modern contraceptive no stock-out recently (MRH and UNFPA defined) | | | | |
|--------------|--|------|-------|-------|--------|
| | | | No No | Yes | Total |
| State/Region | Kachin | Freq | 6 | 11 | 17 |
| | | % | 35.3% | 64.7% | 100.0% |
| | Kayah | Freq | 2 | 5 | 7 |
| | | % | 28.6% | 71.4% | 100.0% |
| | Kayin | Freq | 10 | 4 | 14 |
| | | % | 71.4% | 28.6% | 100.0% |
| | Chin | Freq | 4 | 8 | 12 |
| | | % | 33.3% | 66.7% | 100.0% |
| | Sagaing | Freq | 13 | 31 | 44 |
| | | % | 29.5% | 70.5% | 100.0% |
| | Tanintheri | Freq | 7 | 6 | 13 |
| | | % | 53.8% | 46.2% | 100.0% |
| | Bago | Freq | 7 | 30 | 37 |
| | | % | 18.9% | 81.1% | 100.0% |
| | Magway | Freq | 12 | 21 | 33 |
| | | % | 36.4% | 63.6% | 100.0% |
| | Mandalay | Freq | 11 | 22 | 33 |
| | | % | 33.3% | 66.7% | 100.0% |
| | Mon | Freq | .6 | 9 | 15 |
| | | % | 40.0% | 60.0% | 100.0% |
| | Rakhine | Freq | 6 | 18 | 24 |
| | | % | 25.0% | 75.0% | 100.0% |

| 25 | 12 | 13 | Freq | Yangon | |
|--------|-------|-------|------|--------------|--|
| 100.0% | 48.0% | 52.0% | % | | |
| 21 | 7 | 14 | Freq | Shan (South) | |
| 100.0% | 33.3% | 66.7% | % | | |
| 23 | 15 | 8 | Freq | Shan (North) | |
| 100.0% | 65.2% | 34.8% | % | | |
| 10 | 7 | 3 | Freq | Shan (East) | |
| 100.0% | 70.0% | 30.0% | % | | |
| 44 | 32 | 12 | Freq | Ayeyawady | |
| 100.0% | 72.7% | 27.3% | % | | |
| 8 | -5 | 3 | Freq | Nay Pyi Taw | |
| 100.0% | 62.5% | 37.5% | % | ~ * * | |
| 380 | 243 | 137 | Freq | Total | |
| 100.0% | 63.9% | 36.1% | % | | |




Figure 6. Percentage of HFs which have recently no-stock out a modern contraceptive by region Union level recently no stock-out a modern method was 63.9%. Lowest level areas were Kayin, Shan (S), Tanintheri and Yangon having below 50%. The area of highest (i.e. Bago), the rate was >80%.

Incidence of "no stock out" of modern contraceptive method at the time of the survey by urban/rural residence

Table 18. Percentage distribution of service delivery points with "no stock-out" of modern contraceptive methods at the time of the survey by urban/rural residence

| Modern contraceptive no s | stock-out |
|---------------------------|-----------|
| recently (MRH and UNFPA | defined) |

| | | | No | Yes | Total |
|-------------|-------|------|-------|-------|--------|
| Urban/Rural | Urban | Freq | 47 | 101 | 148 |
| | | % | 31.8% | 68.2% | 100.0% |

| Rural | Freq | 90 | 142 | 232 |
|-------|------|-------|-------|--------|
| | % | 38.8% | 61.2% | 100.0% |
| Total | Freq | 137 | 243 | 380 |
| | % | 36.1% | 63.9% | 100.0% |

Urban HFs had higher percentage of recent no-stock-out a modern method compare to rural HFs (68.2% vs. 61.2%) with narrower gap compare to 2017 (54.8% vs. 47.9%).

Incidence of "no stock out" of modern contraceptive method at the time of the survey by management of facility

Table 19. Percentage distribution of service delivery points with "no stock-out" of modern contraceptive methods at the time of the survey by management of facility

| Modern contraceptive no stock-out recently (MRH and UNFPA defined) | | | | | |
|--|---------|------|-------|--------|--------|
| | | | No | Yes | Tota |
| Type of administration | Govt | Freq | 137 | 224 | 361 |
| | | % | 38.0% | 62.0% | 100.0% |
| | Private | Freq | 0 | 19 | 19 |
| | | % | 0.0% | 100.0% | 100.0% |
| | Total | Freq | 137 | 243 | 380 |
| | | % | 36.1% | 63.9% | 100.0% |

The difference between government sector and private sector HFs for recent "no stock-out" was significant (62% vs. 100%). Government sector recent "no stock-out" was increased at 2018 compare to 2017 (49%).

Incidence of "no stock out" of modern contraceptive method at the time of the survey by distance from nearest warehouse/source of supplies

Table 20. Percentage distribution of service delivery points with "no stock-out" of modern contraceptive methods at the time of the survey by Distance to nearest medical depot

| | | ern contraceptive by (MRH and UNF | | | |
|--|--------|--------------------------------------|-------|---|-----------------------------|
| 100.0% 114 100.0% 119 100.0% 376 100.0% 4 100.0% 100.0% 14 100.0% | Yes | No No | 60611 | | |
| 147 | 89 | 58 | Freq | <10 miles | Distance to nearest medical |
| 100.0% | 60.5% | 39.5% | % | | depot (mile) (group) |
| 114 | 77 | 37 | Freq | 10-21 miles | |
| 100.0% | 67.5% | 32.5% | % | 20.000.000.0000.000.000.000.000.000.000 | |
| 119 | 77 | 42 | Freq | >21 miles | |
| 100.0% | 64.7% | 35.3% | % | | |
| 376 | 239 | 137 | Freq | Within a day | Travel duration to nearest |
| 100.0% | 63.6% | 36.4% | % | | med depot |
| 4 | 4 | 0 | Freq | Within a week | |
| 100.0% | 100.0% | 0.0% | % | | |
| 366 | 231 | 135 | Freq | Road | Route to travel to nearest |
| 100.0% | 63.1% | 36.9% | % | | med depot |
| 14 | 12 | 2 | Freq | Water | |
| 100.0% | 85.7% | 14.3% | % | | |
| 380 | 243 | 137 | Freq | Total | |
| 100.0% | 63.9% | 36.1% | % | | |

There was no association of recent "no stock-out" and location of HFs.

FP 2020 indicators for Maternal and Reproductive Health

Table 20a. Incidence of 'No stock-out' of each modern contraceptive by level of HFs

| | | | | | Level of He | alth Facility | |
|-------------------------|----------------------|------|-------------------|--------------------|---------------|------------------|------|
| | | | Tertiary level | Secondary level | Primary level | Private hospital | Tota |
| Incidence of "no stock- | male condom | Freq | 14 | 65 | 121 | 9 | 209 |
| out" of modern | | % | 73.7% | 45.5% | 73.8% | 64.3% | |
| contraceptives on the | female condom | Freq | 2 | 12 | 19 | 2 | 35 |
| day of the surveya | | % | 10.5% | 8.4% | 11.6% | 14.3% | |
| | OC pill | Freq | 15 | 91 | 143 | 14 | 263 |
| | | % | 78.9% | 63.6% | 87.2% | 100.0% | |
| _ | injectable | Freq | 13 | 110 | 140 | 14 | 277 |
| | contraceptives | % | 68.4% | 76.9% | 85.4% | 100.0% | |
| _ | ECP | Freq | 7 | 46 | 105 | 11 | 169 |
| | | % | 36.8% | 32.2% | 64.0% | 78.6% | |
| | IUD | Freq | 15 | 66 | 41 | 12 | 134 |
| | | % | 78.9% | 46.2% | 25.0% | 85.7% | |
| | implant | Freq | 13 | 50 | 8 | 13 | 84 |
| | | % | 68.4% | 35.0% | 4.9% | 92.9% | |
| | female sterilization | Freq | 11 | 44 | 6 | 8 | 69 |
| | | % | 57.9% | 30.8% | 3.7% | 57.1% | |
| | Total | Freq | 19 | 143 | 164 | 14 | 340 |

Percentages and totals are based on respondents.

At the time of survey, percentages of HFs with stock for "OCP" and "Injectable" methods were found high in all levels (>75%). These two methods were no differences among levels of HFs. Female condom stock was lowest in all level HFs (<15%). Percentages for implant stock were lower in secondary level HFs compare to tertiary level HFs (35% vs. 68.4%). Implant stock rate in private sector was quite high (92.9%).

Table 20b. Incidence of 'No stock-out' of modern contraceptives by Administrative Regions of HFs

| | | | Incide | Incidence of "No Stock Out" of modern contraceptives on the day of the surveya | | | | | | | |
|-----------|---------------------|-----------------------------|----------------|--|--------|-----------|-------|-------|---------|-----------------------------|-------|
| | | | Male condom | Female condom | OCP | Injection | ECP | IUD | Implant | Female sterilizatio n | Total |
| State/Reg | Kachin | Freq | 10 | 3 | 13 | 14 | 11 | 7 | 1 | 4 | 16 |
| ion | | % | 62.5% | 18.8% | 81.3% | 87.5% | 68.8% | 43.8% | 6.3% | 25.0% | |
| | Kayah | Freq | -5 | 0 | 5 | 4 | 5 | 5 | 4 | 3 | 7 |
| | 100.180001 | % | 71.4% | 0.0% | 71.4% | 57.1% | 71.4% | 71.4% | 57.1% | 42.9% | |
| | Kayin | Freq | 10 | 2 | 14 | 14 | 11 | 8 | 6 | 5 | 14 |
| | | % 71.4% 14.3% 100.0% 100.09 | 100.0% | 78.6% | 57.1% | 42.9% | 35.7% | | | | |
| | Chin | Freq | 4 | 0 | 10 | 10 | 2 | 1 | 2 | 2 | 10 |
| | | % | 40.0% | 0.0% | 100.0% | 100.0% | 20.0% | 10.0% | 20.0% | 20.0% | |
| | Sagaing | Freq | 20 | 1 | 31 | 28 | 15 | 12 | 0 | 0 | 39 |
| | | % | 51.3% | 2.6% | 79.5% | 71.8% | 38.5% | 30.8% | 0.0% | 0.0% | |
| | Tanintheri | Freq | 9 | -4 | 8 | 10 | 7 | 5 | 0 | 2 | 12 |
| | | % | 75.0% | 33.3% | 66.7% | 83.3% | 58.3% | 41.7% | 0.0% | 16.7% | |
| | Bago | Freq | 12 | 3 | 17 | 21 | 10 | 4 | 5 | 6 | 28 |
| | | % | 42.9% | 10.7% | 60.7% | 75.0% | 35.7% | 14.3% | 17.9% | 21.4% | |
| | Magway | Freq | 20 | 1 | 25 | 25 | 6 | 8 | 6 | 11 | 30 |
| | (Constant Constant | % | 66.7% | 3.3% | 83.3% | 83.3% | 20.0% | 26.7% | 20.0% | 36.7% | |
| | Mandalay | Freq | 18 | 3 | 25 | 20 | 17 | 11 | 10 | 1 | 30 |
| | | % | 60.0% | 10.0% | 83.3% | 66.7% | 56.7% | 36.7% | 33.3% | 3.3% | |
| | Mon | Freq | 8 | 1 | 9 | 9 | 6 | 3 | 2 | 0 | 11 |
| | 600%E78/N | % | 72.7% | 9.1% | 81.8% | 81.8% | 54.5% | 27.3% | 18.2% | 0.0% | 3346 |

a. Dichotomy group tabulated at value 1.

| 22 | 0 | 1 | 3 | 10 | 18 | 16 | 3 | 14 | Freq | Rakhine |
|-----|-------|--------|-------|-------|-------|-------|-------|-------|------|---------|
| | 0.0% | 4.5% | 13.6% | 45.5% | 81.8% | 72.7% | 13.6% | 63.6% | % | |
| 24 | 12 | 15 | 19 | 15 | 21 | 19 | 3 | 20 | Freq | Yangon |
| | 50.0% | 62.5% | 79.2% | 62.5% | 87.5% | 79.2% | 12.5% | 83.3% | % | |
| 21 | 7 | 9 | 16 | 17 | 20 | 19 | 1 | 17 | Freq | Shan |
| | 33.3% | 42.9% | 76.2% | 81.0% | 95.2% | 90.5% | 4.8% | 81.0% | % | (South) |
| 18 | 2 | 1 | 7 | 10 | 15 | 11 | 0 | 12 | Freq | Shan |
| | 11.1% | 5.6% | 38.9% | 55.6% | 83.3% | 61.1% | 0.0% | 66.7% | % | (North) |
| 8 | 3 | 1 | 3 | 5 | 7 | 7 | 2 | 6 | Freq | Shan |
| | 37.5% | 12.5% | 37.5% | 62.5% | 87.5% | 87.5% | 25.0% | 75.0% | % | (East) |
| 43 | 5 | 14 | 17 | 18 | 35 | 30 | 7 | 19 | Freq | Ayeyawa |
| | 11.6% | 32.6% | 39.5% | 41.9% | 81.4% | 69.8% | 16.3% | 44.2% | % | dy |
| 7 | 6 | 7 | 5 | 4 | 6 | 4 | 1 | 5 | Freq | Nay Pyi |
| 100 | 85.7% | 100.0% | 71.4% | 57.1% | 85.7% | 57.1% | 14.3% | 71.4% | % | Taw |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Three common modern methods (OCP, M condom, Injectable, IUD and ECP) were available across all regions. IUD availability was lower than other four methods. Implant and female sterilization were not available in many Regions.




Figure 7. HFs which have recent no stock-out of each modern contraceptive across the regions

Table 20c. Incidence of 'No stock-out' of modern contraceptives by urban rural HFs

| | | | U | Irban/Rural | |
|--------------------------------|---------------------------|------|-------|-------------|-------|
| | | | Urban | Rural | Total |
| incidence of "No Stock Out" of | male condom | Freq | 82 | 127 | 209 |
| modern contraceptives on the | | % | 65.1% | 59.3% | |
| day of the surveya | female condom | Freq | 16 | 19 | 35 |
| | | % | 12.7% | 8.9% | |
| | OC pill | Freq | 96 | 167 | 263 |
| | | % | 76.2% | 78.0% | |
| | injectable contraceptives | Freq | 107 | 170 | 277 |
| | 1869 A | % | 84.9% | 79.4% | |
| | ECP | Freq | 61 | 108 | 169 |

| | % | 48.4% | 50.5% | |
|----------------------|------|-------|-------|-----|
| IUD | Freq | 70 | 64 | 134 |
| | % | 55.6% | 29.9% | |
| implant | Freq | 52 | 32 | 84 |
| | % | 41.3% | 15.0% | |
| female sterilization | Freq | 46 | 23 | 69 |
| | % | 36.5% | 10.7% | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Except implant, IUD, implant, female condom and female sterilization which were higher in urban than rural HFs, other methods were found no obvious difference.

Table 20d. Incidence of 'No stock-out' of modern contraceptives by location of HFs

| | depot (mile) (group) | nearest medical | Distance to | | | |
|--------|-------------------------|-----------------|-------------|------|---------------------------|------------------------|
| Total | >21 miles | 10-21 miles | <10 miles | - | | |
| 209 | 71 | 57 | 81 | Freq | male condom | Incidence of "No Stock |
| | 65.1% | 54.3% | 64.3% | % | | Out" of modern |
| 35 | 11 | 10 | 14 | Freq | female condom | contraceptives on the |
| | 10.1% | 9.5% | 11.1% | % | | day of the surveya |
| 263 | 80 | 79 | 104 | Freq | OC pill | |
| | 73.4% | 75.2% | 82.5% | % | | |
| 277 | 96 | 75 | 106 | Freq | injectable contraceptives | |
| 20,000 | 88.1% | 71.4% | 84.1% | % | | |
| 169 | 46 | 47 | 76 | Freq | ECP | |
| | 42.2% | 44.8% | 60.3% | % | | |
| 134 | 53 | 35 | 46 | Freq | IUD | |
| | 48.6% | 33.3% | 36.5% | % | | |
| 84 | 33 | 20 | 31 | Freq | implant | |
| | 30.3% | 19.0% | 24.6% | % | | |
| 69 | 30 | 15 | 24 | Freq | female sterilization | |
| | 27.5% | 14.3% | 19.0% | % | | |

Table 20e. Incidence of 'No stock-out' of modern contraceptives by travel duration from HFs to nearest medical depot

| | | | Travel duration | to nearest med depot | |
|-------------------------------|---|------|-----------------|----------------------|-------|
| | | _ | Within a day | Within a week | Total |
| ncidence of "no stock-out" of | male condom | Freq | 209 | 0 | 209 |
| modern contraceptives on | | % | 62.2% | 0.0% | |
| the day of the surveya | female condom | Freq | 35 | 0 | 35 |
| | | % | 10.4% | 0.0% | |
| | OC pill | Freq | 260 | 3 | 263 |
| | | % | 77.4% | 75.0% | |
| | injectable contraceptives | Freq | 275 | 2 | 277 |
| | | % | 81.8% | 50.0% | 169 |
| | ECP | Freq | 168 | 1 | |
| | | % | 50.0% | 25.0% | |
| | IUD | Freq | 133 | 1 | 134 |
| | | % | 39.6% | 25.0% | |
| _ | implant | Freq | 83 | 1 | 84 |
| | Acces to the control of the control | % | 24.7% | 25.0% | |
| - | female sterllization | Freq | 68 | 1 | 69 |
| | | % | 20.2% | 25.0% | |

Table 20f. Incidence of 'No stock-out' of modern contraceptives by route of travel from HFs to nearest medical depot

| | | | Route to travel to r | nearest med depot | |
|-----------------------------|---------------------------|------|----------------------|-------------------|-------|
| | | | Road | Water | Total |
| Incidence of "no stock-out" | male condom | Freq | 202 | 7 | 209 |
| of modern contraceptives on | | % | 62.0% | 50.0% | |
| the day of the surveya | female condom | Freq | 33 | 2 | 35 |
| | | % | 10.1% | 14.3% | |
| | OC pill | Freq | 255 | 8 | 263 |
| | | % | 78.2% | 57.1% | |
| | injectable contraceptives | Freq | 264 | 13 | 277 |
| | ECD | % | 81.0% | 92.9% | |
| | ECP | Freq | 163 | 6 | 169 |
| | | % | 50.0% | 42.9% | |
| | IUD | Freq | 129 | 5 | 134 |
| | | % | 39.6% | 35.7% | |
| _ | implant | Freq | 83 | 1 | 84 |
| | | % | 25.5% | 7.1% | |
| = | female sterilization | Freq | 68 | 1 | 69 |
| | | % | 20.9% | 7.1% | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

There were no significant associations between geographical distances of HFs to nearest medical depot and recent stock status for each modern contraceptive.




Figure 8. Comparison of recent "no-stock-out" by level of HFs in five-years assessment

Private, tertiary level and primary level HFs were increasing in "no stock-out" rates. Comparison for secondary levels showed the percentages were decreased in the year 2018.

2018 RHCS Report

Table 20g. HF Level-wise comparison of recent stock-out for at least one method between 2014, 2015, 2016, 2017 and 2018

| | | | | 2014 | | | 2015 | | | 2016 | | | 2017 | | | 2018 |
|--|-------------------|------------|------------------------------|--------------|---------------------------|------------------------------|--------|---------------------------|------------------------------|--------|---------------------------|------------------------------|--------|---------------------------|------------------------------|--------|
| Health facility level | facility level | Not all | Stock-out at least one | Total | No stock-out at all | Stock-out at least one | Total | No stock-out at all | Stock-out at least one | Total | No stock-out at all | Stock-out at least one | Total | No stock-out at all | Stock-out at least one | Total |
| Tertiary | Freq | 8 | 54 | 62 | 4 | 19 | 23 | 2 | 21 | 23 | 11 | 111 | 22 | 1 | 8 | H |
| 6 | % | 13% | 87% | 100.00% | 17% | 83% | 100.0% | 8.7% | 91.3% | 100.0% | 20.0% | 20.0% | 100.0% | 27.9% | 42.1% | 27.9% |
| Secondary | Fred | 18 | 130 | 148 | 16 | 145 | 161 | 10 | 150 | 160 | 103 | 28 | 161 | 29 | 108 | 69 |
| 96 5 | % | 12% | %88 | 100.00% | 10% | %06 | 100.0% | 6.3% | 93.8% | 100.0% | 64.0% | 36.0% | 100.0% | 35.3% | 64.7% | 35.3% |
| Primary | Fred | 52 | 146 | 198 | 22 | 150 | 172 | 88 | 83 | 172 | 62 | 119 | 181 | 78 | 16 | 78 |
| | % | 79% | 74% | 100.00% | 13% | 87% | 100.0% | 51.7% | 48.3% | 100.0% | 34.3% | 65.7% | 100.0% | 44.6% | 55.4% | 44.6% |
| - | Fred | a | 3 | 3 1 1 | 5 | a | 9.9° i | 4 | 19 | 23 | 19 | 0 | 19 | 19 | 0 | 19 |
| Filvale | % | âc | 90 | r | Ű | t | I. | 17.4% | 82.6% | 100.0% | 100.0% | %0. | 100.0% | 100.0% | %0.0 | 100.0% |
| Total | Fred | 78 | 330 | 408 | 42 | 314 | 356 | 105 | 273 | 378 | 195 | 188 | 383 | T | 8 | 7 |
| Service Control of the Control of th | % | 19% | 81% | 100.00% | 12% | 88% | 100.0% | 27.8% | 72.2% | 100.0% | 20.9% | 49.1% | 100.0% | 27.9% | 42.1% | 27.9% |

2018 Health Facility Assessment For RHCS

2018 RHCS Report

Table 20h. Comparison of method specific stock-out at the time of assessment between 2014, 2015, 2016, 2017and 2018

| | | HFs in 2014 | 3 | HFs in 2015 | · · | HFs in 2016 | | HFs in 2017 | | HFs in 2018 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Method | with recent | % stock-out |
| | stock-out | (N=408) | stock-out | (N=356) | stock-out | (N=378) | stock-out | (N=383) | stock-out | (N=380) |
| Long-acting and permanent methods | | | | | | | | | | |
| implant* | 232 | 21% | 124 | %29 | 109 | 28.8% | 124 | 67.8% | 06 | 23.7% |
| GDI | 252 | 62% | 171 | 48% | 215 | %6'99 | 129 | 33.7% | 142 | 37.4% |
| male sterilization | R | R | R | R | R | NR. | ¥ | N. | R | R |
| female sterilization* | 29 | 14% | 26 | 14% | 06 | 49.2% | 15 | 8.2% | 29 | 7.6% |
| Short-term method | | | | | | | | | | |
| male condom | 183 | 45% | 155 | 44% | 153 | 40.5% | 123 | 32.1% | 137 | 36.1% |
| female condom | 387 | %56 | 174 | 46% | 147 | 38.90% | 149 | 38.9% | 197 | 51.8% |
| prescribing injectable | 122 | 30% | 69 | 19% | 29 | 15.6% | 45 | 11.7% | 79 | 20.8% |
| OC pill | 116 | 28% | 20 | 14% | 53 | 14.0% | 35 | 9.1% | 87 | 22.9% |
| ECP | 336 | %86 | 188 | 23% | 164 | 43.4% | 136 | 35.5% | 162 | 42.6% |

*Calculation was made only for tertiary and secondary levels.

Comparison for specific methods between four years showed reduction of stock-out of implant was noted. Stock-out for other methods were increasing.

Section E. Supply chain, including cold chain

Responsible persons for ordering medical supplies by type of SDPs

Table 21. Percentage distribution of SDPs with persons responsible for ordering medical supplies by type of SDPs

| | | | | | Mair | respoi | nsible persor | for drug | indent | |
|-----------------|----------------|------|-------------|-------------------------------|-------------------|--------|---------------|----------|--------|--------|
| | |) | MS/Hea d | Specialist/ Assigned MO | HA/LHV/ Sister | Other | Pharmacist | DMO | ТМО | Tota |
| Level of Health | Fertiary level | Freq | 10 | 6 | 1 | 0 | 0 | 2 | 0 | 19 |
| Facility | <i>t</i> | % | 52.6% | 31.6% | 5.3% | 0.0% | 0.0% | 10.5% | 0.0% | 100.0% |
| | Secondary | Freq | 29 | 97 | 13 | 8 | 4 | 0 | 16 | 167 |
| | level | % | 17.4% | 58.1% | 7.8% | 4.8% | 2.4% | 0.0% | 9.6% | 100.0% |
| | Primary | Freq | 0 | 5 | 156 | 2 | 11 | 0 | 1 | 175 |
| | level | % | 0.0% | 2.9% | 89.1% | 1.1% | 6.3% | 0.0% | 0.6% | 100.0% |
| | Private | Freq | 5 | 2 | 5 | 2 | 5 | 0 | 0 | 19 |
| | hospital | % | 26.3% | 10.5% | 26.3% | 10.5% | 26.3% | 0.0% | 0.0% | 100.0% |
| | Total | Freq | 44 | 110 | 175 | 12 | 20 | 2 | 17 | 380 |
| | | % | 11.6% | 28.9% | 46.1% | 3.2% | 5.3% | 0.5% | 4.5% | 100.0% |

Overall condition shows, "MS", and "Assigned MO" were main responsible person for drug indent at tertiary and secondary level HFs while "HA/LHV/Sister" were in primary level HFs.

Responsible persons for ordering medical supplies by Administrative Unit (Region)

Table 22. Percentage distribution of SDPs with persons responsible for ordering medical supplies by Administrative Unit (Region)

| | g indent | n for drug | onsible persor | lain resp | N | | | | | |
|--------|----------|------------|----------------|-----------|------------------|-------------------------------|-------|------|--|-------------|
| Total | TMO | DMO | Pharmacist | Other | A/LHV/Si ster | Specialist/A +/ ssigned MO | | | | |
| 17 | 1 | 0 | 0 | 3 | 4 | 7 | 2 | Freq | Kachin | State/Regio |
| 100.0% | 5.9% | 0.0% | 0.0% | 17.6% | 23.5% | 41.2% | 11.8% | % | | n |
| 7 | 0 | 0 | 0 | 0 | 4 | 3 | 0 | Freq | Kayah | - |
| 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 57.1% | 42.9% | 0.0% | % | | |
| 14 | 0 | 0 | 0 | 0 | 7 | 5 | 2 | Freq | Kayin | |
| 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 35.7% | 14.3% | % | | |
| 12 | 0 | 0 | 0 | 1 | 10 | 0 | 4 | Freq | Chin | |
| 100.0% | 0.0% | 0.0% | 0.0% | 8.3% | 83.3% | 0.0% | 8.3% | % | | |
| 44 | 0 | 0 | 2 | 1 | 25 | 10 | 6 | Freq | Sagaing | |
| 100.0% | 0.0% | 0.0% | 4.5% | 2.3% | 56.8% | 22.7% | 13.6% | % | | |
| 13 | 1 | 0 | 1 | 0 | 5 | 6 | 0 | Freq | Tanintheri | |
| 100.0% | 7.7% | 0.0% | 7.7% | 0.0% | 38.5% | 46.2% | 0.0% | % | | |
| 37 | 0 | 0 | 1 | 0 | 20 | 13 | 3 | Freq | Bago | |
| 100.0% | 0.0% | 0.0% | 2.7% | 0.0% | 54.1% | 35.1% | 8.1% | % | 305000 E0 | |
| 33 | 3 | 0 | 3 | 1 | 15 | 6 | 5 | Freq | Magway | |
| 100.0% | 9.1% | 0.0% | 9.1% | 3.0% | 45.5% | 18.2% | 15.2% | % | 80 8c | |
| 33 | 4 | 1 | 0 | 1 | 16 | 10 | 1 | Freq | Mandalay | |
| 100.0% | 12.1% | 3.0% | 0.0% | 3.0% | 48.5% | 30.3% | 3.0% | % | | |
| 15 | 0 | 0 | 0 | 2 | 6 | 7 | 0 | Freq | Mon | |
| 100.0% | 0.0% | 0.0% | 0.0% | 13.3% | 40.0% | 46.7% | 0.0% | % | | |
| 24 | 0 | 0 | 1 | 0 | 11 | 6 | 6 | Freq | Rakhine | |
| 100.0% | 0.0% | 0.0% | 4.2% | 0.0% | 45.8% | 25.0% | 25.0% | % | A. A. S. | |
| 25 | 4 | 0 | 3 | 0 | 8 | 6 | 4 | Freq | Yangon | |

| | | % | 16.0% | 24.0% | 32.0% | 0.0% | 12.0% | 0.0% | 16.0% | 100.0% |
|---------|-------|------|-------|-------|-------|-------|-------|-------|-------|--------|
| | Shan | Freq | 2 | 8 | 8 | 0 | 2 | 0 | 1 | 21 |
| (Sc | outh) | % | 9.5% | 38.1% | 38.1% | 0.0% | 9.5% | 0.0% | 4.8% | 100.0% |
| | Shan | Freq | 1 | 5 | 12 | 1 | 3 | 0 | 1 | 23 |
| (N | orth) | % | 4.3% | 21.7% | 52.2% | 4.3% | 13.0% | 0.0% | 4.3% | 100.0% |
| Shan (I | East) | Freq | 2 | 0 | 2 | 2 | 1 | 1 | 2 | 10 |
| | | % | 20.0% | 0.0% | 20.0% | 20.0% | 10.0% | 10.0% | 20.0% | 100.0% |
| Ayeya | wady | Freq | 6 | 15 | 20 | 0 | 3 | 0 | 0 | 44 |
| | | % | 13.6% | 34.1% | 45.5% | 0.0% | 6.8% | 0.0% | 0.0% | 100.0% |
| Na | y Pyi | Freq | 3 | 3 | 2 | 0 | 0 | 0 | 0 | 8 |
| | Taw | % | 37.5% | 37.5% | 25.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Total | Freq | 44 | 110 | 175 | 12 | 20 | 2 | 17 | 380 |
| | | % | 11.6% | 28.9% | 46.1% | 3.2% | 5.3% | 0.5% | 4.5% | 100.0% |




Figure 9. Percentage distribution of HFs with four major categories responsible for ordering medical supplies by regions

Persons assigned for drug indent were not much varying across regions. HA/LHV/Sister was most frequently assigned in all regions except Kachin, Shan (east) and Nay Pyi Taw.

Responsible persons for ordering medical supplies by urban/rural residence

Table 23. Percentage distribution of SDPs with persons responsible for ordering medical supplies by urban/rural residence

| | | | | | | Main res | sponsible perso | on for dru | g indent | |
|-------------|------------|------|----------|-----------------|----------|----------|-----------------|------------|----------|--------|
| | | | | Specialist/As H | A/LHV/Si | | | | | |
| | | N | /IS/Head | signed MO | ster | Other | Pharmacist | DMO | TMO | Total |
| Urban/Rural | Urban | Freq | 31 | 45 | 36 | 5 | 13 | 2 | 16 | 148 |
| | | % | 20.9% | 30.4% | 24.3% | 3.4% | 8.8% | 1.4% | 10.8% | 100.0% |
| | Rural | Freq | 13 | 65 | 139 | 7 | 7 | 0 | 1 | 232 |
| | | % | 5.6% | 28.0% | 59.9% | 3.0% | 3.0% | 0.0% | 0.4% | 100.0% |
| | Total | Freq | 44 | 110 | 175 | 12 | 20 | 2 | 17 | 380 |
| | 24-4-11-12 | % | 11.6% | 28.9% | 46.1% | 3.2% | 5.3% | 0.5% | 4.5% | 100.0% |

In urban HFs, MS/Head, Assigned MO and HA/LHV/Sister were taking responsibility for ordering medical supplies more while in rural HFs HA/LHV/Sister, and assigned MO were taking responsibility more. The pattern did not change from that of 2017.

Responsible persons for ordering medical supplies by management of facility

Table 24. Percentage distribution of SDPs with persons responsible for ordering medical supplies by management of facility

| | indent | for drug | nsible persor | in respo | Ma | | | | | |
|--------|--------|----------|---------------|----------|---------|--------------|-----------|------|---------|----------------|
| | | | | | A/LHV/S | ecialist/A H | MS/Hea Sp | Ī | | |
| Total | TMO | DMO | Pharmacist | Other | ister | gned MO | d ssi | | | |
| 361 | 17 | 2 | 15 | 10 | 170 | 108 | 39 | Freq | Govt | Type of |
| 100.0% | 4.7% | 0.6% | 4.2% | 2.8% | 47.1% | 29.9% | 10.8% | % | | administration |
| 19 | 0 | 0 | 5 | 2 | 5 | 2 | 5 | Freq | Private | F |
| 100.0% | 0.0% | 0.0% | 26.3% | 10.5% | 26.3% | 10.5% | 26.3% | % | | |
| 380 | 17 | 2 | 20 | 12 | 175 | 110 | 44 | Freq | Total | |
| 100.0% | 4.5% | 0.5% | 5.3% | 3.2% | 46.1% | 28.9% | 11.6% | % | | |

Private HFs assigned more frequently to nurses, pharmacists and head of the HF.

E2. Quantifying re-supplies

Quantifying re-supplies by type of SDPs

Table 25. How re-supply is quantified by type of SDPs

| | | | | ly is quantified?a | | | |
|--------------------------|-------------------------------|------|-----------------------------|--------------------|-----------------|-------|----|
| | | 15 | (by calculation and indent) | (by supply depot) | (by other way)* | Total | |
| Level of Health Facility | Tertiary level | Freq | 14 | 7 | 0 | 19 | |
| | | % | 73.7% | 36.8% | 0.0% | | |
| | Secondary level Primary level | Freq | 104 | 86 | 8 | 165 | |
| | | % | 63.0% | 52.1% | 4.8% | | |
| | | Freq | 99 | 104 | 3 | 175 | |
| | | % | 56.6% | 59.4% | 1.7% | | |
| | Private hospital Fre | | Private hospital Freq | 11 | 0 | 7 | 18 |
| | | % | 61.1% | 0.0% | 38.9% | | |
| | Total | Freq | 228 | 197 | 18 | 377 | |

Percentages and totals are based on respondents. Three cases is "No response".

a. Dichotomy group tabulated at value 1.

Supplies for majority secondary and primary levels HFs were also quantified by calculation (63%) and medical depot only (52.1%, 65.7% and 59.4%, 56.6% respectively). Tertiary level HFs quantified more by calculation (73.7%).

Quantifying re-supplies by Administrative Unit (Region)

Table 26. How re-supply is quantified by Administrative Unit (Region)

| | oly is quantified?a | How resupp | | | | |
|------|---------------------|-------------------|-----------------------------|------|--------------|--------------|
| Tota | (by other way)* | (by supply depot) | (by calculation and indent) | | | |
| 1 | 1 | 14 | 7 | Freq | Kachin | State/Region |
| | 5.9% | 82.4% | 41.2% | % | | |
| | 0 | 3 | 4 | Freq | Kayah | |
| | 0.0% | 42.9% | 57.1% | % | | |
| 1 | 0 | 6 | 8 | Freq | Kayin | |
| | 0.0% | 42.9% | 57.1% | % | | |
| 1 | 1 | 5 | 10 | Freq | Chin | |
| | 8.3% | 41.7% | 83.3% | % | | |
| 4 | 2 | 34 | 17 | Freq | Sagaing | |
| | 4.7% | 79.1% | 39.5% | % | | |
| 1 | 0 | 10 | 8 | Freq | Tanintheri | |
| | 0.0% | 76.9% | 61.5% | % | | |
| 3 | 1 | 11 | 33 | Freq | Bago | |
| | 2.7% | 29.7% | 89.2% | % | | |
| 3 | 0 | 21 | 19 | Freq | Magway | |
| | 0.0% | 63.6% | 57.6% | % | 7 15 | |
| 3 | 0 | 19 | 22 | Freq | Mandalay | |
| | 0.0% | 57.6% | 66.7% | % | | |
| 1 | 0 | 10 | 13 | Freq | Mon | |
| | 0.0% | 66.7% | 86.7% | % | | |
| 2 | 2 | 19 | 3 | Freq | Rakhine | |
| | 8.3% | 79.2% | 12.5% | % | | |
| 2 | 7 | 6 | 11 | Freq | Yangon | |
| | 29.2% | 25.0% | 45.8% | % | - | |
| 2 | 2 | 1 | 20 | Freq | Shan (South) | |
| | 9.5% | 4.8% | 95.2% | % | N-00-0 | |

| 22 | 0 | 9 | 13 | Freq | Shan (North) | 9 |
|-----|-------|-------|-------|------|--|---|
| | 0.0% | 40.9% | 59.1% | % | | |
| 10 | 0 | 3 | 7 | Freq | Shan (East) | |
| | 0.0% | 30.0% | 70.0% | % | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | |
| 44 | 1 | 24 | 26 | Freq | Ayeyawady | |
| | 2.3% | 54.5% | 59.1% | % | | |
| 8 | 1 | 2 | 7 | Freq | Nay Pyi Taw | |
| | 12.5% | 25.0% | 87.5% | % | | |
| 377 | 18 | 197 | 228 | Freq | Total | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Quantifying re-supplies by urban/rural residence

Table 27. How re-supply is quantified by urban/rural residence

| | ply is quantified?a | How resupply is quantified?a | | | | | | | |
|-------|---------------------|------------------------------|-----------------------------|------|-------|-------------|--|--|--|
| Total | (by other way)* | (by supply depot) | (by calculation and indent) | | | | | | |
| 146 | 10 | 62 | 95 | Freq | Urban | Urban/Rural | | | |
| | 6.8% | 42.5% | 65.1% | % | | | | | |
| 231 | 8 | 135 | 133 | Freq | Rural | | | | |
| | 3.5% | 58.4% | 57.6% | % | | | | | |
| 377 | 18 | 197 | 228 | Freq | Total | | | | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Majority of HFs both in urban areas (65% and 58%) quantified their supply needs by themselves while rural HFs by depot. "Other" means "use of facility stock report or form that created by higher level HF".

Quantifying re-supplies by management of facility

Table 28. How re-supply is quantified by management of facility

| | ly is quantified?a | How resupp | | | | |
|-------|--------------------|-------------------|-----------------------------|------|---------|------------------------|
| Total | (by other way)* | (by supply depot) | (by calculation and indent) | | | |
| 359 | 11 | 197 | 217 | Freq | Govt | Type of administration |
| | 3.1% | 54.9% | 60.4% | % | | |
| 18 | 7 | 0 | 11 | Freq | Private | |
| | 38.9% | 0.0% | 61.1% | % | | |
| 377 | 18 | 197 | 228 | Freq | Total | |
| | | | | | | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Private sector HFs mainly quantified drug needed by calculation (61.1%).

Table 28a. How re-supply is quantified by distance to depot from facility

| | | | | How resupp | ly is quantified?a | |
|-----------------------------|---------------|------|-----------------------------|-------------------|--------------------|-----------|
| | _ | | (by calculation and indent) | (by supply depot) | (by other way)* | Total |
| Distance to nearest medical | <10 miles | Freq | 98 | 67 | 11 | 146 |
| depot (mile) (group) | | % | 67.1% | 45.9% | 7.5% | 120111120 |
| | 10-21 miles | Freq | 66 | 66 | 5 | 113 |
| | | % | 58.4% | 58.4% | 4.4% | |
| | >21 miles | Freq | 64 | 64 | 2 | 118 |
| | | % | 54.2% | 54.2% | 1.7% | |
| Travel duration to nearest | Within a day | Freq | 225 | 196 | 18 | 373 |
| med depot | | % | 60.3% | 52.5% | 4.8% | |
| | Within a week | Freq | 3 | 1 | 0 | 4 |
| | | % | 75.0% | 25.0% | 0.0% | " |
| | Total | Freq | 228 | 197 | 18 | 377 |
| Route to travel to nearest | Road | Freq | 222 | 189 | 18 | 363 |
| med depot | | % | 61.2% | 52.1% | 5.0% | |
| | Water | Freq | 6 | 8 | 0 | 14 |
| | | % | 42.9% | 57.1% | 0.0% | |
| | Total | Freq | 228 | 197 | 18 | 377 |

For the Tables 25, 26, 27, 28 and 28a *(Other ways) are buy, by self, company, company direct, computer and stock, Device, drug company, estimate request, intenet and allotted need, Support from township.

Table 28b. Use of standard form for indent

| | for indent | standard form | | 100 | | |
|--------|------------|---------------|-----------|------------------|--|--------------------------|
| | | Yes (not | Yes (have | | | |
| Tot | No | have form) | form) | 4 - 6West | | |
| 1 | 6 | 2 | 10 | Freq | Tertiary level | Level of Health Facility |
| 100.00 | 33.3% | 11.1% | 55.6% | % | | |
| 15 | 42 | 26 | 90 | Freq | Secondary | |
| 100.09 | 26.6% | 16.5% | 57.0% | % | level | |
| 16 | 47 | 15 | 104 | Freq | Primary level | |
| 100.0 | 28.3% | 9.0% | 62.7% | % | | |
| 1 | 9 | 2 | 3 | Freq | Private hospital | |
| 100.0 | 64.3% | 14.3% | 21.4% | % | W | |
| 1 | 3 | 4 | 8 | Freq | Kachin | State/Region |
| 100.09 | 20.0% | 26.7% | 53.3% | % | | |
| | 1 | 0 | 5 | Freq | Kayah | |
| 100.09 | 16.7% | 0.0% | 83.3% | % | | |
| 1 | 3 | 9 | 2 | Freq | Kayin | |
| 100.09 | 21.4% | 64.3% | 14.3% | % | | |
| 1 | 3 | 2 | 7 | Freq | Chin | |
| 100.09 | 25.0% | 16.7% | 58.3% | % | | |
| .4 | 21 | 4 | 19 | Freq | Sagaing | |
| 100.09 | 47.7% | 9.1% | 43.2% | % | | |
| 1 | 7 | 2 | 4 | Freq | Tanintheri | |
| 100.09 | 53.8% | 15.4% | 30.8% | % | | |
| 3 | 4 | 1 | 32 | Freq | Bago | |
| 100.09 | 10.8% | 2.7% | 86.5% | % | | |
| 3 | 7 | 6 | 20 | Freq | Magway | |
| 100.00 | 21.2% | 18.2% | 60.6% | % | | |
| 3 | 4 | 1 | 26 | Freq | Mandalay | |
| 100.00 | 12.9% | 3.2% | 83.9% | % | | |
| 1 | 5 | 1 | 8 | Freq | Mon | |
| 100.0 | 35.7% | 7.1% | 57.1% | % | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| 1 | 9 | 1 | 1 | Freq | Rakhine | |
| 100.0 | 81.8% | 9.1% | 9.1% | % | T CONTINUE _ | |
| 2 | 9 | 2 | 10 | Freq | Yangon | |
| 100.09 | 42.9% | 9.5% | 47.6% | % | rungon | |
| 100.0 | 0 | 0 | 20 | Freq | Shan (South) | |
| 100.09 | 0.0% | 0.0% | 100.0% | % | Criair (Coddi) | |
| 2 | 8 | 2 | 13 | Freq | Shan (North) | |
| 100.09 | 34.8% | 8.7% | 56.5% | % | Chair (Notar) | |
| 100.0 | 4 | 2 | 30.376 | Freq | Shan (East) | |
| 100.0 | 40.0% | 20.0% | 40.0% | % | Orian (Last) | |
| 100.0 | 15 | 5 | 24 | Freq | Ayeyawady | |
| 100.09 | 34.1% | 11.4% | 54.5% | % | | |
| 400.00 | 10.50/ | 3 | 50.00/ | Freq | Nay Pyi Taw | |
| 100.00 | 12.5% | 37.5% | 50.0% | % | T tab ass | Halland (Day 1 |
| 13 | 40 | 21 | 74 | Freq | Urban | Urban/Rural |
| 100.00 | 29.6% | 15.6% | 54.8% | % | 5 | |
| 22 | 64 | 24 | 133 | Freq | Rural | |
| 100.09 | 29.0% | 10.9% | 60.2% | % | 2 | |
| 35 | 104 | 45 | 207 | Freq | Total | |
| 100.09 | 29.2% | 12.6% | 58.1% | % | | |

E3. Source of supplies

Main source of supplies type of SDPs

Table 29. Main source of supplies type of SDPs

| | | | | | Mair | n source | e of supplier | |
|--------------------------------|------|-------|---------------------------------------|--------|----------------------------------|----------|---------------------------------|--------|
| | ,, | CMSD | State/Regio n Health Department | Health | Township Health Department | NGO | Private Pharmacy/ Company | |
| Level of Health Tertiary level | Freq | 6 | 12 | 1 | 0 | 0 | 0 | 19 |
| Facility | % | 31.6% | 63.2% | 5.3% | 0.0% | 0.0% | 0.0% | 100.0% |
| Secondary | Freq | 8 | 46 | 15 | 96 | 1 | 0 | 166 |
| level | % | 4.8% | 27.7% | 9.0% | 57.8% | 0.6% | 0.0% | 100.0% |
| Primary level | Freq | 0 | 1 | 11 | 161 | 0 | 0 | 173 |
| | % | 0.0% | 0.6% | 6.4% | 93.1% | 0.0% | 0.0% | 100.0% |
| Private | Freq | 0 | 0 | 0 | 0 | 0 | 18 | 18 |
| hospital | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% |
| Total | Freq | 14 | 59 | 27 | 257 | 1 | 18 | 376 |
| | % | 3.7% | 15.7% | 7.2% | 68.4% | 0.3% | 4.8% | 100.0% |

4 cases=No response

Main source of supplies for all levels HFs was Township and State/Region 68.4% and 15.7% respectively). However, supplies for majority of tertiary level HFs were State/Region HD and CMSD (63.2% and 31.6% respectively). This pattern was reversed from 2017 (CMSD 18.2% and State/Region HD 36.4% respectively)

Main source of supplies by Administrative Unit (Region)

Table 30. Main source of supplies by Administrative Unit (Region)

| | | | | | | Ma | ain sour | ce of supplier | |
|------------|---------------|------|-------|--------------------------------------|----------------------------------|--------|----------|---------------------------------|--------|
| | | | CMSD | State/Region Health Department | District Health Department | Health | NGO | Private Pharmacy/C ompany | Tota |
| ate/Region | Kachin | Freq | 2 | 2 | 5 | 7 | 0 | 1 | 17 |
| | | % | 11.8% | 11.8% | 29.4% | 41.2% | 0.0% | 5.9% | 100.0% |
| | Kayah | Freq | 0 | 3 | 0 | 3 | 0 | 4 | 7 |
| | 88/ 8 | % | 0.0% | 42.9% | 0.0% | 42.9% | 0.0% | 14.3% | 100.0% |
| | Kayin | Freq | 1 | 1 | 1 | 10 | 0 | 1 | 14 |
| | N SOCIATION S | % | 7.1% | 7.1% | 7.1% | 71.4% | 0.0% | 7.1% | 100.0% |
| | Chin | Freq | 2 | 1 | 2 | 7 | 0 | 0 | 12 |
| | | % | 16.7% | 8.3% | 16.7% | 58.3% | 0.0% | 0.0% | 100.0% |
| _ | Sagaing | Freq | 1 | 2 | 4 | 35 | 0 | 1 | 43 |
| | | % | 2.3% | 4.7% | 9.3% | 81.4% | 0.0% | 2.3% | 100.0% |
| | Tanintheri | Freq | 0 | 3 | 0 | 9 | 0 | 1 | 13 |
| | raimuicii | % | 0.0% | 23.1% | 0.0% | 69.2% | 0.0% | 7.7% | 100.0% |
| | Bago | Freq | 2 | 4 | 0 | 30 | 0 | 1 | 37 |
| | | % | 5.4% | 10.8% | 0.0% | 81.1% | 0.0% | 2.7% | 100.0% |
| | Magway | Freq | 0 | 4 | 1 | 26 | 0 | 1 | 32 |
| | | % | 0.0% | 12.5% | 3.1% | 81.3% | 0.0% | 3.1% | 100.0% |
| | Mandalay | Freq | 0 | 7 | 5 | 20 | 0 | 1 | 33 |
| | | % | 0.0% | 21.2% | 15.2% | 60.6% | 0.0% | 3.0% | 100.0% |
| - | Mon | Freq | 1 | 1 | 0 | 12 | 0 | 1 | 15 |
| | | % | 6.7% | 6.7% | 0.0% | 80.0% | 0.0% | 6.7% | 100.0% |
| | Rakhine | Freq | 0 | 5 | 1 | 16 | 1 | 1 | 24 |
| | | % | 0.0% | 20.8% | 4.2% | 66.7% | 4.2% | 4.2% | 100.0% |
| | Yangon | Freq | 3 | 7 | 0 | 11 | 0 | 2 | 23 |

| - | % | 13.0% | 30.4% | 0.0% | 47.8% | 0.0% | 8.7% | 100.0% |
|-------------|------|-------|-------|-------|-------|------|-------|--------|
| Shan | Freq | 2 | 2 | 1 | 15 | 0 | 1 | 21 |
| (South) | % | 9.5% | 9.5% | 4.8% | 71.4% | 0.0% | 4.8% | 100.0% |
| Shan | Freq | 0 | 2 | 4 | 15 | 0 | 2 | 23 |
| (North) | % | 0.0% | 8.7% | 17.4% | 65.2% | 0.0% | 8.7% | 100.0% |
| Shan (East) | Freq | 0 | 7 | 0 | 2 | 0 | 1 | 10 |
| | % | 0.0% | 70.0% | 0.0% | 20.0% | 0.0% | 10.0% | 100.0% |
| Ayeyawady | Freq | 0 | 5 | 3 | 35 | 0 | 1 | 44 |
| | % | 0.0% | 11.4% | 6.8% | 79.5% | 0.0% | 2.3% | 100.0% |
| Vay Pyi Taw | Freq | 0 | 3 | 0 | 4 | 0 | 1 | 8 |
| | % | 0.0% | 37.5% | 0.0% | 50.0% | 0.0% | 12.5% | 100.0% |
| Total | Freq | 14 | 59 | 27 | 257 | 1 | 18 | 376 |
| | % | 3.7% | 15.7% | 7.2% | 68.4% | 0.3% | 4.8% | 100.0% |

Main source of supplies by management of facility

Table 31. Main source of supplies by management of facility

| | Main source of supplier | | | | | | | | |
|--------|-------------------------|------|--------------------|------------|-------------------------|------|------|---------|----------------|
| | Private Pharmacy/C | | Township Health | | State/Regio n Health | | - | | |
| Total | ompany | NGO | Department | Department | Department | CMSD | | | |
| 358 | 0 | 1 | 257 | 27 | 59 | 14 | Freq | Govt | Type of |
| 100.0% | 0.0% | 0.3% | 71.8% | 7.5% | 16.5% | 3.9% | % | | administration |
| 18 | 18 | 0 | 0 | 0 | 0 | 0 | Freq | Private | F |
| 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | | |
| 376 | 18 | 1 | 257 | 27 | 59 | 14 | Freq | Total | |
| 100.0% | 4.8% | 0.3% | 68.4% | 7.2% | 15.7% | 3.7% | % | | |

Main source of drug supply for private sector HF was private pharmacy and companies.

Main source of supplies by urban/rural residence

Table 32. Main source of supplies by urban/rural residence

| | | | | | | M | ain sour | ce of supplier | |
|-------------|-------|------|------|------------------------|--------------------|--------------------|----------|------------------------|--------|
| | | | | State/Region Health | District Health | Township Health | | Private Pharmacy/Co | |
| | | | CMSD | Department | Department | Department | NGO | mpany | Total |
| Urban/Rural | Urban | Freq | 12 | 50 | 11 | 55 | 4 | 18 | 147 |
| | | % | 8.2% | 34.0% | 7.5% | 37.4% | 0.7% | 12.2% | 100.0% |
| | Rural | Freq | 2 | 9 | 16 | 202 | 0 | 0 | 229 |
| | | % | 0.9% | 3.9% | 7.0% | 88.2% | 0.0% | 0.0% | 100.0% |
| | Total | Freq | 14 | 59 | 27 | 257 | 1 | 18 | 376 |
| | | % | 3.7% | 15.7% | 7.2% | 68.4% | 0.3% | 4.8% | 100.0% |

Major suppliers for HFs at urban area were Township HD and State/Region Health Department (37.4% and 34.0% respectively). Major supplier for HFs from rural area was Township Health Department (88.2%) like 2017.

E4. Transportation of supplies

Responsibility for transportation of supplies by type of SDPs

Table 33. Responsibility for transportation of supplies by type of SDPs

| | | | Responsibility for transportation of supplies ^a | | | | |
|-----------------|------------------|------|--|--|-------------------|----------|-----------|
| | | | (Government) | (State/Region Health Department) | (Own arrangement) | (Other)* | Total |
| Level of Health | 1.50 | Freq | 3 | 4 | 14 | 1 | 19 |
| Facility | | % | 15.8% | 21.1% | 73.7% | 5.3% | |
| | Secondary level | Freq | 21 | 14 | 144 | 4 | 167 |
| | | % | 12.6% | 8.4% | 86.2% | 2.4% | |
| | Primary level | Freq | 13 | 1 | 161 | 4 | 175 19 |
| | - | % | 7.4% | 0.6% | 92.0% | 2.3% | |
| | Private hospital | Freq | 0 | 0 | 6 | 14 | |
| | | % | 0.0% | 0.0% | 31.6% | 73.7% | |
| | Total | Freq | 37 | 19 | 325 | 23 | 380 |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Most of HFs (>70%) at all levels had their own arrangement for transportation of supplies to their HFs. Government arrangement for the transportation for tertiary and secondary level HFs were only 15.8% and 12.6% respectively.

Responsibility for transportation of supplies by Administrative Unit (Region)

Table 34. Responsibility for transportation of supplies by Administrative Unit (Region)

| | Responsibility for transportation of supplies ^a | | | | | | |
|-------|--|-------------------|--|--------------|------|--------------|--------------|
| Total | (Other)* | (Own arrangement) | (State/Region Health Department) | (Government) | | | |
| 17 | 1 | 14 | 1 | 4 | Freq | Kachin | State/Region |
| | 5.9% | 82.4% | 5.9% | 23.5% | % | | 1/2 |
| 55 | 0 | 1 | 2 | 4 | Freq | Kayah | _ |
| | 0.0% | 14.3% | 28.6% | 57.1% | % | 1001-074-000 | |
| 14 | 1 | 10 | 0 | 3 | Freq | Kayin | |
| | 7.1% | 71.4% | 0.0% | 21.4% | % | | |
| 12 | 0 | 10 | 0 | 2 | Freq | Chin | _ |
| - CA | 0.0% | 83.3% | 0.0% | 16.7% | % | | |
| 44 | 1 | 42 | 1 | 2 | Freq | Sagaing | |
| | 2.3% | 95.5% | 2.3% | 4.5% | % | 9, 8, | |
| 13 | 1 | 13 | 3 | 0 | Freq | Tanintheri | _ |
| | 7.7% | 100.0% | 23.1% | 0.0% | % | | |
| 37 | 1 | 34 | 1 | 1 | Freq | Bago | |
| | 2.7% | 91.9% | 2.7% | 2.7% | % | | |
| 33 | 1 | 32 | 0 | *1 | Freq | Magway | |
| | 3.0% | 97.0% | 0.0% | 3.0% | % | | |
| 33 | 1 | 30 | 2 | 4 | Freq | Mandalay | |
| | 3.0% | 90.9% | 6.1% | 12.1% | % | | |
| 15 | 1 | 14 | 0 | 0 | Freq | Mon | _ |
| | 6.7% | 93.3% | 0.0% | 0.0% | % | | |
| 24 | 2 | 21 | 1 | 0 | Freq | Rakhine | - |
| | 8.3% | 87.5% | 4.2% | 0.0% | % | | |
| 25 | 1 | 14 | 3 | 7 | Freq | Yangon | |

| | % | 28.0% | 12.0% | 56.0% | 4.0% | |
|--------------|------|-------|-------|---|-------|------|
| Shan (South) | Freq | 0 | 0 | 20 | 1 | 21 |
| | % | 0.0% | 0.0% | 95.2% | 4.8% | |
| Shan (North) | Freq | 0 | 3 | 20 | 2 | 23 |
| | % | 0.0% | 13.0% | 87.0% | 8.7% | |
| Shan (East) | Freq | 3 | 0 | 9 | 1 | 10 |
| | % | 30.0% | 0.0% | 90.0% | 10.0% | |
| Ayeyawady | Freq | 3 | 2 | 35 | 7 | 44 |
| | % | 6.8% | 4.5% | 79.5% | 15.9% | |
| Nay Pyi Taw | Freq | 3 | 0 | 6 | 1 | 8 |
| | % | 37.5% | 0.0% | 75.0% | 12.5% | |
| Total | Freq | 37 | 19 | 325 | 23 | 380 |
| | | | 220 | 17 March 17 | | 11.0 |

Percentages and totals are based on respondents.

The Table 34 shows most of HFs were arranging the transportation for supplies themselves in all areas. Government arrangement was identified in some HFs at Kayah, Kachin, Kayin, Shan (esst), Yangon and Nay Pyi Taw.

Responsibility for transportation of supplies by urban/rural residence

Table 35. Responsibility for transportation of supplies by urban/rural residence

| | of supplies ^a | lity for transportation | | | | | |
|-------|--------------------------|-------------------------|--|--------------|------|-------|-------------|
| Total | (Other)* | (Own arrangement) | (State/Region Health Department) | (Government) | | | |
| 148 | 17 | 111 | 13 | 20 | Freq | Urban | Urban/Rural |
| | 11.5% | 75.0% | 8.8% | 13.5% | % | | |
| 232 | 6 | 214 | 6 | 17 | Freq | Rural | - |
| | 2.6% | 92.2% | 2.6% | 7.3% | % | | |
| 380 | 23 | 325 | 19 | 37 | Freq | Total | |

Percentages and totals are based on respondents.

- a. Dichotomy group tabulated at value 1.
- a. Dichotomy group tabulated at value 1.

Urban rural difference for transportation by own arrangement was noted (75% vs. 92.2%, P<0.05). However, 13.5% of HFs in urban and 7.3% at rural had government arrangement (P<0.05).

Responsibility for transportation of supplies by management of facility

Table 36. Responsibility for transportation of supplies by management of facility

| | | | | Responsibility | for transportation | of supplies ^a | |
|------------------------|---------|------|--------------|--|--------------------|--------------------------|-------|
| | | , | (Government) | (State/Region Health Department) | (Own arrangement) | (Other)* | Total |
| Type of administration | Govt | Freq | 37 | 19 | 319 | 9 | 361 |
| | | % | 10.2% | 5.3% | 88.4% | 2.5% | |
| | Private | Freq | 0 | 0 | 6 | 14 | 19 |
| | | % | 0.0% | 0.0% | 31.6% | 73.7% | |
| | Total | Freq | 37 | 19 | 325 | 23 | 380 |

Percentages and totals are based on respondents.

For Tables 33-36 *Others= Company supply, door to door, Post parcel, Tender, World Bank.

a. Dichotomy group tabulated at value 1.

a. Dichotomy group tabulated at value 1.

E5. Length of time between order and receiving of supplies

Length of time between order and receiving of supplies by type of SDPs

Table 37. Estimated length of time between order and receiving of supplies by type of SDPs (N=298)

| | | | | | | Interv | al betwee | n indent a | nd arrivall | |
|-----------------|-----------|------|--------------|----------------------|-----------------|-----------------|-----------------|---------------|------------------------|--------|
| | | | < 2 weeks | 2 weeks - 1 month | 1 - 2 months | 2 - 4 months | 4 - 6 months | > 6 months | no regular interval | Total |
| Level of Health | Tertiary | Freq | 3 | 4 | 4 | 1 | 0 | 1 | 4 | 17 |
| Facility | level | % | 17.6% | 23.5% | 23.5% | 5.9% | 0.0% | 5.9% | 23.5% | 100.0% |
| | Secondary | Freq | 16 | 10 | 13 | 13 | 11 | 12 | 57 | 132 |
| | level | % | 12.1% | 7.6% | 9.8% | 9.8% | 8.3% | 9.1% | 43.2% | 100.0% |
| | Primary | Freq | 31 | 18 | 15 | 5 | 5 | 4 | 55 | 133 |
| | level | % | 23.3% | 13.5% | 11.3% | 3.8% | 3.8% | 3.0% | 41.4% | 100.0% |
| | Private | Freq | 8 | 1 | 0 | 0 | 0 | 0 | 7 | 16 |
| | hospital | % | 50.0% | 6.3% | 0.0% | 0.0% | 0.0% | 0.0% | 43.8% | 100.0% |
| | Total | Freq | 58 | 33 | 32 | 19 | 16 | 17 | 123 | 298 |
| | | % | 19.5% | 11.1% | 10.7% | 6.4% | 5.4% | 5.7% | 41.3% | 100.0% |

Majority of HFs especially secondary and primary levels stated that the interval between order and receipt was irregular (43.2% and 41.4% respectively). 17.6% HFs at tertiary level was estimated the interval as "<2weeks". About 40% of HFs at all levels were irregular in the interval.

Length of time between order and receiving of supplies by Administrative Unit (Region)

Table 38. Estimated length of time between order and receiving of supplies by Administrative Unit (Region)

| | | | | | | | | | and arrival | |
|--------------|--------------|------|-------|-----------|--------|--------|--------|--------|-------------|--|
| | | | | weeks - 1 | 1 - 2 | 2 - 4 | 4 - 6 | | no regular | |
| | | | weeks | month | months | months | months | months | interval | 403034020 |
| State/Region | Kachin | Freq | 0 | 1 | 1 | 1 | 3 | 3 | 5 | 11 875 |
| | | % | 0.0% | 7.1% | 7.1% | 7.1% | 21.4% | 21.4% | 35.7% | 100.0% |
| | Kayah | Freq | 1 | 3 | 2 | 0 | 1 | 0 | 0 | 7 |
| | | % | 14.3% | 42.9% | 28.6% | 0.0% | 14.3% | 0.0% | 0.0% | 100.0% |
| | Kayin | Freq | 0 | 3 | 2 | 0 | 3 | 2 | 3 | 13 |
| | | % | 0.0% | 23.1% | 15.4% | 0.0% | 23.1% | 15.4% | 23.1% | 100.0% |
| | Chin | Freq | 3 | 0 | 2 | 0 | 1 | 1 | 5 | 12 |
| | | % | 25.0% | 0.0% | 16.7% | 0.0% | 8.3% | 8.3% | 41.7% | 100.0% |
| | Sagaing | Freq | 6 | 1 | 0 | 2 | 1 | 2 | 9 | 21 |
| - | | % | 28.6% | 4.8% | 0.0% | 9.5% | 4.8% | 9.5% | 42.9% | 100.0% |
| | Tanintheri | Freq | 0 | 0 | 1 | 2 | 0 | 0 | 4 | 7 |
| | | % | 0.0% | 0.0% | 14.3% | 28.6% | 0.0% | 0.0% | 57.1% | 100.0% |
| | Bago | Freq | 2 | 5 | 3 | 3 | 2 | 3 | 18 | 36 |
| | | % | 5.6% | 13.9% | 8.3% | 8.3% | 5.6% | 8.3% | 50.0% | 100.0% |
| | Magway | Freq | 4 | 3 | 4 | 2 | 2 | 2 | 16 | 33 |
| | | % | 12.1% | 9.1% | 12.1% | 6.1% | 6.1% | 6.1% | 48.5% | 100.0% |
| | Mandalay | Freq | 9 | 1 | 5 | 3 | 1 | 1 | 3 | 23 |
| | * | % | 39.1% | 4.3% | 21.7% | 13.0% | 4.3% | 4.3% | 13.0% | 100.0% |
| | Mon | Freq | 2 | 0 | 1 | 1 | 0 | 1 | 7 | in the second second |
| | B0100403 | % | 16.7% | 0.0% | 8.3% | 8.3% | 0.0% | 8.3% | 58.3% | 100.0% |
| 2.0 | Rakhine | Freq | 0 | 0 | 0 | 0 | 0 | 0 | 3 | |
| | | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% |
| | Yangon | Freq | 3 | 4 | 3 | 3 | 2 | 0 | 10 | |
| | | % | 12.0% | 16.0% | 12.0% | 12.0% | 8.0% | 0.0% | | 100.0% |
| | Shan (South) | Freq | 19 | 1 | 0 | 0 | 0 | 0 | 0 | A CONTRACTOR OF THE PARTY OF TH |

| | % | 95.0% | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
|--------------------|------|-------|-------|-------|-------|------|------|-------|--------|
| Shan (North) | Freq | 6 | 5 | 2 | 1 | 0 | 0 | 9 | 23 |
| | % | 26.1% | 21.7% | 8.7% | 4.3% | 0.0% | 0.0% | 39.1% | 100.0% |
| Shan (East) | Freq | 1 | 3 | 2 | 1 | 0 | 0 | 3 | 10 |
| 52,000,000,000,000 | % | 10.0% | 30.0% | 20.0% | 10.0% | 0.0% | 0.0% | 30.0% | 100.0% |
| Ayeyawady | Freq | 2 | 1 | 2 | 0 | 0 | 2 | 24 | 31 |
| | % | 6.5% | 3.2% | 6.5% | 0.0% | 0.0% | 6.5% | 77.4% | 100.0% |
| Nay Pyi Taw | Freq | 0 | 2 | 2 | 0 | 0 | 0 | 4 | 8 |
| DISTANCE SWINNING | % | 0.0% | 25.0% | 25.0% | 0.0% | 0.0% | 0.0% | 50.0% | 100.0% |
| Total | Freq | 58 | 33 | 32 | 19 | 16 | 17 | 123 | 298 |
| | % | 19.5% | 11.1% | 10.7% | 6.4% | 5.4% | 5.7% | 41.3% | 100.0% |

Length of time between order and receiving of supplies by urban/rural residence

Table 39. Estimated length of time between order and receiving of supplies by urban/rural residence

| | | | | | | In | terval betw | een inden | t and arrival | |
|-------------|-------|------|-------|-----------|--------|--------|-------------|-----------|---------------|--------|
| | | - | < 2 2 | weeks - 1 | 1-2 | 2-4 | 4 - 6 | > 6 | no regular | |
| | | | weeks | month | months | months | months | months | interval | Total |
| Urban/Rural | Urban | Freq | 23 | 15 | 12 | 8 | 7 | 6 | 47 | 118 |
| | | % | 19.5% | 12.7% | 10.2% | 6.8% | 5.9% | 5.1% | 39.8% | 100.0% |
| | Rural | Freq | 35 | 18 | 20 | 11 | 9 | 11 | 76 | 180 |
| | | % | 19.4% | 10.0% | 11.1% | 6.1% | 5.0% | 6.1% | 42.2% | 100.0% |
| | Total | Freq | 58 | 33 | 32 | 19 | 16 | 17 | 123 | 298 |
| | | % | 19.5% | 11.1% | 10.7% | 6.4% | 5.4% | 5.7% | 41.3% | 100.0% |

Percentages of HFs with "irregularity of the interval" was significantly different between HFs of urban and rural areas (39.8% in urban vs. 42.2% in rural).

Length of time between order and receiving of supplies by management of facility

Table 40. Estimated length of time between order and receiving of supplies by management of facility

| | and arrival | en indent | val between | Inter | | | | - | | |
|--------|---------------------|---------------|-----------------|-----------------|-----------------|----------------------|--------------|------|---------|----------------|
| | no regular interval | > 6 months | 4 - 6 months | 2 - 4 months | 1 - 2 months | 2 weeks - 1 month | < 2 weeks | , | | |
| 282 | 116 | 17 | 16 | 19 | 32 | 32 | 50 | Freq | Govt | Type of |
| 100.0% | 41.1% | 6.0% | 5.7% | 6.7% | 11.3% | 11.3% | 17.7% | % | | administration |
| 16 | 7 | 0 | 0 | 0 | 0 | 1 | 8 | Freq | Private | |
| 100.0% | 43.8% | 0.0% | 0.0% | 0.0% | 0.0% | 6.3% | 50.0% | % | | |
| 298 | 123 | 17 | 16 | 19 | 32 | 33 | 58 | Freq | Total | |
| 100.0% | 41.3% | 5.7% | 5.4% | 6.4% | 10.7% | 11.1% | 19.5% | % | | |

Majority of Private HFs (50%) received drug supplies in relatively short interval (<2 weeks).

E6. Frequency of resupply

Frequency of resupply by type of SDPs

Table 41. Frequency of resupply by type of SDPs

| | | | | | | Interv | al betwee | n indents | |
|-----------------|--------------------|------|------------------|--------------|-------------------|----------------|-------------|-----------|--------|
| | | | every 2 weeks | once a month | every 3 months | every 6 months | once a year | irregular | Tota |
| Level of Health | Tertiary level | Freq | 0 | 7 | 1 | 5 | 0 | 6 | 19 |
| Facility | | % | 0.0% | 36.8% | 5.3% | 26.3% | 0.0% | 31.6% | 100.0% |
| | Secondary level | Freq | 0 | 19 | 22 | 69 | 5 | 51 | 166 |
| | | % | 0.0% | 11.4% | 13.3% | 41.6% | 3.0% | 30.7% | 100.0% |
| | Primary level | Freq | 0 | 38 | 22 | 45 | 13 | 56 | 174 |
| | | % | 0.0% | 21.8% | 12.6% | 25.9% | 7.5% | 32.2% | 100.0% |
| | Private hospital | Freq | 6 | 2 | 0 | 0 | 0 | 10 | 18 |
| | i iivate iiospitai | % | 33.3% | 11.1% | 0.0% | 0.0% | 0.0% | 55.6% | 100.0% |
| | Total | Freq | 6 | 66 | 45 | 119 | 18 | 123 | 377 |
| | | % | 1.6% | 17.5% | 11.9% | 31.6% | 4.8% | 32.6% | 100.0% |

3 cases=No response

Thirty-two percent of HFs described the interval of between-indents of supplies was "irregular". The irregularity was more pronounced in private HFs (55.6%).

Frequency of resupply by Administrative Unit (Region)

Table 42. Frequency of resupply by Administrative Unit (Region)

| | | | | | | Interva | al between | indents | |
|--------------|------------|------|---------|--------|---------|---------|------------|----------|--------|
| | | | every 2 | once a | every 3 | every 6 | once a | | ¥.17 |
| | | | weeks | month | months | months | | rregular | Total |
| State/Region | Kachin | Freq | 0 | 2 | 2 | 7 | 0 | 6 | 17 |
| | | % | 0.0% | 11.8% | 11.8% | 41.2% | 0.0% | 35.3% | 100.0% |
| | Kayah | Freq | 0 | 6 | 1 | 0 | 0 | 0 | 7 |
| | | % | 0.0% | 85.7% | 14.3% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Kayin | Freq | 0 | 4 | 2 | 3 | 0 | 5 | 14 |
| | | % | 0.0% | 28.6% | 14.3% | 21.4% | 0.0% | 35.7% | 100.0% |
| | Chin | Freq | 0 | 2 | 0 | 4 | 2 | 4 | 12 |
| | | % | 0.0% | 16.7% | 0.0% | 33.3% | 16.7% | 33.3% | 100.0% |
| | Sagaing | Freq | 0 | 2 | 4 | 19 | 4 | 14 | 43 |
| | | % | 0.0% | 4.7% | 9.3% | 44.2% | 9.3% | 32.6% | 100.0% |
| | Tanintheri | Freq | 1 | 0 | 1 | 5 | 2 | 4 | 13 |
| | | % | 7.7% | 0.0% | 7.7% | 38.5% | 15.4% | 30.8% | 100.0% |
| | Bago | Freq | 1 | 2 | 9 | 13 | 1 | 10 | 36 |
| | | % | 2.8% | 5.6% | 25.0% | 36.1% | 2.8% | 27.8% | 100.0% |
| | Magway | Freq | 1 | 3 | 4 | 8 | 0 | 17 | 33 |
| | | % | 3.0% | 9.1% | 12.1% | 24.2% | 0.0% | 51.5% | 100.0% |
| 3 | Mandalay | Freq | 0 | 5 | 1 | 13 | 3 | 10 | 32 |
| | 151 | % | 0.0% | 15.6% | 3.1% | 40.6% | 9.4% | 31.3% | 100.0% |
| | Mon | Freq | 0 | 0 | 4 | 6 | 0 | 5 | 15 |
| | | % | 0.0% | 0.0% | 26.7% | 40.0% | 0.0% | 33.3% | 100.0% |
| 3 | Rakhine | Freq | 0 | 2 | 1 | 13 | 2 | 6 | 24 |
| | | % | 0.0% | 8.3% | 4.2% | 54.2% | 8.3% | 25.0% | 100.0% |
| | Yangon | Freq | 1 | 3 | 4 | 7 | 1 | 9 | 25 |
| | | % | 4.0% | 12.0% | 16.0% | 28.0% | 4.0% | 36.0% | 100.0% |
| 2 | Shan | Freq | 0 | 17 | 1 | 1 | 0 | 2 | 21 |

| (South) | % | 0.0% | 81.0% | 4.8% | 4.8% | 0.0% | 9.5% | 100.0% |
|----------|------|------|-------|-------|-------|------|-------|--------|
| Shan | Freq | 2 | 5 | 3 | 7 | -1 | 5 | 23 |
| (North) | % | 8.7% | 21.7% | 13.0% | 30.4% | 4.3% | 21.7% | 100.0% |
| Shan | Freq | 0 | 3 | 1 | 3 | 0 | 3 | 10 |
| (East) | % | 0.0% | 30.0% | 10.0% | 30.0% | 0.0% | 30.0% | 100.0% |
| Ayeyawad | Freq | 0 | 8 | 7 | 9 | 2 | 18 | 44 |
| у | % | 0.0% | 18.2% | 15.9% | 20.5% | 4.5% | 40.9% | 100.0% |
| Nay Pyi | Freq | 0 | 2 | 0 | 1 | 0 | 5 | 8 |
| Taw | % | 0.0% | 25.0% | 0.0% | 12.5% | 0.0% | 62.5% | 100.0% |
| Total | Freq | 6 | 66 | 45 | 119 | 18 | 123 | 377 |
| | % | 1.6% | 17.5% | 11.9% | 31.6% | 4.8% | 32.6% | 100.0% |

Frequency of resupply by urban/rural residence

Table 43. Frequency of resupply by urban/rural residence

| | | | | | | Interv | al betwee | n indents | |
|-------------|------------|------|------------------|--------------|----------------|-------------------|-------------|-----------|--------|
| | | | every 2 weeks | once a month | every 3 months | every 6 months | once a year | irregular | Total |
| Urban/Rural | Urban | Freq | 6 | 24 | 14 | 46 | 3 | 53 | 146 |
| | | % | 4.1% | 16.4% | 9.6% | 31.5% | 2.1% | 36.3% | 100.0% |
| | Rural | Freq | 0 | 42 | 31 | 73 | 15 | 70 | 231 |
| | | % | 0.0% | 18.2% | 13.4% | 31.6% | 6.5% | 30.3% | 100.0% |
| | Total | Freq | 6 | 66 | 45 | 119 | 18 | 123 | 377 |
| | Tanas Asia | % | 1.6% | 17.5% | 11.9% | 31.6% | 4.8% | 32.6% | 100.0% |

Irregularity of interval between indents was similarly stated in HFs at urban and rural (36% vs.30%). There was no obvious difference.

Frequency of resupply by management of facility

Table 44. Frequency of resupply by management of facility

| Interval between indents | | | | | | | | indents | |
|--------------------------|---------|------|------------------|--------------|----------------|----------------|-------------|----------|--------|
| | | == | every 2 weeks | once a month | every 3 months | every 6 months | once a year | rregular | Total |
| Type o | Govt | Freq | 0 | 64 | 45 | 119 | 18 | 113 | 359 |
| administration | | % | 0.0% | 17.8% | 12.5% | 33.1% | 5.0% | 31.5% | 100.0% |
| | Private | Freq | 6 | 2 | 0 | 0 | 0 | 10 | 6000 |
| | | % | 33.3% | 11.1% | 0.0% | 0.0% | 0.0% | 55.6% | 100.0% |
| | Total | Freq | 6 | 66 | 45 | 119 | 18 | 123 | 377 |
| | | % | 1.6% | 17.5% | 11.9% | 31.6% | 4.8% | 32.6% | 100.0% |

Irregularity of frequency of resupply was more pronounced in private HFs (52.6% vs. 41.7%).

E7. Availability of cold chain

Availability of cold chain by type of SDP

Table 45. Availability of cold chain by type of SDP

| | | | Have own cold c | hain system | Total |
|--------------------------|------------------|------------|-----------------|-------------|--------|
| | | = | Yes | No | Total |
| Level of Health Facility | Tertiary level | Freq | 19 | 0 | 19 |
| | | % | 100.0% | 0.0% | 100.0% |
| | Secondary level | Freq | 144 | 23 | 167 |
| | | % | % 86.2% | 13.8% | 100.0% |
| _ | Primary level | level Freq | 75 | 100 | 175 |
| | | % | 42.9% | 57.1% | 100.0% |
| | Private hospital | Freq | 19 | 0 | 19 |
| | | % | 100.0% | 0.0% | 100.0% |
| | Total | Freq | 257 | 123 | 380 |
| | | % | 67.6% | 32.4% | 100.0% |

Availability of cold chain (67.6%) was higher in tertiary and secondary level HFs (100% & 86.2%) and too much less in primary level HFs (42.9%). The difference was statistically significant (P<0.05). All private HFs had cold chain system.

Availability of cold chain by Administrative Unit (Region)

Table 46. Availability of cold chain by Administrative Unit (Region)

| | chain system | Have own cold of | | | | |
|--------|--------------|------------------|------|---------------------------------------|--------------|--|
| Tota | No | Yes | | | | |
| 17 | 6 | 11 | Freq | Kachin | State/Region | |
| 100.0% | 35.3% | 64.7% | % | | | |
| 7 | 3 | 4 | Freq | Kayah | | |
| 100.0% | 42.9% | 57.1% | % | | | |
| 14 | 3 | 11 | Freq | Kayin | | |
| 100.0% | 21.4% | 78.6% | % | | | |
| 12 | 6 | 6 | Freq | Chin | | |
| 100.0% | 50.0% | 50.0% | % | | | |
| 44 | 13 | 31 | Freq | Sagaing | | |
| 100.0% | 29.5% | 70.5% | % | 0 0 | | |
| 13 | 4 | 9 | Freq | Tanintheri | | |
| 100.0% | 30.8% | 69.2% | % | | | |
| 37 | 18 | 19 | Freq | Bago | | |
| 100.0% | 48.6% | 51.4% | % | | | |
| 33 | 13 | 20 | Freq | Magway | | |
| 100.0% | 39.4% | 60.6% | % | | | |
| 33 | 9 | 24 | Freq | Mandalay | - | |
| 100.0% | 27.3% | 72.7% | % | (S) | | |
| 15 | 2 | 13 | Freq | Mon | | |
| 100.0% | 13.3% | 86.7% | % | | | |
| 24 | 8 | 16 | Freq | Rakhine | | |
| 100.0% | 33.3% | 66.7% | % | | | |
| 25 | 6 | 19 | Freq | Yangon | | |
| 100.0% | 24.0% | 76.0% | % | W. G. Co. | | |
| 21 | 5 | 16 | Freq | Shan (South) | | |
| 100.0% | 23.8% | 76.2% | % | · · · · · · · · · · · · · · · · · · · | | |
| 23 | 10 | 13 | Freq | Shan (North) | | |

| 100.0% | 43.5% | 56.5% | % | | |
|---------|-------|---------|------|-------------|--|
| 10 | 0 | 10 | Freq | Shan (East) | |
| 100.0% | 0.0% | 100.0% | % | | |
| 44 | 15 | 29 | Freq | Ayeyawady | |
| 100.0% | 34.1% | 65.9% | % | | |
| 100.076 | 2 | 6 | Freq | Nay Pyi Taw | |
| 100.0% | 25.0% | % 75.0% | | 52 23 ==== | |
| 380 | 123 | 257 | Freq | Total | |
| 100.0% | 32.4% | 67.6% | % | | |

Overall percent of availability of cold chain system was about 67.6% and much variations among the regions was observed. Kayah, Shan (N), Bago, and Chin were (<less than 60%). The highest availability was noted in Shan (E) and Mon having more than 80%. (Fig 10)




Figure 10. Percentage of HFs which have cold chain system by regions

Availability of cold chain by urban/rural residence

Table 47. Availability of cold chain by urban/rural residence

| | | | Have own cold of | chain system | |
|-------------|-------|------|------------------|--------------|--------|
| | | ==== | Yes | No | Total |
| Urban/Rural | Urban | Freq | 117 | 31 | 148 |
| | | % | 79.1% | 20.9% | 100.0% |
| | Rural | Freq | 140 | 92 | 232 |
| | | % | 60.3% | 39.7% | 100.0% |
| | Total | Freq | 257 | 123 | 380 |
| | | % | 67.6% | 32.4% | 100.0% |

Urban rural difference of the availability of cold chain system was also markedly obvious (79.1% vs. 60.3%, P<0.001).

Availability of cold chain by management of facility

Table 48. Availability of cold chain by management of facility

| | | | Have own cold of | chain system | |
|------------------------|---------|------|------------------|--------------|--------|
| | | | Yes | No | Tota |
| Type of administration | Govt | Freq | 238 | 123 | 361 |
| | | % | 65.9% | 34.1% | 100.0% |
| | Private | Freq | 19 | 0 | 19 |
| | | % | 100.0% | 0.0% | 100.0% |
| | Total | Freq | 257 | 123 | 380 |
| | | % | 67.6% | 32.4% | 100.0% |

When government sector HFs had cold chain systems in 65.9%, private sector HFs had 100% (P<0.05).

Table 48a. Type of cold chain

| | of cold chaina | | | | | |
|------|-----------------------|---------------------------------------|--------------------------|------|---|-----------------|
| Tota | Cold chain (other) | Cold chain (refillable ice box) | Cold chain (electric) | | | |
| 19 | 1 | Ó | 19 | Freq | Tertiary level | Level of Health |
| | 5.3% | 0.0% | 100.0% | % | | Facility |
| 144 | 3 | 5 | 141 | Freq | Secondary level | 45 · |
| | 2.1% | 3.5% | 97.9% | % | 11 000 000 000 000 0 000 000 000 | |
| 74 | 3 | 7 | 64 | Freq | Primary level | |
| | 4.1% | 9.5% | 86.5% | % | * | |
| 17 | 0 | 0 | 17 | Freq | Private hospital | |
| | 0.0% | 0.0% | 100.0% | % | | |
| 254 | 7 | 12 | 241 | Freq | Total | |
| 1 | 1 | 0 | 11 | Freq | Kachin | State/Region |
| | 9.1% | 0.0% | 100.0% | % | | |
| | 0 | 0 | 3 | Freq | Kayah | |
| | 0.0% | 0.0% | 100.0% | % | | |
| 1 | 0 | 1 | 10 | Freq | Kayin | |
| | 0.0% | 9.1% | 90.9% | % | | |
| | 0 | 0 | 6 | Freq | Chin | |
| | 0.0% | 0.0% | 100.0% | % | | |
| 3 | 0 | 1 | 30 | Freq | Sagaing | |
| | 0.0% | 3.3% | 100.0% | % | | |
| | 0 | 0 | 8 | Freq | Tanintheri | |
| | 0.0% | 0.0% | 100.0% | % | | |
| 1 | 0 | 3 | 17 | Freq | Bago | |
| | 0.0% | 15.8% | 89.5% | % | | |
| 2 | 1 | 0 | 19 | Freq | Magway | |
| | 5.0% | 0.0% | 95.0% | % | | |
| 2 | 1 | 3 | 21 | Freq | Mandalay | |
| | 4.2% | 12.5% | 87.5% | % | | |
| 1 | 0 | 2 | 11 | Freq | Mon | |
| | 0.0% | 15.4% | 84.6% | % | | |
| 1 | 3 | 0 | 14 | Freq | Rakhine | |
| | 18.8% | 0.0% | 87.5% | % | | |
| 1 | 0 | 0 | 19 | Freq | Yangon | |
| | 0.0% | 0.0% | 100.0% | % | | |
| 1 | 0 | 4 | 16 | Freq | Shan (South) | |
| | 0.0% | 6.3% | 100.0% | % | | |

| | Shan (North) | Freq | 13 | 0 | 0 | 13 |
|------------------------|--------------|------|--------|------|-------|-----|
| | | % | 100.0% | 0.0% | 0.0% | |
| | Shan (East) | Freq | 10 | 0 | 0 | 10 |
| | 3. 12 | % | 100.0% | 0.0% | 0.0% | |
| | Ayeyawady | Freq | 28 | 1 | 0 | 29 |
| | | % | 96.6% | 3.4% | 0.0% | |
| · | Nay Pyi Taw | Freq | 5 | 0 | 1 | 6 |
| | | % | 83.3% | 0.0% | 16.7% | |
| Urban/Rural | Urban | Freq | 112 | 3 | 4 | 115 |
| | | % | 97.4% | 2.6% | 3.5% | |
| | Rural | Freq | 129 | 9 | 3 | 139 |
| | | % | 92.8% | 6.5% | 2.2% | |
| Type of administration | Govt | Freq | 224 | 12 | 7 | 237 |
| | | % | 94.5% | 5.1% | 3.0% | |
| · · | Private | Freq | 17 | 0 | 0 | 17 |
| | | % | 100.0% | 0.0% | 0.0% | |
| | Total | Freq | 241 | 12 | 7 | 254 |

Of those HFs which had cold chain system, more than 90% was electric system and less than 7% was ice box. The difference among percentages of being electric system between primary and other two levels was not much significant. There was no obvious urban rural difference of percentages of electric type cold chain (97% vs. 93%).

Table 48b. Other specified Cold chainby Level of Health Facility

| | | | | | Other (| Cold cha | in (specified) | |
|-----------------|----------------|------|--------|----------------|----------------|----------|-----------------------|---------------|
| | | | | cold change | EPI Cold chain | ILR | solar refrigerator | Total |
| Level of Health | Tertiary level | Freq | 18 | 0 | 1 | 0 | 0 | 19 |
| Facility | | % | 94.7% | 0.0% | 5.3% | 0.0% | 0.0% | 100.0% |
| | Secondary | Freq | 164 | 1 | 0 | 2 | 0 | 167 100.0% |
| | level | % | 98.2% | 0.6% | 0.0% | 1.2% | 0.0% | |
| | Primary level | Freq | 172 | 0 | 0 | 2 | 1 | 175 |
| | | % | 98.3% | 0.0% | 0.0% | 1.1% | 0.6% | 100.0% |
| | Private | Freq | 19 | 0 | 0 | 0 | 0 | 19 100.0% |
| | hospital | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Total | Freq | 373 | 1 | 1 | 4 | 4 | 380 |
| | | % | 98.2% | 0.3% | 0.3% | 1.1% | 0.3% | 100.0% |

Table 48c. Other specified Cold chainby State/Region

| | | | | | Othe | r Cold cha | ain (specified) | Total |
|--------------|---------|------|--------|-------------|----------------|------------|-----------------------|--------|
| | | | | cold change | EPI Cold chain | ILR | solar refrigerator | |
| State/Region | Kachin | Freq | 16 | 0 | 1 | 0 | 0 | 17 |
| | | % | 94.1% | 0.0% | 5.9% | 0.0% | 0.0% | 100.0% |
| | Kayah | Freq | 7 | 0 | 0 | 0 | 0 | 7 |
| | | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Kayin | Freq | 14 | 0 | 0 | 0 | 0 | 14 |
| | | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Chin | Freq | 12 | 0 | 0 | 0 | 0 | 12 |
| | | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Sagaing | Freq | 44 | 0 | 0 | 0 | 0 | 44 |

| | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
|---------------|------|--------|-------|------|------|------|--------|
| Tanintheri | Freq | 13 | 0 | 0 | 0 | 0 | 13 |
| - | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Bago | Freq | 37 | 0 | 0 | 0 | 0 | 37 |
| | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Magway | Freq | 32 | 0 | 0 | 1 | 0 | 33 |
| 8 0 | % | 97.0% | 0.0% | 0.0% | 3.0% | 0.0% | 100.0% |
| Mandalay | Freq | 32 | 0 | 0 | 1 | 0 | 33 |
| | % | 97.0% | 0.0% | 0.0% | 3.0% | 0.0% | 100.0% |
| Mon | Freq | 15 | 0 | 0 | 0 | 0 | 15 |
| | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Rakhine | Freq | 21 | 0 | 0 | 2 | 1 | 24 |
| | % | 87.5% | 0.0% | 0.0% | 8.3% | 4.2% | 100.0% |
| Yangon | Freq | 25 | 0 | 0 | 0 | 0 | 25 |
| | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Shan (South) | Freq | 21 | 0 | 0 | 0 | 0 | 21 |
| | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Shan (North) | Freq | 23 | 0 | 0 | 0 | 0 | 23 |
| W 8- | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Shan (East) | Freq | 10 | 0 | 0 | 0 | 0 | 10 |
| | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Ayeyawady | Freq | 44 | 0 | 0 | 0 | 0 | 44 |
| G (A) 5) ==== | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Nay Pyi Taw | Freq | 7 | 1 | 0 | 0 | 0 | 8 |
| Was About | % | 87.5% | 12.5% | 0.0% | 0.0% | 0.0% | 100.0% |
| Total | Freq | 373 | 1 | 1 | 4 | 1 | 380 |
| | % | 98.2% | 0.3% | 0.3% | 1.1% | 0.3% | 100.0% |

Table 48d. Other specified Cold chainby Urban/Rural

| r Cold | Oth | | | | | |
|--------|--------------|-------------|-------|------|-------|-------------|
| ΙL | I Cokd chain | cold change | | | | |
| | 1 | 1 | 144 | Freq | Urban | Urban/Rural |
| 1.4 | 0.7% | 0.7% | 97.3% | % | | |
| | 0 | 0 | 229 | Freq | Rural | |
| 0.9 | 0.0% | 0.0% | 98.7% | % | | |
| | 1 | 1 | 373 | Freq | Total | |
| 1.1 | 0.3% | 0.3% | 98.2% | % | | |

Table 48e. Other specified Cold chainby Distance to nearest medical depot

| | in (specified) | cold chai | Other C | | 17. | | |
|---------------|-----------------------|-----------|----------------|----------------|--------------|-----------|------------------------------|
| Total | solar refrigerator | ILR | EPI Cold chain | cold change | | | |
| 147 | 1 | 2 | 1 | 0 | 143 | Freq | istance to nearest <10 miles |
| 100.0% | 0.7% | 1.4% | 0.7% | 0.0% | 97.3% | % | edical depot (mile) |
| 114 | 0 | 1 | 0 | 0 | 113 | Freq | (group) 10-21 miles |
| 100.0% | 0.0% | 0.9% | 0.0% | 0.0% | 99.1% | % | |
| 119 | 0 | 1 | 0 | 1 | 117 | Freq | >21 miles |
| 100.0% 380 | 0.0% 1 | 0.8% | 0.0% 1 | 0.8% | 98.3% 373 | % Freq | Total |
| 100.0% | 0.3% | 1.1% | 0.3% | 0.3% | 98.2% | % | |

Table 48f. Other specified Cold chainby Travel duration to nearest med depot

| Other Cold chain (specified) | | | | | | | | |
|------------------------------|--------------|------|--------|----------------|----------------|------|-----------------------|--------|
| | | | | cold change | EPI Cold chain | ILR | solar refrigerator | Total |
| Travel duration to V | Vithin a day | Freq | 369 | -1 | 1 | 4 | 1 | 376 |
| nearest med depot | | % | 98.1% | 0.3% | 0.3% | 1.1% | 0.3% | 100.0% |
| | Within a | Freq | 4 | 0 | 0 | 0 | 0 | 4 |
| | week | % | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Total | Freq | 373 | 1 | 1 | 4 | 1 | 380 |
| | | % | 98.2% | 0.3% | 0.3% | 1.1% | 0.3% | 100.0% |

Table 48g. Other specified Cold chainby Route to travel to nearest med depot

| | Other Cold chain (specified) | | | | | | | |
|--------|------------------------------|-------|----------------|----------|-------|------|-------|--------------------|
| Total | solar refrigerator | ILR | EPI Cold chain | d change | 00 | | | |
| 366 | 1 | 2 | 1 | 1 | 361 | Freq | Road | Route to travel to |
| 100.0% | 0.3% | 0.5% | 0.3% | 0.3% | 98.6% | % | | nearest med depot |
| 14 | 0 | 2 | 0 | 0 | 12 | Freq | Water | |
| 100.0% | 0.0% | 14.3% | 0.0% | 0.0% | 85.7% | % | | |
| 380 | 1 | 4 | 1 | 1 | 373 | Freq | Total | |
| 100.0% | 0.3% | 1.1% | 0.3% | 0.3% | 98.2% | % | | |

Source of power for Fridges used for cold chain by type of SDP

Table 49. Source of power for Fridges used for cold chain bytype of SDP

| | | | | | Source | ce of power | for Fridges ^a | |
|--------------------------------|------|-----------|-----------------------|-----------------------------|----------------------|--|-------------------------------------|-------|
| | | from grid | from own generator | from mobile generator | from solar system | from own hydro- power generator | from village common generator | Total |
| Level of Health Tertiary level | Freq | 18 | 6 | 0 | 2 | 0 | 0 | 19 |
| Facility | % | 94.7% | 31.6% | 0.0% | 10.5% | 0.0% | 0.0% | |
| Secondary | Freq | 90 | 43 | 7 | 47 | 2 | 1 | 143 |
| level | % | 62.9% | 30.1% | 4.9% | 32.9% | 1.4% | 0.7% | |
| Primary level | Freq | 35 | 1 | 1 | 35 | 1 | 0 | 70 |
| | % | 50.0% | 1.4% | 1.4% | 50.0% | 1.4% | 0.0% | |
| Private | Freq | 13 | 11 | 3 | 0 | 0 | 0 | 17 |
| hospital | % | 76.5% | 64.7% | 17.6% | 0.0% | 0.0% | 0.0% | |
| Total | Freq | 156 | 61 | 11 | 84 | 3 | 1 | 249 |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Power supply for majority of cold chain system was "regular supply system". Many tertiary level secondary level and private HFs had their own generators (31.6%, 30.16% and 50% respectively).

About 32.9% of secondary level and 50% of primary level HFs also used solar power. Use rate of solar was higher than 2017 (26% and 39% respectively).

Source of power for Fridges used for cold chain by Administrative Unit (Region)

Table 50. Source of power for Fridges used for cold chain by Administrative Unit (Region)

| | Source of power for Fridges ^a | | | | | | | | | | |
|-------|--|--------------------------------------|--------|-----------------------|-----------|-----------|------|-------------|-------------|--|--|
| Total | from village common generator | from own nydro-power generator | system | from mobile generator | generator | from grid | S- | | | | |
| 11 | 0 | 0 | 3 | 0 | 6 | 8 | Freq | Kachin | State/Regio | | |
| | 0.0% | 0.0% | 27.3% | 0.0% | 54.5% | 72.7% | % | | n | | |
| 3 | 0 | 0 | 0 | 0 | 0 | 3 | Freq | Kayah | | | |
| | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | % | | | | |
| 11 | 0 | 1 | 6 | 2 | 1 | 3 | Freq | Kayin | | | |
| | 0.0% | 9.1% | 54.5% | 18.2% | 9.1% | 27.3% | % | | | | |
| 6 | 0 | 0 | 4 | 0 | 0 | 2 | Freq | Chin | | | |
| | 0.0% | 0.0% | 66.7% | 0.0% | 0.0% | 33.3% | % | | | | |
| 31 | 0 | 0 | 8 | 0 | 3 | 21 | Freq | Sagaing | | | |
| | 0.0% | 0.0% | 25.8% | 0.0% | 9.7% | 67.7% | % | | | | |
| 8 | 0 | 1 | 4 | 0 | 3 | 3 | Freq | Tanintheri | | | |
| | 0.0% | 12.5% | 50.0% | 0.0% | 37.5% | 37.5% | % | | | | |
| 18 | 0 | 0 | 2 | 0 | 0 | 16 | Freq | Bago | | | |
| | 0.0% | 0.0% | 11.1% | 0.0% | 0.0% | 88.9% | % | | | | |
| 20 | 0 | 0 | 7 | 1 | 7 | 11 | Freq | Magway | | | |
| | 0.0% | 0.0% | 35.0% | 5.0% | 35.0% | 55.0% | % | | | | |
| 22 | 0 | 0 | - 5 | 0 | 8 | 17 | Freq | Mandalay | | | |
| | 0.0% | 0.0% | 22.7% | 0.0% | 36.4% | 77.3% | % | | | | |
| 12 | 0 | 0 | 4 | 2 | 6 | 7 | Freq | Mon | | | |
| | 0.0% | 0.0% | 33.3% | 16.7% | 50.0% | 58.3% | % | | | | |
| 16 | 0 | 0 | 13 | 0 | 0 | 4 | Freq | Rakhine | | | |
| | 0.0% | 0.0% | 81.3% | 0.0% | 0.0% | 25.0% | % | | | | |
| 19 | 0 | 0 | 2 | 1 | 6 | 16 | Freq | Yangon | | | |
| | 0.0% | 0.0% | 10.5% | 5.3% | 31.6% | 84.2% | % | | | | |
| 15 | 0 | 1 | 4 | 1 | 5 | 11 | Freq | Shan | | | |
| | 0.0% | 6.7% | 26.7% | 6.7% | 33.3% | 73.3% | % | (South) | | | |
| 13 | 0 | 0 | 4 | 2 | 8 | 12 | Freq | Shan | | | |
| | 0.0% | 0.0% | 30.8% | 15.4% | 61.5% | 92.3% | % | (North) | | | |
| 10 | 0 | 0 | 8 | 0 | 1 | 3 | Freq | Shan (East) | 3 | | |
| | 0.0% | 0.0% | 80.0% | 0.0% | 10.0% | 30.0% | % | | | | |
| 28 | 1 | 0 | 10 | 1 | 6 | 14 | Freq | Ayeyawady | 0) | | |
| | 3.6% | 0.0% | 35.7% | 3.6% | 21.4% | 50.0% | % | | | | |
| 6 | 0 | 0 | 0 | 1 | 1 | 5 | Freq | Nay Pyi | | | |
| | 0.0% | 0.0% | 0.0% | 16.7% | 16.7% | 83.3% | % | Taw | | | |
| 249 | 1 | 3 | 84 | 11 | 61 | 156 | Freq | Total | | | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Source of power for Fridges used for cold chain by urban/rural residence

Table 51. Source of power for Fridges used for cold chain by urban/rural residence

| Source of power for Fridges ^a | | | | | | | | | | | |
|--|-------|-----------------|-----------|-----------------------|-----------------------|----------------------|-------------|-------------------------------------|-------|--|--|
| | | 8: - | from grid | from own generator | from mobile generator | from solar system | hydro-power | from village common generator | Total | | |
| Urban/Rural | Urban | Freq | 86 | 34 | 6 | 26 | 1 | 0 | 113 | | |
| | | % | 76.1% | 30.1% | 5.3% | 23.0% | 0.9% | 0.0% | | | |
| | Rural | Freq | 70 | 27 | 5 | 58 | 2 | 1 | 136 | | |
| | | % | 51.5% | 19.9% | 3.7% | 42.6% | 1.5% | 0.7% | | | |
| | Total | Freq | 156 | 61 | 11 | 84 | 3 | 76 | 249 | | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Urban rural difference on use of national grid as power supply was also markedly significant (76.1% in urban vs. 51.5% in rural, P<0.001). Similarly, use of solar power was much higher in rural compare to urban (42.6% in rural vs. 23.0% in urban, P<0.001).

Source of power for Fridges used for cold chain by management of facility

Table 52. Source of power for Fridges used for cold chain by management of facility

| Total | Source of power for Fridges ^a | | | | | | | | |
|-------|--|--|----------------------|-----------------------------|--------------------|-----------|------|---------|----------------|
| | rom village common generator | from own hydro- f power generator | from solar system | from mobile generator | from own generator | from grid | | | |
| 232 | 1 | 3 | 84 | 8 | 50 | 143 | Freq | Govt | Type of |
| | 0.4% | 1.3% | 36.2% | 3.4% | 21.6% | 61.6% | % | | administration |
| 17 | 0 | 0 | 0 | 3 | 11 | 13 | Freq | Private | Ñ |
| | 0.0% | 0.0% | 0.0% | 17.6% | 64.7% | 76.5% | % | | |
| 249 | 1 | 3 | 84 | 11 | 61 | 156 | Freq | Total | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Use of generator among private and government HFs becomes much different (64.7% vs. 21.6%).

Section F. Staff training and supervision

Trained staff to provide FP services and for the insertion and removal of Implants

Table 53. Percentage of SDPs with staff trained to provide FP services and for the insertion and removal of Implants

| | | Frequency | Percent |
|---------|----------|-----------|---------|
| BS | Have | 234 | 61.6 |
| | Not have | 146 | 38.4 |
| Implant | Have | 119 | 31.3 |
| | Not have | 261 | 68.7 |
| - | Total | 380 | 100.0 |

About 61.6% of HFs had trained staff for birth spacing and it becomes higher than last year figures (50.4% at 2017 and 55% at 2016). Similarly, HFs which had trained staff for implant was increased to 31.3% and be more than last year(i.e.21.1%).

Trained staff to provide FP services and for the insertion and removal of Implants by type of SDP

Table 54a. Percentage distribution of staff trained to provide BS services by type of SDP

| | | Ha | ve staff trained for | birth spacing services | |
|--------------------------|------------------|------|----------------------|------------------------|--------|
| | | | Have | Not have | Total |
| Level of Health Facility | Tertiary level | Freq | 13 | 6 | 19 |
| | | % | 68.4% | 31.6% | 100.0% |
| | Secondary level | Freq | 99 | 68 | 167 |
| | | % | 59.3% | 40.7% | 100.0% |
| | Primary level | Freq | 111 | 64 | 175 |
| | 357/ | % | 63.4% | 36.6% | 100.0% |
| | Private hospital | Freq | 11 | 8 | 19 |
| | | % | 57.9% | 42.1% | 100.0% |
| | Total | Freq | 234 | 146 | 380 |
| | | % | 61.6% | 38.4% | 100.0% |

Table 54b. Percentage distribution of staff trained to provide the insertion and removal of Implants by type of SDP

| | | | Have staff traine | ed for implant | |
|--------------------------|------------------|------|-------------------|----------------|--------|
| | | - | Have | Not have | Total |
| Level of Health Facility | Tertiary level | Freq | 11 | 8 | 19 |
| | 580 | % | 57.9% | 42.1% | 100.0% |
| | Secondary level | Freq | 74 | 93 | 167 |
| | | % | 44.3% | 55.7% | 100.0% |
| | Primary level | Freq | 23 | 152 | 175 |
| | | % | 13.1% | 86.9% | 100.0% |
| | Private hospital | Freq | 11 | 8 | 19 |
| | | % | 57.9% | 42.1% | 100.0% |
| | Total | Freq | 119 | 261 | 380 |
| | | % | 31.3% | 68.7% | 100.0% |

Percentages of having trained staff for BS was lowest in secondary level (59.3%) compare to tertiary and primary levels (68.4% and 63.4% respectively). The difference was statistically not significant. In all level of HFs, the percentages were instantly higher than that of the last two years.

57.9% of tertiary level HF had trained staff for implant and it was highest among government HFs and same with private hospital. 13.1% of primary level of HF had trained staff for implant and it was higher than the last year (7.7%).

Trained staff to provide FP services and for the insertion and removal of Implants by Administrative Unit (Region)

Table 55a. Percentage distribution of staff trained to provide FP services by Administrative Unit (Region)

| | r birth spacing services | lave staff trained for | | | |
|--------|--------------------------|------------------------|------|--------------|-----------------|
| Tota | Not have | Have | 2 | | |
| 17 | 12 | 5 | Freq | Kachin | State/Region |
| 100.0% | 70.6% | 29.4% | % | | A CAPACITA CALL |
| 7 | 1 | 6 | Freq | Kayah | |
| 100.0% | 14.3% | 85.7% | % | S\$0 | |
| 14 | 8 | 6 | Freq | Kayin | |
| 100.0% | 57.1% | 42.9% | % | | |
| 12 | 4 | 8 | Freq | Chin | |
| 100.0% | 33.3% | 66.7% | % | | |
| 44 | 24 | 20 | Freq | Sagaing | |
| 100.0% | 54.5% | 45.5% | % | | |
| 13 | 10 | 3 | Freq | Tanintheri | |
| 100.0% | 76.9% | 23.1% | % | | |
| 37 | 9 | 28 | Freq | Bago | |
| 100.0% | 24.3% | 75.7% | % | | |
| 33 | 14 | 19 | Freq | Magway | |
| 100.0% | 42.4% | 57.6% | % | (A) N | |
| 33 | 5 | 28 | Freq | Mandalay | |
| 100.0% | 15.2% | 84.8% | % | | |
| 15 | 5 | 10 | Freq | Mon | |
| 100.0% | 33.3% | 66.7% | % | | |
| 24 | 8 | 16 | Freq | Rakhine | |
| 100.0% | 33.3% | 66.7% | % | | |
| 25 | 8 | 17 | Freq | Yangon | |
| 100.0% | 32.0% | 68.0% | % | 250 | |
| 21 | 2 | 19 | Freq | Shan (South) | |
| 100.0% | 9.5% | 90.5% | % | | |
| 23 | 14 | 9 | Freq | Shan (North) | |
| 100.0% | 60.9% | 39.1% | % | | |
| 10 | 4 | 6 | Freq | Shan (East) | |
| 100.0% | 40.0% | 60.0% | % | | |
| 44 | 12 | 32 | Freq | Ayeyawady | |
| 100.0% | 27.3% | 72.7% | % | | |
| 8 | 6 | 2 | Freq | Nay Pyi Taw | |
| 100.0% | 75.0% | 25.0% | % | | |
| 380 | 146 | 234 | Freq | Total | |
| 100.0% | 38.4% | 61.6% | % | | |

Table 55b. Percentage distribution of staff trained to provide the insertion and removal of Implants by Administrative Unit (Region)

| | ed for implant | Have staff train | - | | |
|--------|----------------|------------------|------|--------------|--------------|
| Tota | Not have | Have | | | |
| 1 | 17 | 0 | Freq | Kachin | State/Region |
| 100.09 | 100.0% | 0.0% | % | | |
| | 2 | 5 | Freq | Kayah | |
| 100.09 | 28.6% | 71.4% | % | | |
| 1 | 8 | 6 | Freq | Kayin | |
| 100.09 | 57.1% | 42.9% | % | | |
| 1 | 7 | 5 | Freq | Chin | |
| 100.09 | 58.3% | 41.7% | % | | |
| 4 | 39 | 5 | Freq | Sagaing | |
| 100.09 | 88.6% | 11.4% | % | 12A 12A | |
| 1 | 12 | 1 | Freq | Tanintheri | |
| 100.09 | 92.3% | 7.7% | % | | |
| 3 | 25 | 12 | Freq | Bago | |
| 100.09 | 67.6% | 32.4% | % | | |
| 3 | 25 | 8 | Freq | Magway | |
| 100.09 | 75.8% | 24.2% | % | | |
| 3 | 17 | 16 | Freq | Mandalay | |
| 100.09 | 51.5% | 48.5% | % | | |
| 1. | 11 | 4 | Freq | Mon | |
| 100.09 | 73.3% | 26.7% | % | | |
| 2 | 13 | 11 | Freq | Rakhine | |
| 100.09 | 54.2% | 45.8% | % | | |
| 2 | 15 | 10 | Freq | Yangon | |
| 100.09 | 60.0% | 40.0% | % | | |
| 2 | 14 | 7 | Freq | Shan (South) | |
| 100.09 | 66.7% | 33.3% | % | 18 25 | |
| 2 | 14 | 9 | Freq | Shan (North) | |
| 100.09 | 60.9% | 39.1% | % | | |
| 1 | 7 | 3 | Freq | Shan (East) | |
| 100.09 | 70.0% | 30.0% | % | | |
| 4 | 29 | 15 | Freq | Ayeyawady | |
| 100.09 | 65.9% | 34.1% | % | | |
| 3 | 6 | 2 | Freq | Nay Pyi Taw | |
| 100.09 | 75.0% | 25.0% | % | * * | |
| 38 | 261 | 119 | Freq | Total | |
| 100.09 | 68.7% | 31.3% | % | Outstan. | |




Figure 11. Percentage of HFs which have trained staff for birth spacing and implant

The graph shows that majority States and Regions except Kayah, Mandalay, Yangon, Rakhine, Chin, Kayin and Shan (N) have less than 20% of HFs with trained staff for implant. Shan (N), Kayah and Mandalay were higher level of HFs (>80%) which had trained staff for BS.

Trained staff to provide FP services and for the insertion and removal of Implants by urban/rural residence

Table 56a. Percentage distribution of staff trained to provide FP services by urban/rural residence

| | services | Have staff trained fo | | | |
|--------|----------|-----------------------|------|-------|-------------|
| Tota | Not have | Have | | | |
| 148 | 52 | 96 | Freq | Urban | Urban/Rural |
| 100.0% | 35.1% | 64.9% | % | | |
| 232 | 94 | 138 | Freq | Rural | |
| 100.0% | 40.5% | 59.5% | % | | |
| 380 | 146 | 234 | Freq | Total | |
| 100.0% | 38.4% | 61.6% | % | | |

Table 56b. Percentage distribution of staff trained to provide the insertion and removal of Implants by urban/rural residence

| | | | ed for implant | | |
|-------------|-------|-----------|----------------|--------------|---------------|
| | | | Have | Not have | Total |
| Urban/Rural | Urban | Freq | 68 | 80 | 148 |
| Jrban/Rurai | Rural | % Freq | 45.9% 51 | 54.1% 181 | 100.0% 232 |
| | | % | 22.0% | 78.0% | 100.0% |
| | Total | Freq | 119 | 261 | 380 |
| | | % | 31.3% | 68.7% | 100.0% |

Urban rural difference of having trained staff for BS became obvious (64.9% and 59.5% respectively). The difference was more obvious for having trained staff for implant (45.9% for urban and 22% for rural, P<0.001). This urban rural difference was more pronounced in this year compare to the last year 2017 figure (i.e. 31% vs. 14%).

Trained staff to provide FP services and for the insertion and removal of Implants by management of facility

Table 57a. Percentage distribution of staff trained to provide FP services by management of facility

| | birth spacing services | ave staff trained for | Н | | |
|--------|------------------------|-----------------------|------|---------|------------------------|
| Tota | Not have | Have | | | |
| 361 | 138 | 223 | Freq | Govt | Type of administration |
| 100.0% | 38.2% | 61.8% | % | | |
| 19 | 8 | 11 | Freq | Private | |
| 100.0% | 42.1% | 57.9% | % | | |
| 380 | 146 | 234 | Freq | Total | |
| 100.0% | 38.4% | 61.6% | % | | |

Table 57b. Percentage distribution of staff trained to provide the insertion and removal of Implants by management of facility

| | | | Have staff train | ed for implant | |
|--|---------|------|------------------|----------------|--------|
| | | | Have | Not have | Total |
| Type of administration | Govt | Freq | 108 | 253 | 361 |
| The Mark Process and Control of Annual Control of Contr | | % | 29.9% | 70.1% | 100.0% |
| | Private | Freq | 11 | 8 | 19 |
| | | % | 57.9% | 42.1% | 100.0% |
| | Total | Freq | 119 | 261 | 380 |
| | | % | 31.3% | 68.7% | 100.0% |

Private sector had more HFs with trained staff for implant than government sector (57.9% vs. 29.9%, P<0.001)

Last time staff received training for FP including for provision of implants by type of SDP

Table 58a. Percentage distribution of the last time staff received training for FP (BS) by type of SDP

| | ning for BS | ast time train | L | | | | |
|--------|-------------|----------------|--------------------|------------|------|------------------|-----------------|
| | > 1 year | 2 months | 2 - 6 months 3 - 1 | Last 2 | | | |
| Total | ago | ago | ago | months ago | | | |
| 13 | 7 | 3 | 0 | 3 | Freq | Tertiary level | Level of Health |
| 100.0% | 53.8% | 23.1% | 0.0% | 23.1% | % | | Facility |
| 90 | 53 | 20 | 9 | 8 | Freq | Secondary | |
| 100.0% | 58.9% | 22.2% | 10.0% | 8.9% | % | level | |
| 96 | 78 | 8 | 6 | 4 | Freq | Primary level | |
| 100.0% | 81.3% | 8.3% | 6.3% | 4.2% | % | | |
| 8 | 3 | 3 | 0 | 2 | Freq | Private hospital | Ē |
| 100.0% | 37.5% | 37.5% | 0.0% | 25.0% | % | | |
| 207 | 141 | 34 | 15 | 17 | Freq | Total | |
| 100.0% | 68.1% | 16.4% | 7.2% | 8.2% | % | | |

Table 58b. Percentage distribution of the last time staff received training for provision of implants by type of SDP

| | for implant | me training | Last ti | | 55 | | |
|--------|-------------|-------------|--------------------|------------|------|-----------------------|-----------------|
| | > 1 year | 2 months | 2 - 6 months 3 - 1 | Last 2 | | | |
| Total | ago | ago ago | ago | months ago | | | |
| 11 | 6 | 2 | 0 | 3 | Freq | Tertiary level | Level of Health |
| 100.0% | 54.5% | 18.2% | 0.0% | 27.3% | % | | Facility |
| 74 | 41 | 20 | 9 | 4 | Freq | Secondary | |
| 100.0% | 55.4% | 27.0% | 12.2% | 5.4% | % | level | |
| 23 | 18 | 1 | 3 | 1 | Freq | Primary level | |
| 100.0% | 78.3% | 4.3% | 13.0% | 4.3% | % | | |
| 9 | 4 | 3 | 0 | 2 | Freq | Private hospital Freq | |
| 100.0% | 44.4% | 33.3% | 0.0% | 22.2% | % | Decree No. 18 and | |
| 117 | 69 | 26 | 12 | 10 | Freq | Total | |
| 100.0% | 59.0% | 22.2% | 10.3% | 8.5% | % | | |

Among trained staff for BS, 68.1% got the training more than one year ago. This longer duration was more marked at government HFs compare to private hospital (>50%% vs. 37.5%). Most recently trained staff for implant was more prevalent in tertiary and private hospitals (27.3% vs. 22.2%).

Last time staff received training for FP including for provision of implants by Administrative Unit (Region)

Table 59a. Percentage distribution of the last time staff received training for FP (BS) by Administrative Unit (Region)

| | raining for BS | Last time tr | | | | | |
|--------|----------------|----------------------|---------------------|-------------------|------|------------|--------------|
| Tota | > 1 year ago | 6 - 12 months ago | 2 - 6 months ago | Last 2 months ago | | | |
| | 1 | 1 | 1 | 0 | Freq | Kachin | State/Region |
| 100.09 | 33.3% | 33.3% | 33.3% | 0.0% | % | | |
| | 0 | 2 | 3 | 1 | Freq | Kayah | |
| 100.09 | 0.0% | 33.3% | 50.0% | 16.7% | % | | |
| | 3 | 2 | 0 | 1 | Freq | Kayin | |
| 100.09 | 50.0% | 33.3% | 0.0% | 16.7% | % | | _ |
| | 7 | 0 | 1 | 0 | Freq | Chin | |
| 100.09 | 87.5% | 0.0% | 12.5% | 0.0% | % | | |
| | 16 | 1 | 1 | 1 | Freq | Sagaing | |
| 100.09 | 6 84.2% | 5.3% | 5.3% | 5.3% | % | | |
| | 2 | 0 | 0 | 0 | Freq | Tanintheri | |
| 100.09 | 100.0% | 0.0% | 0.0% | 0.0% | % | | |
| 2 | 23 | · 4 | 0 | 1 | Freq | Bago | |
| 100.09 | 82.1% | 14.3% | 0.0% | 3.6% | % | | |
| 1 | 16 | 1 | 2 | 0 | Freq | Magway | |
| 100.09 | 84.2% | 5.3% | 10.5% | 0.0% | % | | |
| 2 | 18 | 2 | 0 | 1 | Freq | Mandalay | |
| 100.09 | 85.7% | 9.5% | 0.0% | 4.8% | % | | |
| | 2 | 0 | 0 | 3 | Freq | Mon | |
| 100.09 | 40.0% | 0.0% | 0.0% | 60.0% | % | | |
| 1 | 15 | 0 | 0 | 1 | Freq | Rakhine | |
| 100.09 | 93.8% | 0.0% | 0.0% | 6.3% | % | | |

| 10 | 4 | 5 | 0 | 1 | Freq | Yangon |
|--------|-------|-------|-------|-------|------|--|
| 100.0% | 40.0% | 50.0% | 0.0% | 10.0% | % | |
| 15 | 8 | 5 | 1 | 1 | Freq | Shan (South) |
| 100.0% | 53.3% | 33.3% | 6.7% | 6.7% | % | |
| 9 | 2 | 4 | 3 | 0 | Freq | Shan (North) |
| 100.0% | 22.2% | 44.4% | 33.3% | 0.0% | % | |
| 6 | 1 | 0 | 0 | 5 | Freq | Shan (East) |
| 100.0% | 16.7% | 0.0% | 0.0% | 83.3% | % | |
| 32 | 22 | 6 | 3 | 1 | Freq | Ayeyawady |
| 100.0% | 68.8% | 18.8% | 9.4% | 3.1% | % | |
| 2 | 1 | 1 | 0 | 0 | Freq | Nay Pyi Taw |
| 100.0% | 50.0% | 50.0% | 0.0% | 0.0% | % | |
| 207 | 141 | 34 | 15 | 17 | Freq | Total |
| 100.0% | 68.1% | 16.4% | 7.2% | 8.2% | % | V. V |




Figure 12. Percentage of HFs which have staff trained for birth spacing at more than one year ago

Table 59b. Percentage distribution of the last time staff received training for provision of implants by Administrative Unit (Region)

| | | | | | Last time training | ng for implant | |
|--------------|--------------|------|-------------------|---------------------|----------------------|----------------|--------|
| | | | Last 2 months ago | 2 - 6 months ago | 6 - 12 months ago | > 1 year ago | Total |
| State/Region | Kayah | Freq | 1 | 3 | 1 | 0 | 5 |
| _ | | % | 20.0% | 60.0% | 20.0% | 0.0% | 100.0% |
| | Kayin | Freq | 1 | 0 | 2 | 3 | 6 |
| | | % | 16.7% | 0.0% | 33.3% | 50.0% | 100.0% |
| | Chin | Freq | 0 | 1 | 0 | 4 | 5 |
| | Santo Frigit | % | 0.0% | 20.0% | 0.0% | 80.0% | 100.0% |
| | Sagaing | Freq | 0 | 0 | 0 | 5 | 5 |
| | | % | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% |
| | Bago | Freq | 0 | 0 | 3 | 9 | 12 |
| | | % | 0.0% | 0.0% | 25.0% | 75.0% | 100.0% |

| | Magway | Freq | 0 | 1 | 0 | 7 | 8 |
|--|--------------|------|--------------|-------|-------|-------|--------|
| | | % | 0.0% | 12.5% | 0.0% | 87.5% | 100.0% |
| | Mandalay | Freq | 1 | 0 | 2 | 13 | 16 |
| | | % | 6.3% | 0.0% | 12.5% | 81.3% | 100.0% |
| | Mon | Freq | 3 | 0 | 0 | 1 | 4 |
| | | % | 75.0% | 0.0% | 0.0% | 25.0% | 100.0% |
| | Rakhine | Freq | ः य ु | 0 | 0 | 10 | °11 |
| | | % | 9.1% | 0.0% | 0.0% | 90.9% | 100.0% |
| | Yangon | Freq | 1 | 0 | 4 | 4 | 9 |
| | | % | 11.1% | 0.0% | 44.4% | 44.4% | 100.0% |
| | Shan (South) | Freq | 0 | 0 | 4 | 3 | 7 |
| | Va (10. | % | 0.0% | 0.0% | 57.1% | 42.9% | 100.0% |
| | Shan (North) | Freq | 0 | 5 | 3 | 1 | 9 |
| | | % | 0.0% | 55.6% | 33.3% | 11.1% | 100.0% |
| | Shan (East) | Freq | 2 | 0 | 0 | 1 | 3 |
| | | % | 66.7% | 0.0% | 0.0% | 33.3% | 100.0% |
| | Ayeyawady | Freq | 0 | 2 | 6 | 7 | 15 |
| | | % | 0.0% | 13.3% | 40.0% | 46.7% | 100.0% |
| | Nay Pyi Taw | Freq | 0 | 0 | 1 | 1 | 2 |
| | | % | 0.0% | 0.0% | 50.0% | 50.0% | 100.0% |
| | Total | Freq | 10 | 12 | 26 | 69 | 117 |
| | | % | 8.5% | 10.3% | 22.2% | 59.0% | 100.0% |

Percentage of HFs with staff trained for BS including "implant" service received more than one year ago was high in Tanintheri, Rakhine, Chin and Mandalay compare to other regions.

Last time staff received training for FP including for provision of implants by urban/rural residence

Table 60a. Percentage distribution of the last time staff received training for FP (BS) including by urban/rural residence

| | st time training | Las | | | | | |
|--------|------------------|----------------------|---------------------|-------------------|------|-------|-------------|
| Total | > 1 year ago | 6 - 12 months ago | 2 - 6 months ago | Last 2 months ago | | | |
| 86 | 53 | 16 | 5 | 12 | Freq | Urban | Urban/Rural |
| 100.0% | 61.6% | 18.6% | 5.8% | 14.0% | % | | |
| 121 | 88 | 18 | 10 | 5 | Freq | Rural | |
| 100.0% | 72.7% | 14.9% | 8.3% | 4.1% | % | | |
| 207 | 141 | 34 | 15 | 17 | Freq | Total | |
| 100.0% | 68.1% | 16.4% | 7.2% | 8.2% | % | | |

Table 60b. Percentage distribution of the last time staff received training for provision of implants by urban/rural residence

| | | | | | Las | st time training | |
|-------------|-------|------|-------------------|---------------------|----------------------|------------------|--------|
| | | - | Last 2 months ago | 2 - 6 months ago | 6 - 12 months ago | > 1 year ago | Total |
| Urban/Rural | Urban | Freq | 8 | 5 | 14 | 39 | 66 |
| | | % | 12.1% | 7.6% | 21.2% | 59.1% | 100.0% |
| | Rural | Freq | 2 | 7 | 12 | 30 | 51 |
| | | % | 3.9% | 13.7% | 23.5% | 58.8% | 100.0% |
| | Total | Freq | 10 | 12 | 26 | 69 | 117 |
| | | % | 8.5% | 10.3% | 22.2% | 59.0% | 100.0% |

The difference between urban and rural on percentage for staff trained at more than one year ago was not much (59.1% and 58.8%).

Last time staff received training for FP including for provision of implants by management of facility

Table 61a. Percentage distribution of the last time staff received training for FP (BS) including for provision of implants by management of facility

| | time training | Last | | | | | | |
|--------|---------------|---------------|--------------|---------------|---------|---------|----------------|--|
| | | 6 - 12 months | 2 - 6 months | Last 2 months | | | | |
| Total | > 1 year ago | ago | ago | ago | ago ago | | | |
| 199 | 138 | 31 | 15 | 15 | Freq | Govt | Type of | |
| 100.0% | 69.3% | 15.6% | 7.5% | 7.5% | % | 1 | administration | |
| 8 | 3 | 3 | 0 | 2 | Freq | Private | | |
| 100.0% | 37.5% | 37.5% | 0.0% | 25.0% | % | | | |
| 207 | 141 | 34 | 15 | 17 | Freq | Total | | |
| 100.0% | 68.1% | 16.4% | 7.2% | 8.2% | % | | | |

Table 61b. Percentage distribution of the last time staff received training for FP (Implant) including for provision of implants by management of facility

| | ime training | Last ti | | | | | | |
|-----------|--------------|--|-------|-------|------|---------|----------------|----------------|
| ********* | | Last 2 months 2 - 6 months 6 - 12 months | | | | | | |
| Total | 1 year ago | ago > | ago | ago | | | | |
| 108 | 65 | 23 | 12 | 8 | Freq | Govt | Type of | |
| 100.0% | 60.2% | 21.3% | 11.1% | 7.4% | % | | administration | administration |
| 9 | 4 | 3 | 0 | 2 | Freq | Private | | |
| 100.0% | 44.4% | 33.3% | 0.0% | 22.2% | % | | | |
| 117 | 69 | 26 | 12 | 10 | Freq | Total | | |
| 100.0% | 59.0% | 22.2% | 10.3% | 8.5% | % | | | |

Last time of supervision for RH in the past 12 months by type of SDP

Table 62. Percentage distribution of the last time the facility was supervised in the past 12 months by type of SDP

| | sion visit | of a supervis | Last reach | | | | | | |
|--------|------------|------------------|------------|-----------|-------------|------|-----------------------|-----------------|--|
| Tota | never | 6 - 12 months | - 6 month | 3 month 3 | 1 month 1 - | < | | | |
| 19 | 8 | 4 | 3 | 3 | 1 | Freq | Tertiary level | Level of Health | |
| 100.0% | 42.1% | 21.1% | 15.8% | 15.8% | 5.3% | % | COSTINUES AND CONCESS | Facility | |
| 16 | 96 | 21 | 15 | 23 | 12 | Freq | Secondary | | |
| 100.0% | 57.5% | 12.6% | 9.0% | 13.8% | 7.2% | % | level | | |
| 17 | 82 | 27 | 13 | 37 | 16 | Freq | Primary level | | |
| 100.0% | 46.9% | 15.4% | 7.4% | 21.1% | 9.1% | % | | | |
| 19 | 12 | 1 | 0 | 3 | 3 | Freq | Private | | |
| 100.0% | 63.2% | 5.3% | 0.0% | 15.8% | 15.8% | % | hospital | | |
| 380 | 198 | 53 | 31 | 66 | 32 | Freq | Total | | |
| 100.0% | 52.1% | 13.9% | 8.2% | 17.4% | 8.4% | % | | | |

HFs which had not received supervision for RH matter was 52.1% and it was higher in secondary level (57.5%) and highest in private hospitals (63.2%). The percentages were increasing compare to 2017.

Last time of supervision for RH in the past 12 months by Administrative Unit (Region)

Table 63. Percentage distribution of the last time the facility was supervised in the past 12 months by Administrative Unit (Region)

| | sion visit | ch of a supervi | Last rea | 20 | | | | |
|--------|------------|-----------------|-------------|-------------|-------|------|-------------------------|--------------|
| Total | never | | 3 - 6 month | 1 - 3 month | | | | |
| 17 | 2 | 2 | 2 | 4 | 7 | Freq | Kachin | State/Region |
| 100.0% | 11.8% | 11.8% | 11.8% | 23.5% | 41.2% | % | | |
| 7 | 0 | 1 | 2 | 3 | 1 | Freq | Kayah | |
| 100.0% | 0.0% | 14.3% | 28.6% | 42.9% | 14.3% | % | | |
| 14 | 8 | 3 | 1 | 1 | 1 | Freq | Kayin | |
| 100.0% | 57.1% | 21.4% | 7.1% | 7.1% | 7.1% | % | | |
| 12 | 10 | 2 | 0 | 0 | 0 | Freq | Chin | |
| 100.0% | 83.3% | 16.7% | 0.0% | 0.0% | 0.0% | % | | |
| 44 | 32 | 6 | 3 | 3 | 0 | Freq | Sagaing | |
| 100.0% | 72.7% | 13.6% | 6.8% | 6.8% | 0.0% | % | | |
| 13 | 8 | 0 | 2 | 3 | 0 | Freq | Tanintheri | |
| 100.0% | 61.5% | 0.0% | 15.4% | 23.1% | 0.0% | % | | |
| 37 | 27 | 6 | 0 | 4 | 0 | Freq | Bago | |
| 100.0% | 73.0% | 16.2% | 0.0% | 10.8% | 0.0% | % | | |
| 33 | 15 | 4 | 0 | 11 | 3 | Freq | Magway | |
| 100.0% | 45.5% | 12.1% | 0.0% | 33.3% | 9.1% | % | | |
| 33 | 26 | 3 | 2 | 2 | 0 | Freq | Mandalay | _ |
| 100.0% | 78.8% | 9.1% | 6.1% | 6.1% | 0.0% | % | CARCO MATERIAL VI | |
| 15 | 0 | 3 | 1 | 11 | 0 | Freq | Mon | |
| 100.0% | 0.0% | 20.0% | 6.7% | 73.3% | 0.0% | % | | |
| 24 | 17 | 0 | 2 | 3 | 2 | Freq | Rakhine | _ |
| 100.0% | 70.8% | 0.0% | 8.3% | 12.5% | 8.3% | % | A MARIO COLO MARIO COLO | |
| 25 | 9 | 5 | 6 | 3 | 2 | Freq | Yangon | |
| 100.0% | 36.0% | 20.0% | 24.0% | 12.0% | 8.0% | % | | |
| 21 | 14 | 2 | 2 | 3 | 0 | Freq | Shan (South) | |
| 100.0% | 66.7% | 9.5% | 9.5% | 14.3% | 0.0% | % | | |
| 23 | 2 | 4 | 1 | 7 | 9 | Freq | Shan (North) | |
| 100.0% | 8.7% | 17.4% | 4.3% | 30.4% | 39.1% | % | 2 18 | |
| 10 | 0 | 1 | 4 | 2 | 3 | Freq | Shan (East) | _ |
| 100.0% | 0.0% | 10.0% | 40.0% | 20.0% | 30.0% | % | SCHOOL VI FOR COOK | |
| 44 | 27 | 10 | 2 | 5 | 0 | Freq | Ayeyawady | |
| 100.0% | 61.4% | 22.7% | 4.5% | 11.4% | 0.0% | % | | |
| 8 | 1 | 1 | 1 | 1 | 4 | Freq | Nay Pyi Taw | |
| 100.0% | 12.5% | 12.5% | 12.5% | 12.5% | 50.0% | % | | |
| 380 | 198 | 53 | 31 | 66 | 32 | Freq | Total | |
| 100.0% | 52.1% | 13.9% | 8.2% | 17.4% | 8.4% | % | | |




Figure 13. Percent of HFs which had supervision for RH matter never reached

It was obvious that Chin, Mandalay, Bago and Sagaing, had highest proportion of HFs (>65%) which had not received RH supervision. Shan (E), Mon, and Kayah were no HFs which had not been supervised for RH.

Last time of supervision for RH in the past 12 months by urban/rural residence

Table 64. Percentage distribution of the last time the facility was supervised in the past 12 months by urban/rural residence

| | | | | Last reach of a supervision visit | | | | | | | | |
|-------------|-------|------|-----------|-----------------------------------|-------------|---------------|-------|--------|--|--|--|--|
| | | | < 1 month | 1 - 3 month | 3 - 6 month | 6 - 12 months | never | Total | | | | |
| Urban/Rural | Urban | Freq | 16 | 22 | 13 | 18 | 79 | 148 | | | | |
| | | % | 10.8% | 14.9% | 8.8% | 12.2% | 53.4% | 100.0% | | | | |
| | Rural | Freq | | 35 | 119 | 232 | | | | | | |
| | | % | 6.9% | 19.0% | 7.8% | 15.1% | 51.3% | 100.0% | | | | |
| | Total | Freq | 32 | 66 | 31 | 53 | 198 | 380 | | | | |
| | | % | 8.4% | 17.4% | 8.2% | 13.9% | 52.1% | 100.0% | | | | |

The percentages of HFs which had no RH supervision were not much different between urban and rural (53.4% vs. 51.3%).

Last time of supervision for RH in the past 12 months by management of facility

Table 65. Percentage distribution of the last time the facility was supervised in the past 12 months by management of facility

| | | | Last reach of a supervision visit | | | | | | | |
|----------------|---------|------|-----------------------------------|-------------|---------------|-------------|-------|--------|--|--|
| | | | < 1 month | 1 - 3 month | 3 - 6 month 6 | - 12 months | never | Total | | |
| Type of | Govt | Freq | 29 | 63 | 31 | 52 | 186 | 361 | | |
| administration | | % | 8.0% | 17.5% | 8.6% | 14.4% | 51.5% | 100.0% | | |
| | Private | Freq | 3 | 3 | 0 | 1 | 12 | 19 | | |
| | | % | 15.8% | 15.8% | 0.0% | 5.3% | 63.2% | 100.0% | | |
| | Total | Freq | 32 | 66 | 31 | 53 | 198 | 380 | | |
| | | % | 8.4% | 17.4% | 8.2% | 13.9% | 52.1% | 100.0% | | |

Private government sector HFs had not much difference about the supervision for RH.

Frequency of supervisory visits by type of SDP

Table 66. Percentage distribution of the frequency of supervisory visits by type of SDP

| | | | | | Interval bety | veen superv | ision visits | |
|-------------------------|------------------------|--------|-------------|------------------|---------------|--------------|--------------|-------|
| | | veekly | nonthly eve | ry 3 months ever | y 6 months on | ce a year 10 | t regularly | Total |
| evel of Health Facility | Tertiary level Freq | 0 | 1 | 0 | 4 | 1 | 4 | 10 |
| | % | 0.0% | 10.0% | 0.0% | 40.0% | 10.0% | 40.0%1 | 00.0% |
| | Secondary level Freq | 1 | 7 | 17 | 13 | 10 | 21 | 69 |
| | % | 1.4% | 10.1% | 24.6% | 18.8% | 14.5% | 30.4%1 | 00.0% |
| | Primary level Freq | 0 | 10 | 26 | 24 | 12 | 18 | 91 |
| | 150 | 0.0% | 11.0% | 28.6% | 26.4% | 13.2% | 19.8% [| 00.0% |
| | Private hospital Freq | 2 | 2 | 1 | 0 | 0 | 2 | 7 |
| | % | 28.6% | 28.6% | 14.3% | 0.0% | 0.0% | 28.6%1 | 00.0% |
| | Total ⁻ req | 3 | 20 | 44 | 41 | 23 | 45 | 177 |
| | % | 1.7% | 11.3% | 24.9% | 23.2% | 13.0% | 25.4%1 | 00.0% |

Most of supervision was in irregular interval (25.4%) and the lowest in primary (19.8%) and highest in tertiary level HFs (40%).

Frequency of supervisory visits by Administrative Unit (Region)

Table 67. Percentage distribution of the frequency of supervisory visits by Administrative Unit (Region)

| | sion visits | n supervi | al betweer | - | | | | | | |
|--------|---------------|-----------|-------------|----------------|----------------|---------|----------|------|------------|-------------|
| | not regularly | never | once a year | every 6 months | every 3 months | monthly | weekly i | 1 | | ų. |
| 15 | 4 | 0 | 0 | 2 | 3 | 6 | 0 | Freq | Kachin | State/Regio |
| 100.0% | 26.7% | 0.0% | 0.0% | 13.3% | 20.0% | 40.0% | 0.0% | % | | n |
| 7 | 1 | 0 | 1 | 1 | 2 | 2 | 0 | Freq | Kayah | |
| 100.0% | 14.3% | 0.0% | 14.3% | 14.3% | 28.6% | 28.6% | 0.0% | % | | |
| 5 | 2 | 0 | 0 | 0 | 2 | 1 | 0 | Freq | Kayin | |
| 100.0% | 40.0% | 0.0% | 0.0% | 0.0% | 40.0% | 20.0% | 0.0% | % | | |
| 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | Freq | Chin | - 7 |
| 100.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | % | | |
| 10 | 0 | 0 | 2 | 7 | 1 | 0 | 0 | Freq | Sagaing | |
| 100.0% | 0.0% | 0.0% | 20.0% | 70.0% | 10.0% | 0.0% | 0.0% | % | | |
| 5 | 1 | 0 | 1 | 2 | 1 | 0 | 0 | Freq | Tanintheri | |
| 100.0% | 20.0% | 0.0% | 20.0% | 40.0% | 20.0% | 0.0% | 0.0% | % | | |
| 10 | 2 | 0 | 4 | 2 | 2 | 0 | 0 | Freq | Bago | |
| 100.0% | 20.0% | 0.0% | 40.0% | 20.0% | 20.0% | 0.0% | 0.0% | % | | |
| 18 | 9 | 0 | 1 | 2 | 6 | 0 | 0 | Freq | Magway | |
| 100.0% | 50.0% | 0.0% | 5.6% | 11.1% | 33.3% | 0.0% | 0.0% | % | | |

| 7 | 4 | 0 | 3 | 0 | 0 | 0 | 0 | Freq | Mandalay |
|--------|-------|------|-------|-------|-------|-------|-------|------|--|
| 100.0% | 57.1% | 0.0% | 42.9% | 0.0% | 0.0% | 0.0% | 0.0% | % | |
| 15 | 5 | 0 | 1 | 6 | 3 | 0 | 0 | Freq | Mon |
| 100.0% | 33.3% | 0.0% | 6.7% | 40.0% | 20.0% | 0.0% | 0.0% | % | 100 to 10 |
| 6 | 2 | 0 | 1 | 0 | 2 | 1 | 0 | Freq | Rakhine |
| 100.0% | 33.3% | 0.0% | 16.7% | 0.0% | 33.3% | 16.7% | 0.0% | % | |
| 16 | 3 | 0 | 1 | 6 | 4 | 2 | 0 | Freq | Yangon |
| 100.0% | 18.8% | 0.0% | 6.3% | 37.5% | 25.0% | 12.5% | 0.0% | % | |
| 7 | 3 | 0 | 2 | 0 | 2 | 0 | 0 | Freq | Shan |
| 100.0% | 42.9% | 0.0% | 28.6% | 0.0% | 28.6% | 0.0% | 0.0% | % | (South) |
| 20 | 1 | 1 | 1 | 3 | 10 | 2 | 2 | Freq | Shan |
| 100.0% | 5.0% | 5.0% | 5.0% | 15.0% | 50.0% | 10.0% | 10.0% | % | (North) |
| 10 | 0 | 0 | 0 | 4 | 3 | 3 | 0 | Freq | Shan (East) |
| 100.0% | 0.0% | 0.0% | 0.0% | 40.0% | 30.0% | 30.0% | 0.0% | % | |
| 18 | 6 | 0 | 5 | 5 | 1 | 0 | 1 | Freq | Ayeyawady |
| 100.0% | 33.3% | 0.0% | 27.8% | 27.8% | 5.6% | 0.0% | 5.6% | % | |
| 7 | 2 | 0 | 0 | 0 | 2 | 3 | 0 | Freq | Nay Pyi |
| 100.0% | 28.6% | 0.0% | 0.0% | 0.0% | 28.6% | 42.9% | 0.0% | % | Taw |
| 177 | 45 | 1 | 23 | 41 | 44 | 20 | 3 | Freq | Total |
| 100.0% | 25.4% | 0.6% | 13.0% | 23.2% | 24.9% | 11.3% | 1.7% | % | |

Frequency of supervisory visits by urban/rural residence

Table 68. Percentage distribution of the frequency of supervisory visits by urban/rural residence

| | | | | Interval between supervision visits | | | | | | | | | |
|------------|--------------|------|--------|-------------------------------------|----------------|-------------------|-------------|-------|---------------|--------|--|--|--|
| | | | weekly | monthly | every 3 months | every 6 months | once a year | never | not regularly | Total | | | |
| Urban/Rura | Urban | Freq | 2 | 13 | 12 | 16 | 9 | 0 | 16 | 68 | | | |
| Ĭ | | % | 2.9% | 19.1% | 17.6% | 23.5% | 13.2% | 0.0% | 23.5% | 100.0% | | | |
| | Rural | Freq | 1 | 7 | 32 | 25 | 14 | 1 | 29 | 109 | | | |
| | CASALS A USA | % | 0.9% | 6.4% | 29.4% | 22.9% | 12.8% | 0.9% | 26.6% | 100.0% | | | |
| | Total | Freq | 3 | 20 | 44 | 41 | 23 | 1 | 45 | 177 | | | |
| | | % | 1.7% | 11.3% | 24.9% | 23.2% | 13.0% | 0.6% | 25.4% | 100.0% | | | |

Percentage of HFs which had been more frequently visited was higher in urban HFs. Quarterly visit was higher in rural.

Frequency of supervisory visits by management of facility

Table 69. Percentage distribution of the frequency of supervisory visits by management of facility

| | | | Interval between supervision visits | | | | | | | | |
|----------------|---------|------|-------------------------------------|---------|----------------|----------------|-------------|-------|---------------|--------|--|
| | | | weekly | monthly | every 3 months | every 6 months | once a year | never | not regularly | | |
| Type of | Govt | Freq | 1 | 18 | 43 | 41 | 23 | 1 | 43 | 170 | |
| administration | | % | 0.6% | 10.6% | 25.3% | 24.1% | 13.5% | 0.6% | 25.3% | 100.0% | |
| | ⊃rivate | Freq | 2 | 2 | 1 | 0 | 0 | 0 | 2 | 7 | |
| | | % | 28.6% | 28.6% | 14.3% | 0.0% | 0.0% | 0.0% | 28.6% | 100.0% | |
| | Total | Freq | 3 | 20 | 44 | 41 | 23 | 1 | 45 | 177 | |
| | | % | 1.7% | 11.3% | 24.9% | 23.2% | 13.0% | 0.6% | 25.4% | 100.0% | |

As in the last year 2016 and 2017, supervision for RH was more apparent and frequent in government sectors than private sector.

Issues included in supervisory visits by type of SDP

Table 70. Percentage of SDPs with issues included in supervisory visits by type of SDP

| | | | | | | Issues includ | led in supervis | sory visitsa | |
|-----------------|----------------|------|-----------|-----------|-----------------------|---------------|--|--------------|-------|
| | | , | Treatment | logistics | staffing and training | | abiding guideline and instruction | other | Total |
| Level of Health | Tertiary level | Freq | 5 | 6 | 4 | 6 | 4 | 0 | 10 |
| Facility | | % | 50.0% | 60.0% | 40.0% | 60.0% | 40.0% | 0.0% | |
| | Secondary | Freq | 39 | 53 | 33 | 42 | 24 | 4 | 69 |
| | level | % | 56.5% | 76.8% | 47.8% | 60.9% | 34.8% | 5.8% | |
| | Primary level | Freq | 41 | 63 | 31 | 60 | 36 | 7 | 90 |
| | | % | 45.6% | 70.0% | 34.4% | 66.7% | 40.0% | 7.8% | |
| | Private | Freq | 6 | 4 | 4 | 4 | 4 | 1 | 7 |
| | hospital | % | 85.7% | 57.1% | 57.1% | 57.1% | 57.1% | 14.3% | |
| | Total | Freq | 91 | 126 | 72 | 112 | 68 | 12 | 176 |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Issues encountered in the supervisions were described. Most frequent issue was identified as 'logistic''. Second most-frequent issues was "reporting". The occurrences of issues were not different between levels of HFs. Supervision for abiding guideline and instruction was also well apparent in this year assessment.

Issues included in supervisory visits by Administrative Unit (Region)

Table 71. Percentage of SDPs with issues included in supervisory visits by Administrative Unit (Region)

| | | | | | | Issues inclu | ded in supervis | sory visits ^a | |
|--------------|------------|------|-----------|-----------|-----------------------|--------------------------|--|--------------------------|-------|
| | | | treatment | logistics | staffing and training | Supervised for reporting | abiding guideline and instruction | other | Total |
| State/Region | Kachin | Freq | 9 | 8 | 6 | 5 | 4 | 2 | 13 |
| | | % | 69.2% | 61.5% | 46.2% | 38.5% | 30.8% | 15.4% | |
| | Kayah | Freq | 4 | 4 | 2 | 2 | 5 | 0 | 7 |
| | | % | 57.1% | 57.1% | 28.6% | 28.6% | 71.4% | 0.0% | |
| | Kayin | Freq | 1 | 4 | 1 | 3 | 5 | 0 | 5 |
| | | % | 20.0% | 80.0% | 20.0% | 60.0% | 100.0% | 0.0% | |
| | Chin | Freq | 0 | 0 | 0 | 1 | 1 | 0 | 1 |
| | | % | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | |
| | Sagaing | Freq | 3 | 9 | 6 | 10 | 2 | 0 | 10 |
| | | % | 30.0% | 90.0% | 60.0% | 100.0% | 20.0% | 0.0% | |
| | Tanintheri | Freq | 0 | 5 | 3 | 4 | 0 | 0 | 5 |
| | | % | 0.0% | 100.0% | 60.0% | 80.0% | 0.0% | 0.0% | |

| 7/20 | 5520 | 1022 of | | | 1,25 | 7000 | 255 |
|-------|--|--|---|---|---|---|--|
| 0 | 6 | 5 | 1 | 6 | 3 | Freq | Bago |
| 0.0% | 60.0% | 50.0% | 10.0% | 60.0% | 30.0% | % | |
| 6 | 6 | 10 | 4 | 14 | 7 | Freq | Magway |
| 33.3% | 33.3% | 55.6% | 22.2% | 77.8% | 38.9% | % | |
| 0 | 3 | 6 | 4 | 6 | 3 | Freq | Mandalay |
| 0.0% | 42.9% | 85.7% | 57.1% | 85.7% | 42.9% | % | |
| 0 | 9 | 14 | 13 | 15 | 8 | Freq | Mon |
| 0.0% | 60.0% | 93.3% | 86.7% | 100.0% | 53.3% | % | |
| 0 | 1 | 7 | 3 | 4 | 4 | Freq | Rakhine |
| 0.0% | 14.3% | 100.0% | 42.9% | 57.1% | 57.1% | % | |
| 1 | 3 | 5 | 4 | 11 | 9 | Freq | Yangon |
| 6.3% | 18.8% | 31.3% | 25.0% | 68.8% | 56.3% | % | |
| 0 | 4 | 5 | 0 | 5 | 2 | Freq | Shan |
| 0.0% | 57.1% | 71.4% | 0.0% | 71.4% | 28.6% | % | (South) |
| 1 | 3 | 14 | 7 | 14 | 16 | Freq | Shan |
| 4.8% | 14.3% | 66.7% | 33.3% | 66.7% | 76.2% | % | (North) |
| 0 | 3 | 4 | 8 | 6 | 10 | Freq | Shan (East) |
| 0.0% | 30.0% | 40.0% | 80.0% | 60.0% | 100.0% | % | |
| 1 | 9 | 12 | 5 | 10 | 6 | Freq | Ayeyawady |
| 5.9% | 52.9% | 70.6% | 29.4% | 58.8% | 35.3% | % | \$10.50 mm \$ === |
| 1 | 4 | 5 | 5 | 5 | 6 | Freq | Nay Pyi |
| 14.3% | 57.1% | 71.4% | 71.4% | 71.4% | 85.7% | % | Taw |
| 200 | | | | | | | Total |
| | 6 33.3% 0 0.0% 0 0.0% 0 0.0% 1 6.3% 0 0.0% 1 4.8% 0 0.0% 1 | 60.0% 0.0% 6 6 6 33.3% 33.3% 3 0 42.9% 0.0% 9 0 60.0% 0.0% 1 0 14.3% 0.0% 3 1 18.8% 6.3% 4 0 57.1% 0.0% 3 1 14.3% 4.8% 3 0 30.0% 0.0% 9 1 52.9% 5.9% 4 1 57.1% 14.3% | 50.0% 60.0% 0.0% 10 6 6 55.6% 33.3% 33.3% 6 3 0 85.7% 42.9% 0.0% 14 9 0 93.3% 60.0% 0.0% 7 1 0 100.0% 14.3% 0.0% 5 3 1 31.3% 18.8% 6.3% 5 4 0 71.4% 57.1% 0.0% 14 3 1 66.7% 14.3% 4.8% 4 3 0 40.0% 30.0% 0.0% 12 9 1 70.6% 52.9% 5.9% 5 4 1 71.4% 57.1% 14.3% | 10.0% 50.0% 60.0% 0.0% 4 10 6 6 22.2% 55.6% 33.3% 33.3% 4 6 3 0 57.1% 85.7% 42.9% 0.0% 13 14 9 0 86.7% 93.3% 60.0% 0.0% 3 7 1 0 42.9% 100.0% 14.3% 0.0% 4 5 3 1 25.0% 31.3% 18.8% 6.3% 0 5 4 0 0.0% 71.4% 57.1% 0.0% 7 14 3 1 33.3% 66.7% 14.3% 4.8% 8 4 3 0 8 4 3 0 80.0% 40.0% 30.0% 0.0% 5 12 9 1 29.4% 70.6% 52.9% 5.9% <td>60.0% 10.0% 50.0% 60.0% 0.0% 14 4 10 6 6 77.8% 22.2% 55.6% 33.3% 33.3% 6 4 6 3 0 85.7% 57.1% 85.7% 42.9% 0.0% 15 13 14 9 0 100.0% 86.7% 93.3% 60.0% 0.0% 4 3 7 1 0 57.1% 42.9% 100.0% 14.3% 0.0% 11 4 5 3 1 68.8% 25.0% 31.3% 18.8% 6.3% 5 0 5 4 0 71.4% 0.0% 71.4% 57.1% 0.0% 14 7 14 3 1 66.7% 33.3% 66.7% 14.3% 4.8% 6 8 4 3 0 60.0% 80.0%</td> <td>30.0% 60.0% 10.0% 50.0% 60.0% 0.0% 7 14 4 10 6 6 38.9% 77.8% 22.2% 55.6% 33.3% 33.3% 3 6 4 6 3 0 42.9% 85.7% 57.1% 85.7% 42.9% 0.0% 8 15 13 14 9 0 53.3% 100.0% 86.7% 93.3% 60.0% 0.0% 4 4 3 7 1 0 57.1% 57.1% 42.9% 100.0% 14.3% 0.0% 9 11 4 5 3 1 56.3% 68.8% 25.0% 31.3% 18.8% 6.3% 2 5 0 5 4 0 28.6% 71.4% 0.0% 71.4% 57.1% 0.0% 16 14 7 14 3 1</td> <td>% 30.0% 60.0% 10.0% 50.0% 60.0% 0.0% Freq 7 14 4 10 6 6 % 38.9% 77.8% 22.2% 55.6% 33.3% 33.3% Freq 3 6 4 6 3 0 % 42.9% 85.7% 57.1% 85.7% 42.9% 0.0% Freq 8 15 13 14 9 0 % 53.3% 100.0% 86.7% 93.3% 60.0% 0.0% Freq 4 4 3 7 1 0 % 57.1% 57.1% 42.9% 100.0% 14.3% 0.0% Freq 9 11 4 5 3 1 % 56.3% 68.8% 25.0% 31.3% 18.8% 6.3% Freq 2 5 0 5 4 0 % 28.6% 71.4% 0.0% 71.4% 57.1% 0.0% Freq 16</td> | 60.0% 10.0% 50.0% 60.0% 0.0% 14 4 10 6 6 77.8% 22.2% 55.6% 33.3% 33.3% 6 4 6 3 0 85.7% 57.1% 85.7% 42.9% 0.0% 15 13 14 9 0 100.0% 86.7% 93.3% 60.0% 0.0% 4 3 7 1 0 57.1% 42.9% 100.0% 14.3% 0.0% 11 4 5 3 1 68.8% 25.0% 31.3% 18.8% 6.3% 5 0 5 4 0 71.4% 0.0% 71.4% 57.1% 0.0% 14 7 14 3 1 66.7% 33.3% 66.7% 14.3% 4.8% 6 8 4 3 0 60.0% 80.0% | 30.0% 60.0% 10.0% 50.0% 60.0% 0.0% 7 14 4 10 6 6 38.9% 77.8% 22.2% 55.6% 33.3% 33.3% 3 6 4 6 3 0 42.9% 85.7% 57.1% 85.7% 42.9% 0.0% 8 15 13 14 9 0 53.3% 100.0% 86.7% 93.3% 60.0% 0.0% 4 4 3 7 1 0 57.1% 57.1% 42.9% 100.0% 14.3% 0.0% 9 11 4 5 3 1 56.3% 68.8% 25.0% 31.3% 18.8% 6.3% 2 5 0 5 4 0 28.6% 71.4% 0.0% 71.4% 57.1% 0.0% 16 14 7 14 3 1 | % 30.0% 60.0% 10.0% 50.0% 60.0% 0.0% Freq 7 14 4 10 6 6 % 38.9% 77.8% 22.2% 55.6% 33.3% 33.3% Freq 3 6 4 6 3 0 % 42.9% 85.7% 57.1% 85.7% 42.9% 0.0% Freq 8 15 13 14 9 0 % 53.3% 100.0% 86.7% 93.3% 60.0% 0.0% Freq 4 4 3 7 1 0 % 57.1% 57.1% 42.9% 100.0% 14.3% 0.0% Freq 9 11 4 5 3 1 % 56.3% 68.8% 25.0% 31.3% 18.8% 6.3% Freq 2 5 0 5 4 0 % 28.6% 71.4% 0.0% 71.4% 57.1% 0.0% Freq 16 |

Percentages and totals are based on respondents.

In overall, supervision for logistics, tsaff training and guideline problems were observed in all areas although less pronounced in Chin than other areas. The highest peaks were observed in Mon and Nay Pyi Taw.

a. Dichotomy group tabulated at value 1.




Figure 14. Percentage of HFs supervised for different issues

Issues included in supervisory visits by urban/rural residence

Table 72. Percentage of SDPs with issues included in supervisory visits by urban/rural residence

| | | | Issues included in supervisory visits ^a | | | | | | | |
|-------------|-------|------|--|-----------|-----------------------|--------------------------|---|-------|-------|--|
| | | _ | treatment | logistics | staffing and training | Supervised for reporting | abiding guideline and instruction | other | Total | |
| Jrban/Rural | Urban | Freq | 40 | 48 | 35 | 37 | 25 | 4 | 67 | |
| | | % | 59.7% | 71.6% | 52.2% | 55.2% | 37.3% | 6.0% | | |
| | Rural | Freq | 51 | 78 | 37 | 75 | 43 | 8 | 109 | |
| | | % | 46.8% | 71.6% | 33.9% | 68.8% | 39.4% | 7.3% | | |
| | Total | Freq | 91 | 126 | 72 | 112 | 68 | 12 | 176 | |

Percentages and totals are based on respondents.

a. Dichotomy group tabulated at value 1.

Urban rural differences of issues were not apparent for all kinds of supervision.

Issues included in supervisory visits by management of facility

Table 73. Percentage of issues included in supervisory visits by management of facility

| Total | ory visits ^a | led in superviso | Issues includ | | | | | | |
|-------|-------------------------|--|--------------------------|--------------------------|-----------|-----------|------|---------|----------------|
| | other | abiding guideline and instruction | Supervised for reporting | staffing and training | logistics | treatment | | | |
| 169 | 11 | 64 | 108 | 68 | 122 | 85 | Freq | Govt | Type of |
| | 6.5% | 37.9% | 63.9% | 40.2% | 72.2% | 50.3% | % | | administration |
| 7 | 1 | 4 | 4 | 4 | 4 | 6 | Freq | Private | |
| | 14.3% | 57.1% | 57.1% | 57.1% | 57.1% | 85.7% | % | | |
| 176 | 12 | 68 | 112 | 72 | 126 | 91 | Freq | Total | |

Percentages and totals are based on respondents.

Others=cleaners hospital, environmental sanitation, EPI, FDA, FOR EPI, immunization program, Infrastructure, observation construction, PMCT, AN, PNC, Project progress, Routine supervision

Supervision for reporting, staff training and logistics at private sector HFs were less than government sector HFs.

a. Dichotomy group tabulated at value 1.

Section G. Availability of guidelines, check-lists and job aids

Availability guidelines, check-lists and job aids

Table 74. Percentage of SDPs with guidelines, check-lists and job-aids

| | | Responses | Percent of responding cases (N=157) | Percent of total cases (N=380) |
|---|---|-----------|-------------------------------------|--------------------------------|
| Use of guidelines, check list and jobaida | Have guidebook for national birth spacing | 27 | 17.2% | 7.1% |
| | Have checklist for birth spacing | 67 | 42.7% | 17.6% |
| | ANC Guideline (National/WHO) | 71 | 45.2% | 18.7% |
| | Have checklist/job aid for AN care | 94 | 59.9% | 24.7% |
| | Have guidebook for waste disposal | 59 | 37.6% | 15.5% |

Availability of any guidelines was(157/380=41.3%) of HFs. Based on all 380 HFs assessed, most frequently available guidebook was "Job aid for antenatal care" (24.7%) and "Guidebook for antenatal care" (18.7%). Regarding the guide for BS, 17.6% of HFs had "Checklist for BS". "National guidebook for BS" was available at 7.1% of HFs only. "Guide for waste disposal" was least available at only 15.5% of HFs. Availability of all items were higher than that of the last year 2017 especially "Guide for waste disposal" (15.5% vs. 5%). Distribution of availabilities for each specific guidebooks among different types of HFs were described in details by Table 74a, 74b, 74c, 74d, 74e and 74f.

Table 74a. Have Guidelines, check-lists and job aids (could show)

| | | and job aids (o | | Guideline | 12/2 | | | |
|-----------|--|---|-------|----------------------------------|--|------|----------------|-----------------|
| Tota | Have guidebook for waste disposal | Have checklist/job aid for AN care | | Have checklist for birth spacing | Have guidebook for national birth spacing | | | |
| 1 | 8 | 2 | 1 | 2 | 1 | Freq | Tertiary level | Level of Health |
| | 80.0% | 20.0% | 10.0% | 20.0% | 10.0% | % | | Facility |
| 5 | 33 | 22 | 19 | 21 | 9 | Freq | Secondary | |
| | 60.0% | 40.0% | 34.5% | 38.2% | 16.4% | % | level | |
| 8 | 15 | 70 | 49 | 42 | 17 | Freq | Primary level | |
| | 16.9% | 78.7% | 55.1% | 47.2% | 19.1% | % | | |
| - 8 | 3 | 0 | 2 | 2 | 0 | Freq | Private | |
| | 100.0% | 0.0% | 66.7% | 66.7% | 0.0% | % | hospital | |
| (9) 9 | 3 | 0 | 0 | 0 | 0 | Freq | Kachin | State/Region |
| | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | | |
| | 2 | 3 | 1 | 1 | 1 | Freq | Kayah | |
| | 40.0% | 60.0% | 20.0% | 20.0% | 20.0% | % | | |
| (8 | 1 | 2 | 1 | 2 | 0 | Freq | Kayin | |
| | 33.3% | 66.7% | 33.3% | 66.7% | 0.0% | % | | |
| - 69 | 1 | 5 | 2 | 3 | 2 | Freq | Chin | |
| | 14.3% | 71.4% | 28.6% | 42.9% | 28.6% | % | | |
| 1 | 1 | 8 | 2 | 6 | 1 | Freq | Sagaing | |
| | 8.3% | 66.7% | 16.7% | 50.0% | 8.3% | % | A.265 (4975) | |
| | 0 | 2 | 2 | 1 | 0 | Freq | Tanintheri | |
| | 0.0% | 66.7% | 66.7% | 33.3% | 0.0% | % | | |
| 3 | 20 | 17 | 12 | 10 | 5 | Freq | Bago | |
| | 64.5% | 54.8% | 38.7% | 32.3% | 16.1% | % | 10/2V | |
| | 3 | 8 | 6 | 2 | 1 | Freq | Magway | |
| | 33.3% | 88.9% | 66.7% | 22.2% | 11.1% | % | | |

| | Mandalay | Freq | 2 | 12 | 11 | 14 | 11 | 23 |
|----------------|--------------|------|-------|--------|-------|--------|--------|-------|
| | | % | 8.7% | 52.2% | 47.8% | 60.9% | 47.8% | |
| | Mon | Freq | 3 | 3 | 4 | 4 | 3 | 7 |
| | | % | 42.9% | 42.9% | 57.1% | 57.1% | 42.9% | |
| | Rakhine | Freq | 1 | 2 | 1 | 1 | 1 | 2 |
| | | % | 50.0% | 100.0% | 50.0% | 50.0% | 50.0% | |
| | Yangon | Freq | 5 | 3 | 3 | 3 | 2 | 8 |
| | | % | 62.5% | 37.5% | 37.5% | 37.5% | 25.0% | |
| | Shan (South) | Freq | 3 | 8 | 4 | 6 | 3 | 10 |
| | | % | 30.0% | 80.0% | 40.0% | 60.0% | 30.0% | |
| | Shan (North) | Freq | 1 | 3 | 7 | 3 | 2 | 8 |
| | | % | 12.5% | 37.5% | 87.5% | 37.5% | 25.0% | |
| | Shan (East) | Freq | 0 | 0 | 4 | 1 | 2 | 5 |
| | | % | 0.0% | 0.0% | 80.0% | 20.0% | 40.0% | |
| | Ayeyawady | Freq | 2 | 11 | 11 | 16 | 4 | 20 |
| | | % | 10.0% | 55.0% | 55.0% | 80.0% | 20.0% | |
| | Nay Pyi Taw | Freq | 0 | 0 | 0 | 1 | 0 | 1 |
| | | % | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | |
| Urban/Rural | Urban | Freq | 13 | 22 | 24 | 28 | 34 | 62 |
| | | % | 21.0% | 35.5% | 38.7% | 45.2% | 54.8% | |
| | Rural | Freq | 14 | 45 | 47 | 66 | 25 | 95 |
| | | % | 14.7% | 47.4% | 49.5% | 69.5% | 26.3% | |
| Type of | Govt | Freq | 27 | 65 | 69 | 94 | 56 | 154 |
| administration | | % | 17.5% | 42.2% | 44.8% | 61.0% | 36.4% | |
| | Private | Freq | 0 | 2 | 2 | 0 | 3 | 3 |
| | | % | 0.0% | 66.7% | 66.7% | 0.0% | 100.0% | |
| | Total | Freq | 27 | 67 | 71 | 94 | 59 | 157 |
| | 1 0 tot | 1109 | | | | | | - 100 |

Percentages and totals are based on respondents.
a. Dichotomy group tabulated at value 1.

Table 74b. Have guidebook for national birth spacing observed

| | irth spacing | | lave guidebook | | | |
|---------|--|-----------------|----------------|-----------|----------------------|---------------------------|
| Tota | Not have | Have (no shown) | re (shown) | Hav | | |
| 19 | 17 | 1 | 1 | Freq | Tertiary level | Level of Health Facility |
| 100.0% | 89.5% | 5.3% | 5.3% | % | rondry lovoi | Lover or riodius r dointy |
| 16 | 149 | 9 | 9 | Freq | Secondary level | 3 |
| 100.0% | 89.2% | 5.4% | 5.4% | % | coodinadiy lovoi | |
| 17 | 138 | 20 | 17 | Freq | Primary level | |
| 100.0% | 78.9% | 11.4% | 9.7% | % | · mary toron | |
| 1 | 16 | 3 | 0 | Freq | Private hospital | |
| 100.0% | 84.2% | 15.8% | 0.0% | % | 1 Trate Hoopital | |
| 1 | 16 | 1 | 0.070 | Freq | Kachin | State/Region |
| 100.09 | 94.1% | 5.9% | 0.0% | % | racini | Clato/1 togici1 |
| 100.07 | 6 | 0.570 | 1 | Freq | Kayah | |
| 100.09 | 85.7% | 0.0% | 14.3% | % | rayan | |
| 100.07 | 13 | 1 | 0 | Freq | Kayin | 7 |
| 100.09 | 92.9% | 7.1% | 0.0% | % | Nayin | |
| 1:00.07 | 9 | 1 | 2 | Freq | Chin | - |
| 100.0% | 75.0% | 8.3% | 16.7% | % | Chin | |
| 4 | 39 | 4 | 10.770 | | Sagaing | |
| 100.09 | The state of the s | 9.1% | 2.3% | Freq % | Sayaniy | |
| | 88.6% 13 | | | | Tanintheri | |
| 100.00 | | 0 000 | 0 | Freq % | ranimmen | |
| 100.0% | 100.0% | 0.0% | 0.0% | - VANC. | D | 7 |
| 3 | 31 | 1 0.70/ | 5 | Freq | Bago | |
| 100.09 | 83.8% | 2.7% | 13.5% | % | Manuari | 3 |
| 33 | 25 | 7 | 2.00/ | Freq | Magway | |
| 100.0% | 75.8% | 21.2% | 3.0% | % | Mandalan | _ |
| 33 | 30 | 2.00/ | 2 | Freq | Mandalay | |
| 100.0% | 90.9% | 3.0% | 6.1% | % | ■ A Partier | - |
| 15 | 11 | 1 | 3 | Freq | Mon | |
| 100.0% | 73.3% | 6.7% | 20.0% | % | B 1111 | |
| 24 | 20 | 3 | 1 | Freq | Rakhine | |
| 100.0% | 83.3% | 12.5% | 4.2% | - % | | _ |
| 2 | 18 | 2 | 5 | Freq | Yangon | |
| 100.0% | 72.0% | 8.0% | 20.0% | % | 7201 102 1701 | _ |
| 2 | 15 | 3 | 3 | Freq | Shan (South) | |
| 100.0% | 71.4% | 14.3% | 14.3% | % | | _ |
| 23 | 20 | 2 | 1 | Freq | Shan (North) | |
| 100.0% | 87.0% | 8.7% | 4.3% | % | 101570 212 50074 500 | |
| 10 | 9 | 1 | 0 | Freq | Shan (East) | |
| 100.0% | 90.0% | 10.0% | 0.0% | % | | _ |
| 44 | 39 | 3 | 2 | Freq | Ayeyawady | |
| 100.0% | 88.6% | 6.8% | 4.5% | % | | _ |
| | 6 | 2 | 0 | Freq | Nay Pyi Taw | |
| 100.0% | 75.0% | 25.0% | 0.0% | % | | |
| 148 | 119 | 16 | 13 | Freq | Urban | Urban/Rural |
| 100.0% | 80.4% | 10.8% | 8.8% | % | | |
| 233 | 201 | 17 | 14 | Freq | Rural | |
| 100.0% | 86.6% | 7.3% | 6.0% | % | | |
| 36 | 304 | 30 | 27 | Freq | Govt | ype of administration |
| 100.0% | 84.2% | 8.3% | 7.5% | % | | 5557 |
| 19 | 16 | 3 | 0 | Freq | Private | |
| 100.0% | 84.2% | 15.8% | 0.0% | % | W23898601302 | |
| 380 | 320 | 33 | 27 | Freq | Total | |
| 100.0% | 84.2% | 8.7% | 7.1% | % | | |

Table 74c. Have checklist for birth spacing observed

| | | Have (no | Have | | | |
|-------------------------------|----------|----------|---|-----------|------------------|--------------------------|
| Tota | Not have | shown) | (shown) | | | |
| 19 | 14 | 3 | 2 | Freq | Tertiary level | Level of Health Facility |
| 100.0% | 73.7% | 15.8% | 10.5% | % | | |
| 167 | 134 | 12 | 21 | Freq | Secondary level | |
| 100.0% | 80.2% | 7.2% | 12.6% | % | | |
| 175 | 103 | 30 | 42 | Freq | Primary level | |
| 100.0% | 58.9% | 17.1% | 24.0% | % | | |
| °19 | 17 | 0 | 2 | Freq | Private hospital | |
| 100.0% | 89.5% | 0.0% | 10.5% | % | ** | |
| 17 | 16 | 1 | 0 | Freq | Kachin | State/Region |
| 100.0% | 94.1% | 5.9% | 0.0% | % | | |
| 7 | 6 | 0 | 1 | Freq | Kayah | |
| 100.0% | 85.7% | 0.0% | 14.3% | % | | |
| 14 | 12 | 0 | 2 | Freq | Kayin | |
| 100.0% | 85.7% | 0.0% | 14.3% | % | | |
| 12 | 7 | 2 | 3 | Freq | Chin | * |
| 100.0% | 58.3% | 16.7% | 25.0% | % | | |
| 44 | 33 | 5 | 6 | Freq | Sagaing | |
| 100.0% | 75.0% | 11.4% | 13.6% | % | 0.349 | |
| 13 | 9 | 3 | 1 | Freq | Tanintheri | |
| 100.0% | 69.2% | 23.1% | 7.7% | % | 1 01111111111 | |
| 37 | 26 | 1 | 10 | Freq | Bago | |
| 100.0% | 70.3% | 2.7% | 27.0% | % | 7.0 | |
| 33 | 24 | 7 | 2 | Freq | Magway | |
| 100.0% | 72.7% | 21.2% | 6.1% | % | | |
| 33 | 15 | 6 | 12 | Freq | Mandalay | |
| 100.0% | 45.5% | 18.2% | 36.4% | % | | |
| 15 | 9 | 3 | 3 | Freq | Mon | |
| 100.0% | 60.0% | 20.0% | 20.0% | % | | |
| 24 | 21 | 1 | 2 | Freq | Rakhine | |
| 100.0% | 87.5% | 4.2% | 8.3% | % | ranino | |
| 25 | 19 | 3 | 3 | Freq | Yangon | |
| 100.0% | 76.0% | 12.0% | 12.0% | % | rungon | |
| 21 | 10 | 3 | 8 | Freq | Shan (South) | |
| 100.0% | 47.6% | 14.3% | 38.1% | % | Onan (Codin) | |
| 23 | 19 | 1 | 3 | Freq | Shan (North) | |
| 100.0% | 82.6% | 4.3% | 13.0% | % | Onan (Norun) | |
| 100.07 | 10 | 0 | 0 | Freq | Shan (East) | |
| 100.0% | 100.0% | 0.0% | 0.0% | % | Grian (Last) | |
| 44 | 25 | 8 | 11 | | Λυονομιαάν | |
| 100.0% | 1 | 18.2% | 101211111111111111111111111111111111111 | Freq % | Ayeyawady | |
| Po. 7541 Photo Political Text | 56.8% | 11.00 | 25.0% | | New Dui Terry | |
| 400.00 | 7 | 10.50/ | 0 | Freq % | Nay Pyi Taw | |
| 100.0% | 87.5% | 12.5% | 0.0% | | 11-b | Lieb au (Dessel |
| 148 | 111 | 15 | 22 | Freq | Urban | Urban/Rural |
| 100.0% | 75.0% | 10.1% | 14.9% | % | D1 | |
| 232 | 157 | 30 | 45 | Freq | Rural | |
| 100.0% | 67.7% | 12.9% | 19.4% | - % | 2000 | |
| 36 | 251 | 45 | 65 | Freq | Govt | Type of administration |
| 100.0 | 69.5% | 12.5% | 18.0% | _ % | <u> </u> | |
| 8 | 17 | 0 | 2 | Freq | Private | |
| 100.0 | 89.5% | 0.0% | 10.5% | % | | |
| 38 | 268 | 45 | 67 | Freq | Total | |
| 100.0 | 70.5% | 11.8% | 17.6% | % | | |

Table 74d. Have ANC guidelines (National/WHO) observed

| | | . | ANC G | uideline (Natio | onal/WHO) | |
|------------------------|-----------------------|--------------|------------|-----------------|----------------|---------|
| | | 100 | | Have (no | All par-theory | T |
| I All by E. W. | * * 1 1 | | ve (shown) | shown) | Not have | Tota |
| el of Health Facility | Tertiary level | Freq | 1 | 4 | 14 | 19 |
| - | | % | 5.3% | 21.1% | 73.7% | 100.0% |
| | Secondary level | Freq | 19 | 17 | 131 | 167 |
| _ | ABSOROUS NO DE MAISON | - % | 11.4% | 10.2% | 78.4% | 100.0% |
| | Primary level | Freq | 49 | 52 | 74 | 175 |
| _ | 24 4 4 4 4 | _ % | 28.0% | 29.7% | 42.3% | 100.0% |
| | Private hospital | Freq | 2 | 1 | 16 | 19 |
| | and to have before | % | 10.5% | 5.3% | 84.2% | 100.0% |
| State/Region | Kachin | Freq | 0 | 2 | 15 | 17 |
| _ | 770-2 101 | % | 0.0% | 11.8% | 88.2% | 100.0% |
| | Kayah | Freq | 1 | 1 | 5 | 7 |
| | | % | 14.3% | 14.3% | 71.4% | 100.0% |
| | Kayin | Freq | 1 | 1 | 12 | 14 |
| | | % | 7.1% | 7.1% | 85.7% | 100.0% |
| | Chin | Freq | 2 | 3 | 7 | 12 |
| | | % | 16.7% | 25.0% | 58.3% | 100.0% |
| | Sagaing | Freq | 2 | 13 | 29 | 44 |
| _ | | % | 4.5% | 29.5% | 65.9% | 100.0% |
| | Tanintheri | Freq | 2 | 2 | 9 | 13 |
| = | | % | 15.4% | 15.4% | 69.2% | 100.0% |
| | Bago | Freq | 12 | -1 | 24 | 37 |
| | | % | 32.4% | 2.7% | 64.9% | 100.0% |
| | Magway | Freq | 6 | 14 | 13 | 33 |
| | | % | 18.2% | 42.4% | 39.4% | 100.0% |
| | Mandalay | Freq | 11 | 3 | 19 | 33 |
| | | % | 33.3% | 9.1% | 57.6% | 100.0% |
| | Mon | Freq | 4 | 2 | 9 | 15 |
| | | % | 26.7% | 13.3% | 60.0% | 100.0% |
| | Rakhine | Freq | 1 | 9 | 14 | 24 |
| | | % | 4.2% | 37.5% | 58.3% | 100.0% |
| | Yangon | Freq | 3 | 3 | 19 | 25 |
| | ¥ | % | 12.0% | 12.0% | 76.0% | 100.0% |
| - | Shan (South) | Freq | 4 | 4 | 13 | 21 |
| | STATES ASSESSED. | % | 19.0% | 19.0% | 61.9% | 100.0% |
| - | Shan (North) | Freq | 7 | 4 | 12 | 23 |
| | Chan (Horal) | % | 30.4% | 17.4% | 52.2% | 100.0% |
| | Shan (East) | Freq | 4 | 3 | 3 | 10 |
| | Orian (Last) | % | 40.0% | 30.0% | 30.0% | 100.0% |
| - | Ayeyawady | Freq | 11 | 7 | 26 | 44 |
| | Ayeyawady | % | 25.0% | 15.9% | 59.1% | 100.0% |
| | Nay Pyi Taw | | 0 | 13.370 | 6 | 100.076 |
| | ivay Fyi Taw | Freq % | 0.0% | 25.0% | 75.0% | 100.0% |
| Urban/Rural | History | (0.44) | 24 | 27 | 97 | |
| Orban/Rurai | Urban | Freq % | | | | 148 |
| | Dural | | 16.2% | 18.2% | 65.5% | 100.0% |
| | Rural | Freq | 47 | 20.29/ | 138 | 232 |
| a a de adambétation de | 0 | % | 20.3% | 20.3% | 59.5% | 100.0% |
| oe of administration | Govt | Freq | 69 | 73 | 219 | 361 |
| - | 870 | % | 19.1% | 20.2% | 60.7% | 100.0% |
| | Private | Freq | 2 | 1 | 16 | 19 |
| | | % | 10.5% | 5.3% | 84.2% | 100.0% |
| | Total | Freq | 71 | 74 | 235 | 380 |
| | | % | 18.7% | 19.5% | 61.8% | 100.0% |

Table 74e. Have checklist/job aid for AN care observed

| | | - | | ecklist/job aid f Have (no | 000 0 | |
|--------------------------|------------------|-----------|-------------|-------------------------------|-------------|--------------|
| | | | ave (shown) | shown) | Not have | Tota |
| Level of Health Facility | Tertiary level | Freq | 2 | 5 | 12 | 19 |
| 9 | 8 7 1 1 | - % | 10.5% | 26.3% | 63.2% | 100.0% |
| | Secondary level | Freq | 22 | 14 | 131 | 167 |
| | D | % | 13.2% | 8.4% | 78.4% | 100.0% |
| | Primary level | Freq | 70 | 46 | 59 | 175 |
| | 5 | % | 40.0% | 26.3% | 33.7% | 100.0% |
| | Private hospital | Freq | 0 | 3 | 16 | 19 |
| 0/ L/D | 12 11 | % | 0.0% | 15.8% | 84.2% | 100.0% |
| State/Region | Kachin | Freq % | 0 000 | 47.00/ | 14 | 17 |
| | Variab | 3500 | 0.0% | 17.6% | 82.4% | 100.0% |
| | Kayah | Freq | 3 | 0 | 4 57.40/ | 400.00/ |
| | Na. su | % | 42.9% | 0.0% | 57.1% | 100.0% |
| | Kayin | Freq % | 14.3% | 0.0% | 12 85.7% | 14 100.0% |
| | Chin | | 14.3% | 2 | 5 | 100.0% |
| | CIIII_ | Freq % | 41.7% | 16.7% | | 100.0% |
| | Canaina | 1.1745 | 41.7% | 10.7% | 41.7% 25 | |
| | Sagaing | Freq % | 18.2% | 25.0% | 56.8% | 44 100.0% |
| | Tanintheri | | 10.2% | 25.0% | 36.6% | |
| | raninulen | Freq % | 15.4% | 23.1% | 61.5% | 13 100.0% |
| | Page | 00000 | 15.4% | 23.1% | 20 | |
| | Bago | Freq % | | | 54.1% | 400.00/ |
| | Maguey | Gill | 45.9% 8 | 0.0% | 16 | 100.0% |
| | Magway | Freq % | | | | |
| | Mandalay | | 24.2% 14 | 27.3% | 48.5% 16 | 100.0% |
| | Manualay | Freq % | 42.4% | 9.1% | 48.5% | 100.0% |
| | Mon | Freq | 42.470 | 3.170 | 40.5% | 150.076 |
| | IVIOIT | % | 26.7% | 20.0% | 53.3% | 100.0% |
| | Rakhine | Freq | 1 | 20.0% | 15 | 24 |
| | Nakilile | % | 4.2% | 33.3% | 62.5% | 100.0% |
| | Yangon | Freq | 3 | 53.5% | 17 | 25 |
| | 1 angon | % | 12.0% | 20.0% | 68.0% | 100.0% |
| | Shan (South) | Freq | 12.0% | 3 | 12 | 21 |
| | Shari (South) | % | 28.6% | 14.3% | 57.1% | 100.0% |
| | Shan (North) | Freq | 3 | 8 | 12 | 23 |
| | Shari (North) | % | 13.0% | 34.8% | 52.2% | 100.0% |
| | Shan (East) | - October | 13.0% | 2 | 7 | 100.076 |
| | Silali (EdSt) | Freq % | 10.0% | 20.0% | 70.0% | 100.0% |
| | Ayeyawady | Freq | 16.0% | 20.0% | 22 | 44 |
| | Ayeyawauy | % | 36.4% | 13.6% | | 100.0% |
| | Nay Pyi Taw | Freq | 30.4% | 13.0% | 50.0% | 100.0% |
| | ivay Fyi Taw | % | 12.5% | 25.0% | 62.5% | 100.0% |
| Urban/Rural | Urban | Freq | 28 | 21 | 99 | 148 |
| Ulball/Nulai | Ulbaii | % | 18.9% | 14.2% | 66.9% | 100.0% |
| | Rural | 18,000 | 66 | 47 | 119 | 232 |
| | i\uiai | Freq % | 28.4% | 20.3% | 51.3% | 100.0% |
| Type of administration | Govt | Freq | 94 | 65 | 202 | 361 |
| Type of autimistration | GUVI | % | 26.0% | 18.0% | 56.0% | 100.0% |
| | Private | Freq | 20.0% | 3 | 16 | 100.0% |
| | 1 HVate | % | 0.0% | 15.8% | 84.2% | 100.0% |
| | Total | | 94 | 15.6% | 218 | 380 |
| | IUIAI | Freq % | 24.7% | 17.9% | 57.4% | 100.0% |
| | | 70 | 24.170 | 17.970 | 31.470 | 100.0% |

Table 74f. Have guidebook for waste disposal observed

| | | ebook for was Have (no | | - | | |
|---------------|----------|---------------------------|-----------|------|------------------|--------------------------|
| Tota | Not have | shown) | e (shown) | Hav | | |
| 18 | 8 | 2 | 8 | Freq | Tertiary level | Level of Health Facility |
| 100.0% | 44.4% | 11.1% | 44.4% | % | | |
| 161 | 105 | 23 | 33 | Freq | Secondary level | |
| 100.0% | 65.2% | 14.3% | 20.5% | % | | |
| 173 100.0% | 133 | 25 | 15 | Freq | Primary level | |
| | 76.9% | 14.5% | 8.7% | % | | |
| 19 | 15 | 1 | 3 | Freq | Private hospital | |
| 100.0% | 78.9% | 5.3% | 15.8% | % | | |
| 1 | 13 | 0 | 3 | Freq | Kachin | State/Region |
| 100.09 | 81.3% | 0.0% | 18.8% | % | | |
| | 4 | 1 | 2 | Freq | Kayah | |
| 100.09 | 57.1% | 14.3% | 28.6% | % | Maria de | |
| 1 | 13 | 0 | 1 | Freq | Kayin | |
| 100.09 | 92.9% | 0.0% | 7.1% | % | | |
| 1. | 11 | 0 | 1 | Freq | Chin | |
| 100.09 | 91.7% | 0.0% | 8.3% | % | | |
| 4 | 36 | 7 | 1 | Freq | Sagaing | |
| 100.09 | 81.8% | 15.9% | 2.3% | % | | |
| 1 | 10 | 3 | 0 | Freq | Tanintheri | |
| 100.09 | 76.9% | 23.1% | 0.0% | % | | |
| 3 | 12 | 5 | 20 | Freq | Bago | |
| 100.09 | 32.4% | 13.5% | 54.1% | % | | |
| 3 | 23 | 7 | 3 | Freq | Magway | |
| 100.09 | 69.7% | 21.2% | 9.1% | % | | |
| 3 | 18 | 3 | 11 | Freq | Mandalay | |
| 100.09 | 56.3% | 9.4% | 34.4% | % | | |
| 1 | 12 | 0 | 3 | Freq | Mon | |
| 100.09 | 80.0% | 0.0% | 20.0% | % | | |
| 1 | 11 | 6 | 1 | Freq | Rakhine | |
| 100.09 | 61.1% | 33.3% | 5.6% | % | | |
| 2 | 21 | 2 | 2 | Freq | Yangon | |
| 100.09 | 84.0% | 8.0% | 8.0% | % | | |
| 2 | 16 | 2 | 3 | Freq | Shan (South) | |
| 100.09 | 76.2% | 9.5% | 14.3% | % | SV 1/11 | |
| 2 | 15 | 6 | 2 | Freq | Shan (North) | |
| 100.09 | 65.2% | 26.1% | 8.7% | % | | |
| | 6 | 1 | 2 | Freq | Shan (East) | |
| 100.09 | 66.7% | 11.1% | 22.2% | % | N | |
| 4 | 35 | 5 | 4 | Freq | Ayeyawady | - |
| 100.09 | 79.5% | 11.4% | 9.1% | % | | |
| | 5 | 3 | 0 | Freq | Nay Pyi Taw | |
| 100.09 | 62.5% | 37.5% | 0.0% | % | | |
| 14 | 86 | 21 | 34 | Freq | Urban | Urban/Rural |
| 100.09 | 61.0% | 14.9% | 24.1% | % | S-0/000- | |
| 23 | 175 | 30 | 25 | Freq | Rural | |
| 100.09 | 76.1% | 13.0% | 10.9% | % | | |
| 35 | 246 | 50 | 56 | Freq | Govt | Type of administration |
| 100.09 | 69.9% | 14.2% | 15.9% | % | X-272 | |
| 1 | 15 | 1 | 3 | Freq | Private | 3 |
| 100.09 | 78.9% | 5.3% | 15.8% | % | | |
| 37 | 261 | 51 | 59 | Freq | Total | |
| 100.09 | 70.4% | 13.7% | 15.9% | % | 200000 | |

87

Section H. Use of Information Communication Technology (ICT)

Availability of Information Communication Technology

Table 75. Percentage of SDPs with Types of Information Communication Technology available

| | | N | Responses Percent | Percent of Cases (N=373) |
|--------------------------|------------------------------------|-----|----------------------|-----------------------------|
| Types of Information | Use of computer | 146 | 20.1% | 39.1% |
| Communication Technology | Use of mobile phone | 109 | 15.0% | 29.2% |
| available | Use of smart phone | 344 | 47.4% | 92.2% |
| | Use of tablet | 34 | 4.7% | 9.1% |
| | Use of internet facilities (LAN) | 37 | 5.1% | 9.9% |
| | Use of internet facilities (Wi-Fi) | 26 | 3.6% | 7.0% |
| | Use of other ICT (Wi-Fi) | 29 | 4.0% | 7.8% |

a. Dichotomy group tabulated at value 1.

Almost all of HFs had any one of ICT appliances and it was much higher than last year. Three most frequently used ICT appliance were "Smart phone" (92%), "mobile phone" (29.2%) and "computer" (39.1%).

Table 75a. Types of Information Communication Technology available

| | | | | Types | s of Informat | tion Comm | nunication T | echnology | available ^a | |
|-----------------|------------|------|-----------------|---------------------|--------------------|---------------|----------------------------------|--------------------|------------------------|-------|
| | | | Use of computer | Use of mobile phone | Use of smart phone | Use of tablet | Use of internet facilities (LAN) | Use of internet | Use of other ICT | Tota |
| Level of Health | Tertiary | Freq | 11 | 12 | 19 | 2 | 3 | 1 | 3 | 19 |
| Facility | level | % | 57.9% | 63.2% | 100.0% | 10.5% | 15.8% | 5.3% | 15.8% | |
| | Secondary | Freq | 85 | 59 | 153 | 20 | 17 | 16 | 13 | 167 |
| | level | % | 50.9% | 35.3% | 91.6% | 12.0% | 10.2% | 9.6% | 7.8% | |
| | Primary | Freq | 35 | 29 | 160 | 8 | 14 | 3 | 12 | 171 |
| | level | % | 20.5% | 17.0% | 93.6% | 4.7% | 8.2% | 1.8% | 7.0% | |
| | Private | Freq | 15 | 9 | 12 | 4 | 3 | 6 | 1 | 16 |
| | hospital | % | 93.8% | 56.3% | 75.0% | 25.0% | 18.8% | 37.5% | 6.3% | |
| State/Region | Kachin | Freq | 10 | 15 | 10 | 7 | 2 | 2 | 5 | 17 |
| | | % | 58.8% | 88.2% | 58.8% | 41.2% | 11.8% | 11.8% | 29.4% | |
| | Kayah | Freq | 2 | 3 | 5 | 4 | 2 | 1 | 4 | 5 |
| | | % | 40.0% | 60.0% | 100.0% | 80.0% | 40.0% | 20.0% | 80.0% | |
| | Kayin | Freq | 4 | 1 | 13 | 0 | 0 | 0 | 0 | 13 |
| | | % | 30.8% | 7.7% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 81220 |
| | Chin | Freq | 7 | 5 | 8 | 0 | 0 | 3 | 0 | 11 |
| | | % | 63.6% | 45.5% | 72.7% | 0.0% | 0.0% | 27.3% | 0.0% | |
| | Sagaing | Freq | 15 | 13 | 42 | 2 | 2 | 1 | 0 | 44 |
| | | % | 34.1% | 29.5% | 95.5% | 4.5% | 4.5% | 2.3% | 0.0% | |
| | Tanintheri | Freq | 9 | 0 | 13 | 1 | 3 | 0 | 0 | 13 |
| | | % | 69.2% | 0.0% | 100.0% | 7.7% | 23.1% | 0.0% | 0.0% | |

| 37 | 0 | 0 | 0 | 2 | 35 | 13 | 9 | Freq | Bago | |
|-------|-------|-------|-------|-------|--------|--------|-------|------|-------------|----------------|
| | 0.0% | 0.0% | 0.0% | 5.4% | 94.6% | 35.1% | 24.3% | % | 9774 | |
| 33 | 0 | 1 | 2 | 3 | 32 | 8 | 10 | Freq | Magway | |
| | 0.0% | 3.0% | 6.1% | 9.1% | 97.0% | 24.2% | 30.3% | % | | |
| 33 | 0 | 1 | 14 | 3 | 33 | 10 | 17 | Freq | Mandalay | |
| | 0.0% | 3.0% | 42.4% | 9.1% | 100.0% | 30.3% | 51.5% | % | 190. | |
| 15 | 0 | 1 | 1 | 0 | 14 | 15 | 8 | Freq | Mon | |
| | 0.0% | 6.7% | 6.7% | 0.0% | 93.3% | 100.0% | 53.3% | % | | |
| 24 | 8 | 4 | 2 | 1 | 23 | 1 | 14 | Freq | Rakhine | |
| | 33.3% | 16.7% | 8.3% | 4.2% | 95.8% | 4.2% | 58.3% | % | | |
| 24 | 7 | 2 | 1 | 1 | 21 | 6 | 6 | Freq | Yangon | |
| Ame | 29.2% | 8.3% | 4.2% | 4.2% | 87.5% | 25.0% | 25.0% | % | | |
| 21 | 1 | 3 | 3 | 2 | 20 | 1 | 14 | Freq | Shan | |
| | 4.8% | 14.3% | 14.3% | 9.5% | 95.2% | 4.8% | 66.7% | % | (South) | |
| 23 | 1 | 0 | 0 | 0 | 21 | 0 | 4 | Freq | Shan | |
| | 4.3% | 0.0% | 0.0% | 0.0% | 91.3% | 0.0% | 17.4% | % | (North) | |
| 10 | 3 | 3 | 2 | 0 | 8 | 4 | 4 | Freq | Shan (East) | |
| | 30.0% | 30.0% | 20.0% | 0.0% | 80.0% | 40.0% | 40.0% | % | | |
| 43 | 0 | 2 | 2 | 4 | 42 | 10 | 9 | Freq | Ayeyawady | 10 |
| | 0.0% | 4.7% | 4.7% | 9.3% | 97.7% | 23.3% | 20.9% | % | | |
| 7 | 0 | 2 | 1 | 4 | 4 | 4 | 4 | Freq | Nay Pyi | |
| | 0.0% | 28.6% | 14.3% | 57.1% | 57.1% | 57.1% | 57.1% | % | Taw | |
| 144 | 15 | 18 | 18 | 22 | 129 | 57 | 82 | Freq | Urban | Urban/Rural |
| 20.50 | 10.4% | 12.5% | 12.5% | 15.3% | 89.6% | 39.6% | 56.9% | % | 10001100000 | |
| 229 | 14 | 8 | 19 | 12 | 215 | 52 | 64 | Freq | Rural | |
| | 6.1% | 3.5% | 8.3% | 5.2% | 93.9% | 22.7% | 27.9% | % | | |
| 357 | 28 | 20 | 34 | 30 | 332 | 100 | 131 | Freq | Govt | Type of |
| | 7.8% | 5.6% | 9.5% | 8.4% | 93.0% | 28.0% | 36.7% | % | 70.000000 | administration |
| 16 | 1 | 6 | 3 | 4 | 12 | 9 | 15 | Freq | Private | |
| | 6.3% | 37.5% | 18.8% | 25.0% | 75.0% | 56.3% | 93.8% | % | | |
| 373 | 29 | 26 | 37 | 34 | 344 | 109 | 146 | Freq | Total | |

For all type of ICT equipment, percentage of availability was lowest in primary level HFs. Urban rural difference was also apparent for all types. Private sector HFs was noted as more frequently available for all ICT equipment. The pattern did not change from last year.

Source of ICT acquired

Table 81. Percentage of SDPs by how ICT was acquired

| | | Percent |
|------------------|--------------|---------|
| Supplier of ICTa | Own | 73.2% |
| 75.71) | Govt. | 20.4% |
| | Owner of HC. | 1.0% |
| | Donor | 3.5% |
| - | Other | 1.8% |

Most frequent response for "source of the ICTs at HFs" was "own" (73.2%). Secondly, it was "government" (20.4%). Government supply for ICT at HFs was least in primary level compare to tertiary and secondary levels.

Table 81a. Percentage of SDPs by how ICT was acquired by HF's background (N=370)

| | | _ | | | 72 | | er of ICTa | |
|-------------------------|-------------------|------|--------|--------|--|-------|------------|----------|
| | | | Own | | Owner of HC. | Donor | Other | Total |
| evel of Health Facility | Tertiary level | Freq | 27 | 22 | 0 | 1 | 1 | 18 |
| | | % | 150.0% | 122.2% | 0.0% | 5.6% | 5.6% | |
| | Secondary level | Freq | 226 | 110 | 0 | 14 | 8 | 165 |
| | | % | 137.0% | 66.7% | 0.0% | 8.5% | 4.8% | |
| | Primary level | Freq | 213 | 30 | 0 | 9 | 9 | 171 |
| | | % | 124.6% | 17.5% | 0.0% | 5.3% | 5.3% | |
| | Private hospital | Freq | 39 | 0 | 8 | 0 | 1 | 16 |
| | | % | 243.8% | 0.0% | 50.0% | 0.0% | 6.3% | |
| State/Region | Kachin | Freq | 25 | 17 | The state of the s | 0 | 7 | 17 |
| | | % | 147.1% | 100.0% | 11.8% | 0.0% | 41.2% | |
| | Kayah | Freq | 9 | 9 | | 0 | 3 | 5 |
| | | % | 180.0% | 180.0% | The state of the s | 0.0% | 60.0% | |
| | Kayin | Freq | 13 | 2 | 0 | 0 | 3 | 13 |
| | | % | 100.0% | 15.4% | 0.0% | 0.0% | 23.1% | |
| | Chin | Freq | 11 | 7 | 0 | 5 | 0 | 11 |
| | | % | 100.0% | 63.6% | 0.0% | 45.5% | 0.0% | |
| | Sagaing | Freq | 59 | 11 | 0 | 2 | 3 | 44 |
| | | % | 134.1% | 25.0% | 0.0% | 4.5% | 6.8% | |
| - | Tanintheri | Freq | 18 | 7 | 0 | 0 | 0 | 13 |
| | | % | 138.5% | 53.8% | 0.0% | 0.0% | 0.0% | |
| | Bago | Freq | 43 | 14 | 0 | 2 | 0 | 37 |
| | | % | 116.2% | 37.8% | 0.0% | 5.4% | 0.0% | |
| - | Magway | Freq | 41 | 10 | | 5 | 0 | 33 |
| | | % | 124.2% | 30.3% | 0.0% | 15.2% | 0.0% | |
| | Mandalay | Freq | 61 | 10 | The second secon | 3 | 0 | 33 |
| | | % | 184.8% | 30.3% | 12.1% | 9.1% | 0.0% | 1,77,237 |
| | Mon | Freq | 32 | 7 | | 0 | 0 | 15 |
| | | % | 213.3% | 46.7% | 0.0% | 0.0% | 0.0% | |
| | Rakhine | Freq | 33 | 20 | The state of the s | 0 | 0 | 24 |
| | 27000000000 | % | 137.5% | 83.3% | A CONTRACTOR OF THE PARTY OF TH | 0.0% | 0.0% | |
| | Yangon | Freq | 29 | 10 | | 0 | 0 | 21 |
| | | % | 138.1% | 47.6% | | 0.0% | 0.0% | |
| 1 | Shan (South) | Freq | 28 | 12 | | 2 | 0 | 21 |
| | | % | 133.3% | 57.1% | in the second se | 9.5% | 0.0% | 77722 |
| | Shan (North) | Freq | 28 | 0 | | 0 | 0 | 23 |
| | 3 / | % | 121.7% | 0.0% | | 0.0% | 0.0% | |
| | Shan (East) | Freq | 13 | 7 | | 0 | 1 | 10 |
| | The second second | % | 130.0% | 70.0% | | 0.0% | 10.0% | |
| | Ayeyawady | Freq | 52 | 10 | | 5 | 2 | 43 |
| | | % | 120.9% | 23.3% | | 11.6% | 4.7% | |
| 2 | Nay Pyi Taw | Freq | 10 | 9 | | 0 | 0 | 7 |
| | | % | 142.9% | 128.6% | 0.000 | 0.0% | 0.0% | |
| Urban/Rural | Urban | Freq | 213 | 103 | | 7 | 7 | 143 |
| STRUTTION | 012411 | % | 149.0% | 72.0% | | 4.9% | 4.9% | |
| | Rural | Freq | 292 | 59 | The Control of the Co | 17 | 12 | 227 |
| | Turui | % | 128.6% | 26.0% | | 7.5% | 5.3% | LLI |
| Type of administration | Govt | Freq | 466 | 162 | | 24 | 18 | 354 |
| . JPO OF GUITHINGUATION | OUV | % | 131.6% | 45.8% | | 6.8% | 5.1% | 559 |
| 4 | Private | Freq | 39 | 43.6% | | 0.676 | 3.176 | 16 |
| | i iivale | % | 243.8% | 0.0% | The state of the s | 0.0% | 6.3% | 10 |
| | Total | Freq | 505 | 162 | | 24 | 19 | 370 |




Figure 15. Percentage of HFs which have received government supply for ICTs by regions

Governments supplies for ICTs at HFs mostly observed at Kayah, Nay Pyi Taw, and Kachin compare to other regions.

Main purpose for which ICT is used

Table 82. Percentage of SDPs by main purpose for which ICT is used

| Level of Health Facility Secondary level Primary level Private hospital Rayah Kayah Rayin State/Region Sagaing | | | | 2 | | | | - Common | | | | |
|--|---------------|------|----------|--------|--------|-----------|---------|----------|----------|--------|----------|-------|
| Second Private | Territories I | | register | record | record | insurance | billing | cation | 뿦 | indent | training | Total |
| Second Private | ny level | Freq | 2 | 7 | က | 0 | 2 | 2 | 4 | 0 | 2 | 1 |
| Secon Prin | | % | 45.5% | 63.6% | 27.3% | %0.0 | 18.2% | 18.2% | 36.4% | %0.0 | 18.2% | |
| Private | ıry level | Freq | 23 | 46 | 6 | 4 | 16 | 20 | 19 | က | 30 | 80 |
| Private | | % | 28.8% | 27.5% | 11.3% | 2.0% | 20.0% | 25.0% | 23.8% | 3.8% | 37.5% | |
| Private | Primary level | Freq | 2 | 16 | T | 0 | 4 | 9 | 80 | 0 | 14 | 34 |
| Private | | % | 2.9% | 47.1% | 2.9% | %0.0 | 11.8% | 17.6% | 23.5% | %0.0 | 41.2% | |
| | nospital | Freq | Ξ | * | 7 | 3 | က | 6 | 5 | 2 | က | 15 |
| | | % | 73.3% | 73.3% | 46.7% | 20.0% | 20.0% | %0.09 | 33.3% | 13.3% | 20.0% | |
| | Kachin | Freq | 4 | 4 | 4 | - | 4 | 4 | က | - | 2 | 6 |
| | | % | 44.4% | 44.4% | 44.4% | 11.1% | 44.4% | 44.4% | 33.3% | 11.1% | 22.2% | |
| | Kayah | Fred | - | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | is | % | %0.09 | 100.0% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | |
| | Kayin | Freq | 2 | က | 0 | - | 0 | 0 | 0 | 0 | 0 | က |
| | | % | %2'99 | 100.0% | %0.0 | 33.3% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | |
| | Chin | Fred | 0 | 4 | 0 | 0 | * | 8 | 0 | 0 | က | 7 |
| 8 | | % | %0.0 | 57.1% | %0:0 | %0.0 | 14.3% | 14.3% | %0.0 | %0.0 | 42.9% | |
| | Sagaing | Freq | က | 10 | 2 | - | 3 | 2 | 2 | 0 | 4 | 15 |
| | | % | 20.0% | %2.99 | 13.3% | %2.9 | 20.0% | 13.3% | 33.3% | %0.0 | 26.7% | |
| Ta | Tanintheri | Fred | - | 9 | 8 | 0 | 0 | 5 | 3 | 0 | က | 6 |
| | | % | 11.1% | %2'99 | 11.1% | %0.0 | %0.0 | 22.6% | 33.3% | %0.0 | 33.3% | |
| | Bago | Freq | 2 | 4 | 3 | 0 | 0 | 2 | 0 | 0 | 7 | 6 |
| | | % | 22.2% | 44.4% | 33.3% | %0.0 | %0.0 | 22.2% | %0.0 | %0.0 | 44.4% | |
| N | Magway | Freq | 2 | က | 2 | 0 | 2 | 5 | 9 | 0 | 5 | 10 |
| | | % | 20.0% | 30.0% | 20.0% | %0.0 | 20.0% | %0.09 | %0.09 | %0.0 | %0.09 | |
| Ma | Mandalay | Freq | က | 13 | 100 | 0 | 9 | 5 | 8 | - | A. | 16 |
| | | % | 18.8% | 81.3% | 6.3% | %0.0 | 37.5% | 31.3% | %0.09 | 6.3% | %6.9 | |
| | Mon | Freq | က | 4 | 2 | 0 | 0 | * | - | 0 | + | 5 |
| | | % | %0.09 | %0.08 | 40.0% | %0.0 | %0.0 | 20.0% | 20.0% | %0.0 | 20.0% | |
| | Rakhine | Freq | 2 | 12 | Ā | 0 | 5 | 0 | 2 | 0 | 3 | 14 |
| | | % | 35.7% | 85.7% | 7.1% | %0.0 | 35.7% | %0.0 | 14.3% | %0.0 | 21.4% | |

| | Yangon | Freq | က | 2 | 0 | - | 0 | 0 | 0 | 0 | 0 | 9 |
|------------------------|--------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-----|
| | ĝ. | % | 20.0% | 33.3% | %0.0 | 16.7% | %0:0 | %0.0 | %0.0 | %0.0 | %0.0 | |
| | Shan (South) | Fred | က | 2 | Ţ | • | 2 | 9 | 4 | + | 12 | 14 |
| | | % | 21.4% | 35.7% | 7.1% | 7.1% | 14.3% | 42.9% | 28.6% | 7.1% | 85.7% | |
| | Shan (North) | Freq | က | 4 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 4 |
| | 2 | % | 75.0% | 100.0% | %0.03 | %0.09 | %0.03 | %0.09 | %0.09 | 20.0% | %0.0 | |
| | Shan (East) | Freq | က | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 |
| | | % | 75.0% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 20.0% | |
| | Ayeyawady | Freq | ဇ | က | 8 | 0 | 0 | 2 | _ | 0 | 2 | 6 |
| | 6 | % | 33.3% | 33.3% | 11.1% | %0.0 | %0.0 | 22.2% | 11.1% | %0.0 | 77.8% | |
| | Nay Pyi Taw | Freq | 0 | - | 0 | 0 | 0 | 2 | - | 0 | 2 | 4 |
| | | % | %0.0 | 25.0% | %0.0 | %0.0 | %0.0 | 20.0% | 25.0% | %0:0 | 20.0% | |
| Urban/Rural | Urban | Freq | 32 | 53 | 17 | 4 | 16 | 27 | 23 | 4 | 25 | 8 |
| | | % | 40.0% | %8:99 | 21.3% | 2.0% | 20.0% | 33.8% | 28.8% | 2.0% | 31.3% | |
| | Rural | Freq | တ | 27 | က | က | 6 | 10 | 13 | - | 24 | 9 |
| | | % | 15.0% | 45.0% | 2.0% | 2.0% | 15.0% | 16.7% | 21.7% | 1.7% | 40.0% | |
| Type of administration | Govt | Freq | 30 | 69 | 13 | 4 | 22 | 28 | 31 | ဗ | 46 | 125 |
| | | % | 24.0% | 55.2% | 10.4% | 3.2% | 17.6% | 22.4% | 24.8% | 2.4% | 36.8% | |
| | Private | Freq | 1 | 1 | 7 | က | က | 6 | 5 | 2 | က | 15 |
| | | % | 73.3% | 73.3% | 46.7% | 20.0% | 20.0% | %0.09 | 33.3% | 13.3% | 20.0% | |
| | Total | Freq | 41 | 80 | 20 | 7 | 25 | 37 | 36 | 5 | 49 | 140 |

Most frequent uses of ICT were "hospital record", 'patient register", "HE" and "routine communication". "Hospital record", and "patient register" were more assisted by ICT in this year assessment.

Section I. Waste disposal

Health wastes disposal

Table 83. Percentage distribution of SDPs

| | | - | | | , IIIO | thod of waste municipal | diopoodi | |
|-----------------|--|-----------|---------|---------|--------------|----------------------------|-----------|--------|
| | | | burning | burying | incineration | system w | aste bans | Tota |
| Level of Health | Tertiary level | Freq | 6 | 7 | 5 | 10 | 0 | 1 |
| Facility | | % | 31.6% | 36.8% | 26.3% | 52.6% | 0.0% | |
| | Secondary | Freq | 113 | 112 | 21 | 25 | 6 | 16 |
| | level | % | 67.7% | 67.1% | 12.6% | 15.0% | 3.6% | |
| - | Primary level | Freq | 136 | 100 | 15 | 8 | 8 | 17 |
| | | % | 77.7% | 57.1% | 8.6% | 4.6% | 4.6% | 1,1000 |
| Ē | Private hospital | Freq | 3 | 3 | 2 | 16 | 1 | 1 |
| | . N. V. S. | % | 18.8% | 18.8% | 12.5% | 100.0% | 6.3% | |
| State/Region | Kachin | Freq | 9 | 12 | 1 | 4 | 5 | 4 |
| | 2/12/2000 | % | 52.9% | 70.6% | 5.9% | 23.5% | 29.4% | |
| - | Kayah | Freq | 7 | 7 | 0 | 1 | 0 | 8 |
| | | % | 100.0% | 100.0% | 0.0% | 14.3% | 0.0% | |
| 5 | Kayin | Freq | 6 | 8 | 3 | 3 | 0 | 1 |
| | | % | 46.2% | 61.5% | 23.1% | 23.1% | 0.0% | |
| - | Chin | Freq | 10 | 2 | 2 | 0 | 0.070 | 1 |
| | O.I | % | 83.3% | 16.7% | 16.7% | 0.0% | 0.0% | * |
| 8 | Sagaing | Freq | 37 | 21 | 1 | 5.070 | 0.070 | 4 |
| | ougung_ | % | 84.1% | 47.7% | 2.3% | 11.4% | 0.0% | |
| - | Tanintheri | Freq | 7 | 7 | 3 | 3 | 0.070 | 1 |
| | Turminion_ | % | 53.8% | 53.8% | 23.1% | 23.1% | 0.0% | - |
| - | Bago | Freq | 31 | 26 | 0 | 4 | 0.070 | 3 |
| | Dago | % | 83.8% | 70.3% | 0.0% | 10.8% | 0.0% | J |
| - | Magway | Freq | 28 | 21 | 0.070 | 5 | 1 | 3 |
| | wayway | % | 84.8% | 63.6% | 0.0% | 15.2% | 3.0% | 0 |
| - | Mandalay | Freq | 25 | 17 | 4 | 5 | 0.070 | 3 |
| | Wandalay | % | 75.8% | 51.5% | 12.1% | 15.2% | 0.0% | J |
| - | Mon | Freq | 10 | 12 | 2 | 3 | 0.070 | 1 |
| | WOII | % | 66.7% | 80.0% | 13.3% | 20.0% | 0.0% | |
| 9 | Rakhine | Freq | 20 | 5 | 2 | 20.078 | 1 | 2 |
| | Nakillie | % | 83.3% | 20.8% | 8.3% | 4.2% | 4.2% | |
| ~ | Yangon | Freq | 12 | 14 | 3 | 12 | 0 | 2 |
| | rangon | % | 50.0% | 58.3% | 12.5% | 50.0% | 0.0% | |
| 8 | Shan (South) | 0000 | 17 | 8 | 12.576 | 50.076 | 0.0% | 2 |
| | Shan (South) | Freq % | 81.0% | | 9.5% | 23.8% | | |
| - | Chan (North) | 1.010 | 5 | 38.1% | 9.5% | 23.0% | 0.0% | 2 |
| | Shan (North) | Freq | | | | | | |
| - | Chan (Foot) | % | 21.7% | 52.2% | 52.2% | 8.7% | 0.0% | 4 |
| | Shan (East) | Freq | 40.00/ | 10 | 30.00/ | 2 | 10.00/ | 1 |
| - | Accessorates | % | 40.0% | 100.0% | 30.0% | 20.0% | 10.0% | |
| | Ayeyawady | Freq | 25 | 36 | 3 | 2 | 0.20/ | 4 |
| 8 | N. D. T. | % | 58.1% | 83.7% | 7.0% | 4.7% | 9.3% | - 0 |
| | Nay Pyi Taw | Freq | 5 | 50.00 | 2 | 2 | 3 | 3 |
| Line 20 /Pour Y | (Tables | % | 62.5% | 50.0% | 25.0% | 25.0% | 37.5% | 1910 |
| Urban/Rural | Urban | Freq | 90 | 80 | 22 | 47 | 7 | 14 |
| 9 | | % | 62.1% | 55.2% | 15.2% | 32.4% | 4.8% | 20 |
| | Rural | Freq | 168 | 142 | 21 | 12 | 8 | 23 |
| | | % | 72.4% | 61.2% | 9.1% | 5.2% | 3.4% | 1212 |
| Type of | Govt | Freq | 255 | 219 | 41 | 43 | 14 | 36 |

| administration | | % | 70.6% | 60.7% | 11.4% | 11.9% | 3.9% | |
|----------------|---------|------|-------|-------|-------|--------|------|-----|
| | Private | Freq | 3 | 3 | 2 | 16 | 1 | 16 |
| | | % | 18.8% | 18.8% | 12.5% | 100.0% | 6.3% | |
| | Total | Freq | 258 | 222 | 43 | 59 | 15 | 377 |

Burying and burning were still mostly used method for waste disposal. However, waste disposal of 52.6% of tertiary level and 100% of private HFs used municipal disposal system.

Section J. Charges for user fees

Charged for consultation

Total 19 HFs stated charging users' fee for consultation. Detail distribution of those HFs were described in Table 84.

Table 84. Percentage distribution of SDPs by issues for which user fee is charged for consultation (N=19)

| Level of Health | | | 2 | | | | | | | ממו ומחומים ומו ממו וממים | |
|---|-----------------|------------------|------|-----------|---------|--------------|---------------|---------------|------------------------------|---------------------------|-----------|
| Secondary Freq Freq For Mode of the care services Carle services Service of the care of the care services Service of the care of the care services Service of the care of | | | ļ | for birth | | for delivery | for perinatal | for neonatal | for under-five child care | for HIV (ART) | for other |
| Secondary Field 0 < | | | | spacing | for ANC | service | care service | care services | service | service | services |
| Primary level % 0.0% | Level of Health | Secondary | Fred | 0 | 0 | _ | 0 | 0 | 0 | 0 | 1 |
| Primary level Freq 0 0 2 2 0 0 Private hospital state hospital Agarhia Hospital Region Freq 0.0% 0.0% 10.0% 10.0% 0.0% 0.0% Kachlin Freq 6.3% 12.5% | Facility | level | | %0.0 | %0.0 | 100.0% | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% |
| Kachin Freq 0.0% 0.0% 100.0% 100.0% | | Primary level | Fred | 0 | 0 | 0 | 2 | 2 | 0 | 0 | × |
| Private hospital Freq 1 2 2 2 2 2 14 Kachlin Freq 0.0% 12.5% 12.5% 12.5% 12.5% 12.5% 17.5% < | | | % | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% | %0.0 | %0.0 | 20.0% |
| Kachin Freq 6.3% 12.5% | | Private hospital | Fred | • | 2 | 2 | 2 | 2 | 2 | 14 | 16 |
| Kachin Freq 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 | | | % | 6.3% | 12.5% | 12.5% | 12.5% | 12.5% | 12.5% | 87.5% | 100.0% |
| % 0.0% 0.0% 100.0% 100.0% 0.0% 0.0% 1 Freq 0 0 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 0.0% 100.0% 1 % 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% 100.0% Freq 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% 100.0% Freq 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% 100.0% Freq 0.0% 0.0% 0.0% 0.0% 100.0% | State/Region | Kachin | | 0 | 0 | 0 | - | * | 0 | 0 | \$ |
| Freq 0 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% 1 % 0.0% 0.0% 0.0% 0.0% 1 1 1 % 0.0% 0.0% 0.0% 0.0% 1 1 1 0 1 % 0.0% 0.0% 0.0% 0.0% 100.0% 1 | | | | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% | 0.0% | %0:0 | 100.0% |
| % 0.0% 0.0% 0.0% 0.0% 100.0% 1 Freq 0 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 1 1 % 0.0% 0.0% 0.0% 0.0% 1 1 % 0.0% 0.0% 0.0% 0.0% 1 1 1 1 % 0.0% 0.0% 0.0% 0.0% 0.0% 1 1 1 1 1 1 1 0 1 1 0 1 1 1 1 1 1 0 | | Kayah | | 0 | 0 | 0 | 0 | 0 | 0 | • | |
| Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 100.% 100.% % 0.0% 0.0% 0.0% 0.0% 100.% 100.0% % 0.0% 0.0% 0.0% 0.0% 50.0% 100.0% Freq 0 0 0 0 1 1 % 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% Freq 0 0 0 0 0 1 1 % 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% 1 Freq 0 0 0 0 0 0 0 0 % 0.0% 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | | | | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| % 0.0% 0.0% 0.0% 0.0% 100.0% | | Kayin | | 0 | 0 | 0 | 0 | 0 | 0 | 1// | 7.5 |
| Freq 0 0 1 1 0 1 % 0.0% 0.0% 50.0% 50.0% 50.0% 50.0% 50.0% Freq 0 0 0 0 1 1 % 0.0% 0.0% 0.0% 100.0% | | | | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| % 0.0% 0.0% 50.0% 50.0% 50.0% 50.0% 50.0% Freq 0 0 0 0 0 1 1 % 0.0% 0.0% 0.0% 0.0% 100.0% <td></td> <td>Sagaing</td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td>•</td> <td>5</td> <td>0</td> <td><u>.</u></td> <td></td> | | Sagaing | | 0 | 0 | 0 | • | 5 | 0 | <u>.</u> | |
| Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 100.0% Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 100.0% Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 50.0% 50.0% Freq 0 1 1 1 1 1 1 1 % 0.0% 100.0% 100.0% 100.0% 100.0% 50.0% 0 | | | | %0.0 | %0.0 | %0.0 | 20.0% | 20.0% | %0.0 | 20.0% | 20.0% |
| % 0.0% 0.0% 0.0% 0.0% 100.0% Freq 0 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% Freq 0 0 0 0 0 1 1 % 0.0% 0.0% 50.0% 0.0% 0.0% 50.0% 100.0% Freq 0 0 1 | | Tanintheri | | 0 | 0 | 0 | 0 | 0 | 0 | \$ | AT . |
| Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 100.0% Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 50.0% 50.0% Freq 0 1 1 1 1 1 1 Freq 0 0 0 0 0 0 0 0 0 Freq 0 | | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| % 0.0% 0.0% 0.0% 0.0% 100.0% Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 0.0% 50.0% Freq 0 1 1 1 1 K 0.0% 100.0% 100.0% 100.0% 100.0% Freq 0 0 0 0 0 % 0.0% 0.0% 0.0% 0.0% 0.0% Freq 0 0 0 0 0 % 0.0% 0.0% 0.0% 0.0% 0.0% Freq 0 0 0 0 0 % 0.0% 0.0% 0.0% 0.0% 0.0% % 0.0% 0.0% 0.0% 0.0% 0.0% | | Bago | | 0 | 0 | 0 | 0 | 0 | 0 | • | 3 |
| Freq 0 0 0 0 1 % 0.0% 0.0% 50.0% 0.0% 0.0% 50.0% Freq 0 1 1 1 1 1 % 0.0% 100.0% 100.0% 100.0% 100.0% 100.0% Freq 0 0 0 0 0 0 0 % 0.0% 0 0 0 0 0 0 0 Freq 0 0 0 0 0 0 0 0 % 0.0% 0 0 0 0 0 0 0 % 0.0% 0 0 0 0 0 1 1 % 0.0% 0.0% 0.0% 0.0% 0.0% 100.0% 100.0% | | | | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| % 0.0% 50.0% 0.0% 0.0% 50.0% Freq 0 1 1 1 1 1 % 0.0% 100.0% 100.0% 100.0% 100.0% 100.0% Freq 0 0 0 0 0 0 % 0.0% 0.0% 0.0% 0.0% 100.0% Freq 0 0 0 0 0 % 0.0% 0.0% 0.0% 100.0% | | Magway | | 0 | 0 | - | 0 | 0 | 0 | • | |
| Freq 0 1 | | | | %0.0 | %0.0 | 20.0% | %0.0 | %0.0 | %0.0 | 20.0% | 100.0% |
| % 0.0% 100.0% 100.0% 100.0% 100.0% 100.0% Freq 0 0 0 0 0 0 0 Freq 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% Freq 0 0 0 0 0 1 % 0.0% 0.0% 0.0% 100.0% 100.0% | | Mandalay | | 0 | _ | - | | 7/ | 7% | 7% | 3% |
| Freq 0 | | | | %0.0 | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| % 0.0% 0.0% 0.0% 0.0% 0.0% Freq 0 0 0 0 1 % 0.0% 0.0% 0.0% 100.0% 100.0% | | Mon | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Freq 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% |
| 0.0% 0.0% 0.0% 0.0% 100.0% | | Rakhine | | 0 | 0 | 0 | 0 | 0 | 0 | S | 3 |
| | | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 0.0% | 100.0% | 100.0% |

| | Yangon | Fred | 0 | 0 | 0 | 0 | 0 | 0 | က | က |
|------------------------|--------------|------|--------|--------|--------|--------|--------|--------|--------|----------|
| | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| | Shan (South) | Freq | 0 | 0 | 0 | 0 | 0 | 0 | - | - |
| | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| | Shan (East) | Freq | _ | _ | _ | - | ~ | - | 0 | - |
| | 6 | % | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | %0.0 | 100.0% |
| | Ayeyawady | Freq | 0 | 0 | 0 | 0 | 0 | 0 | • | <u>*</u> |
| | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| | Nay Pyi Taw | Freq | 0 | 0 | 0 | 0 | 0 | 0 | - | - |
| | | % | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | 100.0% | 100.0% |
| Urban/Rural | Urban | Freq | - | 2 | 2 | 2 | 2 | 2 | 14 | 16 |
| | | % | 6.3% | 12.5% | 12.5% | 12.5% | 12.5% | 12.5% | 87.5% | 100.0% |
| | Rural | Freq | 0 | 0 | - | 2 | 2 | 0 | 0 | 2 |
| | | % | %0.0 | %0.0 | 33.3% | %2'99 | %2'99 | %0.0 | %0.0 | %2'99 |
| Type of administration | Govt | Freq | 0 | 0 | - | 2 | 2 | 0 | 0 | 2 |
| | | % | %0.0 | %0.0 | 33.3% | %2'99 | %2'99 | %0.0 | %0.0 | %2'99 |
| | Private | Freq | | 2 | 2 | 2 | 2 | 2 | 14 | 16 |
| | | % | 6.3% | 12.5% | 12.5% | 12.5% | 12.5% | 12.5% | 87.5% | 100.0% |
| | Total | Freq | - | 2 | က | 4 | 4 | 2 | 14 | 18 |

Table 84a. Types of users' charge

| | | Responses | Percent of Cases (N=132) | Percent of all HFs (N=380) |
|-----------------------|---------------------------------|-----------|--------------------------------|----------------------------------|
| For which user fee is | Charging for consultation | 20 | 15.2% | 5.3% |
| chargeda | Charging for medication | 127 | 96.2% | 33.4% |
| | Charging for specialty services | 48 | 36.4% | 12.6% |

User charge was noted at (132/380=34.7%) of HFs. Respondents from 33.4% of HFs stated there were user fees especially for "medicine" and "specialty services" (12.6%). HFs which charged for consultation fees was only 5.3%. Comparatively higher number was due to inclusiveness of private sector HFs in the analysis. Private sector HFs had no FOC services.

Charged for medication

Table 85. Percentage distribution of SDPs by issues for which user fee ischargedformedication (N=110)

| | | | 2 | | | ee for medication | |
|-----------------|----------------------------|------|--------------------------|--------------------|--|----------------------|------|
| | | | birth spacing medication | for ANC medication | for child care medication | for other medication | Tota |
| Level of Health | Tertiary level | Freq | 1 | 2 | 2 | 9 | 9 |
| Facility | | % | 11.1% | 22.2% | 22.2% | 100.0% | |
| | Secondary | Freq | 18 | 22 | 28 | 53 | 62 |
| | level | % | 29.0% | 35.5% | 45.2% | 85.5% | |
| | Primary level | Freq | 9 | 11 | 18 | 31 | 35 |
| | | % | 25.7% | 31.4% | 51.4% | 88.6% | |
| | Private | Freq | 1 | 2 | 2 | 3 | 4 |
| | hospital | % | 25.0% | 50.0% | 50.0% | 75.0% | |
| State/Region | Kachin | Freq | 6 | 8 | 8 | 11 | 12 |
| | | % | 50.0% | 66.7% | 66.7% | 91.7% | |
| | Kayah | Freq | 1 | 1 | 3 | 4 | 4 |
| | | % | 25.0% | 25.0% | 75.0% | 100.0% | |
| | Kayin | Freq | 0 | 0 | 1 | 1 | 9 |
| | /// | % | 0.0% | 0.0% | 100.0% | 100.0% | |
| | Chin | Freq | 1 | 1 | 1 | 0 | ĵ |
| | | % | 100.0% | 100.0% | 100.0% | 0.0% | |
| | Sagaing | Freq | 4 | 2 | 5 | 9 | 10 |
| | | % | 40.0% | 20.0% | 50.0% | 90.0% | |
| | Tanintheri | Freq | 1 | 1 | 1 | 4 | |
| | | % | 20.0% | 20.0% | 20.0% | 80.0% | |
| | Bago | Freq | 0 | 0 | 0 | 1 | |
| | | % | 0.0% | 0.0% | 0.0% | 100.0% | |
| | Magway | Freq | 2 | 3 | 4 | 16 | 16 |
| | 1970 1870 1 | % | 12.5% | 18.8% | 25.0% | 100.0% | |
| | Mandalay | Freq | 0 | 1 | 0 | 2 | |
| | The Palace of General Port | % | 0.0% | 50.0% | 0.0% | 100.0% | |
| | Mon | Freq | 1 | 2 | 1 | 3 | |
| | | % | 33.3% | 66.7% | 33.3% | 100.0% | |
| | Rakhine | Freq | 2 | 4 | 7 | 11 | 1: |
| | | % | 15.4% | 30.8% | 53.8% | 84.6% | |
| | Yangon | Freq | 1 | 0 | ************************************** | 2 | |
| | | % | 50.0% | 0.0% | 50.0% | 100.0% | |
| | Shan (South) | Freq | 1 | 1 | 3 | 8 | Ç |
| | _ varvantuserenti = | % | 11.1% | 11.1% | 33.3% | 88.9% | |

| | Shan (North) | Freq | 1 | 1 | 3 | 8 | 9 |
|-------------|--------------|------|-------|--------|--------|--------|-----|
| | | % | 11.1% | 11.1% | 33.3% | 88.9% | |
| | Shan (East) | Freq | 1 | 3 | 3 | 4 | 5 |
| | | % | 20.0% | 60.0% | 60.0% | 80.0% | |
| | Ayeyawady | Freq | 7 | 8 | 8 | 11 | 16 |
| | | % | 43.8% | 50.0% | 50.0% | 68.8% | |
| | Nay Pyi Taw | Freq | 0 | 1 | 1 | 1 | 1 |
| | | % | 0.0% | 100.0% | 100.0% | 100.0% | |
| Urban/Rural | Urban | Freq | 11 | 13 | 16 | 37 | 41 |
| | | % | 26.8% | 31.7% | 39.0% | 90.2% | |
| | Rural | Freq | 18 | 24 | 34 | 59 | 69 |
| | | % | 26.1% | 34.8% | 49.3% | 85.5% | |
| | Total | Freq | 29 | 37 | 50 | 96 | 110 |

Regarding to user fees for medication, more frequent HFs were at tertiary level and also more apparent in urban HFs.

Charged for services provided by a qualified health care provider

Table 86. Percentage distribution of SDPs by issues for which user fee is charged for services provided by aqualifiedhealthcare provider (N=47)

| services | or specialty | User fee fo | | | | | | | | |
|----------------------|---------------|------------------------------|---------------------|-----------------------|--------------|---------|-------------------|------|----------------|----------|
| for other or service | for HIV (ART) | for under-five child care | for newborn care | for postnatal care | for delivery | for ANC | for birth spacing | | | |
| 3 | 1 | 2 | 2 | 1 | 2 | 0 | 0 | Freq | Tertiary level | Level of |
| 100.0% | 33.3% | 66.7% | 66.7% | 33.3% | 66.7% | 0.0% | 0.0% | % | | Health |
| 18 | 7 | 6 | 6 | 5 | 5 | 2 | 2 | Freq | Secondary | Facility |
| 100.0% | 38.9% | 33.3% | 33.3% | 27.8% | 27.8% | 11.1% | 11.1% | % | level | |
| 9 | 2 | 4 | 6 | 6 | 2 | 2 | 2 | Freq | Primary level | |
| 100.0% | 22.2% | 44.4% | 66.7% | 66.7% | 22.2% | 22.2% | 22.2% | % | | |
| 17 | 3 | 2 | 2 | 2 | 2 | 2 | 0 | Freq | Private | |
| 100.0% | 17.6% | 11.8% | 11.8% | 11.8% | 11.8% | 11.8% | 0.0% | % | hospital | |
| 5 | 2 | 1 | 4 | 5 | 1 | 1 | 1 | Freq | Kachin | State/ |
| 100.0% | 40.0% | 20.0% | 80.0% | 100.0% | 20.0% | 20.0% | 20.0% | % | | Region |
| 4 | 0 | 3 | 3 | 3 | 2 | 0 | 0 | Freq | Kayah | 100 |
| 100.0% | 0.0% | 75.0% | 75.0% | 75.0% | 50.0% | 0.0% | 0.0% | % | | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Freq | Kayin | |
| 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | Sagaing | |
| 2 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | Freq | | |
| 100.0% | 50.0% | 50.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Freq | Tanintheri | |
| 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | | |
| 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | Freq | Bago | |
| 100.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | #### | |
| 2 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | Freq | Magway | |
| 100.0% | 0.0% | 50.0% | 50.0% | 0.0% | 50.0% | 0.0% | 0.0% | % | | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Freq | Mandalay | |
| 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | | |
| 2 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | Freq | Mon | |
| 100.0% | 50.0% | 50.0% | 50.0% | 50.0% | 50.0% | 50.0% | 0.0% | % | | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Freq | Rakhine | |
| 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | % | | |
| 4 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | Freq | Yangon | |

| | | % | 25.0% | 25.0% | 25.0% | 0.0% | 25.0% | 25.0% | 25.0% | 100.0% |
|----------------|-----------------------|------|-------|-------|-------|-------|-------|-------|--------|--------|
| | Shan (South) | Freq | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| | Shan (North) | Freq | 0 | 2 | 3 | 3 | 3 | 3 | 4 | 4 |
| | | % | 0.0% | 50.0% | 75.0% | 75.0% | 75.0% | 75.0% | 100.0% | 100.0% |
| | Shan (East) | Freq | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| | | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 33.3% | 100.0% |
| | Ayeyawady | Freq | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 6 |
| | 1,000,000,000,000,000 | % | 33.3% | 16.7% | 33.3% | 33.3% | 33.3% | 50.0% | 33.3% | 100.0% |
| | Nay Pyi Taw | Freq | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% |
| Urban/ | Urban | Freq | 0 | 3 | 6 | 6 | 6 | 6 | 6 | 30 |
| Rural | | % | 0.0% | 10.0% | 20.0% | 20.0% | 20.0% | 20.0% | 20.0% | 100.0% |
| | Rural | Freq | 4 | 3 | 5 | 8 | 10 | 8 | 7 | 17 |
| | | % | 23.5% | 17.6% | 29.4% | 47.1% | 58.8% | 47.1% | 41.2% | 100.0% |
| Type of | Govt | Freq | 4 | 4 | 9 | 12 | 14 | 12 | 10 | 30 |
| administration | | % | 13.3% | 13.3% | 30.0% | 40.0% | 46.7% | 40.0% | 33.3% | 100.0% |
| | Private | Freq | 0 | 2 | 2 | 2 | 2 | 2 | 3 | 17 |
| | | % | 0.0% | 11.8% | 11.8% | 11.8% | 11.8% | 11.8% | 17.6% | 100.0% |
| | Total | Freq | 4 | 6 | 11 | 14 | 16 | 14 | 13 | 47 |

2018 RHCS Report

Offering modern contraceptive methods

Table 107. Percentage distribution of service delivery points offering modern contraceptive method (N=377)

| Private Freq 15 16 16 18 18 19 18 19 18 19 18 19 19 | | | | for male condom distribution | for female condom distribution | for OC pill prescribing | for prescribing injectable | for ECP pill prescribing | for prescribing IUD | for prescribing implant | for female sterilization |
|---|----------------|------------------|------|------------------------------------|--------------------------------------|----------------------------|----------------------------|-----------------------------|------------------------|-------------------------|-----------------------------|
| Secondary level Fig. 38, 78, 84,2% 84,7% 47,4% 94,7% 78,9% 10,5% 84,2% 94,7% 47,4% 94,7% 78,9% 10,5% 84,2% 94,7% 47,4% 94,7% 78,9% 179 78 <td>evel of Health</td> <td>Tertiary level</td> <td>Fred</td> <td>15</td> <td>2</td> <td>16</td> <td>18</td> <td>6</td> <td>18</td> <td>15</td> <td>19</td> | evel of Health | Tertiary level | Fred | 15 | 2 | 16 | 18 | 6 | 18 | 15 | 19 |
| Secondary level Freq 56.0% 14 133 149 73 997 79 Primary level Freq 154 21 171 168 66.6% 66.6% 49.4% Primary level Freq 154 21 171 16 134 34 4 4 Primary level Freq 144 21 14 175 197% 77.5% 197% 77.5% 197% 77.5% 197% 77.5% 197% 77.5% 197% 77.5% 178 4 5 4 4 4 | Facility | | % | 78.9% | 10.5% | 84.2% | 94.7% | 47.4% | 94.7% | 78.9% | 100.0% |
| Primary level Freq 55.0% 8.8% 83.1% 93.1% 45.6% 60.6% 49.4% Primary level Freq 154 21 171 169 134 34 4 Private hospital Freq 154 12.1% 98.8% 12.1% 189.7% 23.4% 19.7% 19. | | Secondary level | Fred | 88 | 14 | 133 | 149 | 73 | 26 | 62 | 88 |
| Primary level Freq 154 21 171 169 134 34 4 Private hospital % 89.0% 12.1% 98.8% 97.7% 77.5% 19.7% 23.% Private hospital % 68.4% 5.3% 100.0% 94.7% 73.7% 89.5% 94.7% Kachin Freq 14 3 100.0% 94.7% 73.7% 89.5% 94.7% Kayah Freq 6 6 6 4 4 4 Kayah Freq 0 6 6 6 4 4 4 Kayah Freq 0 6 6 6 4 4 4 Kayah Freq 0 0 6 6 6 4 | | | % | 55.0% | 8.8% | 83.1% | 93.1% | 45.6% | %9.09 | 49.4% | 55.0% |
| Private hospital % 89.0% 12.1% 98.8% 97.7% 77.5% 19.7% 2.3% Private hospital Freq 68.4% 5.3% 100.0% 94.7% 77.5% 19.7% 2.3% Kachlin Freq 68.4% 17.6% 100.0% 94.1% 88.2% 29.4% 11.8% Kaylin Freq 6.0 0.0% 85.7% 85.7% 85.7% 11.8% Kaylin Freq 6.0 0.0% 100.0% 100.0% 92.9% 57.1% 57.1% Kaylin Freq 7.0 0.0% 100.0% 100.0% 50.9% 57.1% 57.1% 57.1% Sagaing Freq 7.0 0.0 10.0 0.0 4.0 <t< td=""><td></td><td>Primary level</td><td>Fred</td><td>154</td><td>21</td><td>171</td><td>169</td><td>134</td><td>34</td><td>4</td><td>2</td></t<> | | Primary level | Fred | 154 | 21 | 171 | 169 | 134 | 34 | 4 | 2 |
| Private hospital Freq 43 1 19 18 14 17 18 Kachin Freq 68.4% 5.3% 10.00% 94.7% 73.7% 89.5% 94.7% Kayah Freq 82.4% 17.6% 100.0% 94.7% 88.2% 29.4% 11.8% Kayah Freq 6 0 6 6 6 4 | | Sr. | % | 89.0% | 12.1% | 98.8% | 97.7% | 77.5% | 19.7% | 2.3% | 1.2% |
| Kadrlin Freq 14 3.3% 100.0% 94.7% 73.7% 89.5% 94.7% Kayah Freq 14 3 17 16 15 5 2 Kayah Freq 6 6 6 6 4 | | Private hospital | Fred | 13 | | 19 | 18 | 14 | 17 | 18 | 14 |
| Kaylin Freq 14 3 17 16 15 5 2 Kaylin Freq 82.4% 17.6% 100.0% 94.1% 88.2% 29.4% 11.8% Kaylin Freq 6 0 6 6 6 4 4 4 Kaylin Freq 13 4 14 14 18 8 11.8% Kaylin Freq 13 4 14 14 18 8 14 18 8 14 < | | | % | 68.4% | 5.3% | 100.0% | 94.7% | 73.7% | 89.5% | 94.7% | 73.7% |
| Kayah Freq 62.4% 17.6% 100.0% 94.1% 88.2% 29.4% 11.8% Kayah Freq 6 0 6 6 4 4 4 Kayah Freq 85.7% 0.0% 10.0% 85.7% 85.7% 57.1% 57.1% Kayin Freq 13 4 14 14 13 8 8 Kayin Freq 13 4 14 14 13 8 14 4 57.1% </td <td>State/Region</td> <td>Kachin</td> <td>Fred</td> <td>14</td> <td>က</td> <td>17</td> <td>16</td> <td>15</td> <td>5</td> <td>2</td> <td>.</td> | State/Region | Kachin | Fred | 14 | က | 17 | 16 | 15 | 5 | 2 | . |
| Freq 6 6 6 6 4 4 4 % 85.7% 85.7% 85.7% 85.7% 85.7% 57.1% 57.1% Freq 13 4 14 14 13 8 8 % 92.9% 28.6% 100.0% 100.0% 50.0% 57.1% 57.1% % 70.0% 0.0% 100.0% 100.0% 40.0% 20.0% % 70.0% 0.0% 100.0% 100.0% 40.0% 20.0% Freq 5 3 4 4 4 4 4 % 60.5% 100.0% 100.0% 50.0% 40.0% 20.0% % 92.3% 100.0% 50.0% 37.2% 11.6% % 92.3% 100.0% 60.5% 37.4% 35.4% 40.6% % 60.0% 17.1% 80.0% 91.4% 57.1% 35.1% 40.6% % 60.0% | | | % | 82.4% | 17.6% | 100.0% | 94.1% | 88.2% | 29.4% | 11.8% | 35.3% |
| % 85.7% 0.0% 85.7% 85.7% 57.1 | | Kayah | Fred | 9 | 0 | 9 | 9 | 9 | 4 | 4 | |
| Freq 13 4 14 14 13 8 8 % 92.9% 28.6% 100.0% 100.0% 92.9% 57.1% 57.1% Freq 7 0 10 10 50.9% 57.1% 57.1% Freq 70.0% 100.0% 100.0% 40.0% 20.0% Freq 26 3 42 41 26 16 5 % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 12 3 12 41 26 38.5% 15.4% Freq 21 8 95.3% 100.0% 69.2% 37.2% 11.6% Freq 21 8 32 20 13 1 Freq 23 23.4% 91.4% 57.1% 37.1% 38.6% Freq 23 2 20 13 1 13 % 69.7% 61. | | | % | 85.7% | %0.0 | 85.7% | 85.7% | 85.7% | 57.1% | 57.1% | 42.9% |
| % 92.9% 28.6% 100.0% 100.0% 92.9% 57.1% 57.1% Freq 7 0 10 10 5 4 2 % 70.0% 0.0% 100.0% 100.0% 40.0% 20.0% Freq 26 3 42 41 26 40.0% 20.0% % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 26 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 21 3 42 41 2 20.0% 20.0% % 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 26.6% % 60.0% 17.1% 80.0% 91.4% 57.1% 45.5% 15.4% % 60.0% 17.1% 80.0% 93.9% 39.4% 45.5% 27.3% % 69.7% 6.1% 87.9% 93.9% | | Kayin | Fred | 13 | 4 | 14 | 14 | 13 | 80 | 80 | |
| Freq 7 0 10 10 50.0% 4 2 % 70.0% 0.0% 100.0% 100.0% 50.0% 40.0% 20.0% Freq 26 3 42 41 26 16 5 % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 12 3 12 13 9 5 2 2 Freq 21 6 28 32 20 13 10 10 % 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 28.6% Freq 23 2 2 33 30.4% 45.5% 27.3% Freq 23 2 33 30.4% 45.5% 27.3% % 60.7% 61.7% 93.8% 93.8% 71.9% | | 0) | % | 92.9% | 28.6% | 100.0% | 100.0% | 92.9% | 57.1% | 57.1% | 21.4% |
| % 70.0% 0.0% 100.0% 100.0% 50.0% 40.0% 20.0% Freq 26 3 42 41 26 16 5 % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 12 3 12 13 5 2 Freq 21 6 28 32 20 13 16 Freq 21 6 28 32 20 13 10 Freq 21 6 28 32 20 13 10 Freq 23 21 3 13 15 10 10 Ked 60.0% 17.1% 80.0% 91.4% 57.1% 35.1% 28.6% Freq 23 20 23 21.4% 27.3% 27.3% Freq 27 33 30 30 30 30 30 30 | | Chin | Fred | 7 | 0 | 10 | 10 | 2 | 4 | 2 | 2.2 |
| Freq 26 3 42 41 26 16 5 % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 12 3 12 13 9 5 2 Freq 23 23.1% 92.3% 100.0% 91.4% 69.2% 38.5% 15.4% Freq 21 6 28 32 20 13 10 Freq 21 6 28 32 20 13 16 9 Freq 23 23 34 57.1% 45.5% 27.3% 9 Freq 69.7% 61.% 87.9% 93.9% 39.4% 45.5% 27.3% Freq 12 1 13 1 40.6% Freq 12 32.9% 92.9% 57.1% 40.6% Freq 15 4 22 24 15 35.7% 21.4% | | | % | %0.07 | %0.0 | 100.0% | 100.0% | 20.0% | 40.0% | 20.0% | 20.0% |
| % 60.5% 7.0% 97.7% 95.3% 60.5% 37.2% 11.6% Freq 12 3 12 13 9 5 2 % 92.3% 100.0% 69.2% 38.5% 15.4% Freq 21 6 28 32 20 13 10 % 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 28.6% Freq 23 29 31 13 15 9 Freq 27 29 31.4% 45.5% 27.3% Freq 27 29 33.9% 39.4% 45.5% 27.3% Freq 12 3 33.8% 71.9% 53.1% 40.6% % 84.4% 6.3% 93.8% 93.8% 71.9% 53.1% 40.6% % 85.7% 7.1% 92.9% 57.1% 35.7% 31.4% Freq 15 4 22 24 <td></td> <td>Sagaing</td> <td>Fred</td> <td>26</td> <td>က</td> <td>42</td> <td>41</td> <td>26</td> <td>16</td> <td>2</td> <td>2</td> | | Sagaing | Fred | 26 | က | 42 | 41 | 26 | 16 | 2 | 2 |
| Freq 12 3 12 13 9 5 2 % 92.3% 100.0% 69.2% 38.5% 15.4% % 92.3% 100.0% 90.2% 13 16.4% Freq 21 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 28.6% Freq 23 2 2 3 31 15 9 Freq 27 2 30 30 23 17 13 Freq 27 2 30 93.8% 93.8% 71.9% 53.1% 40.6% % 84.4% 6.3% 93.8% 93.8% 71.9% 53.1% 40.6% Freq 12 1 1 1 1 8 5 3 Kreq 15 4 22 24 15 5 3 Freq 15 4 22 24 15 5 3 <td< td=""><td></td><td></td><td>%</td><td>%5'09</td><td>7.0%</td><td>97.7%</td><td>95.3%</td><td>%5'09</td><td>37.2%</td><td>11.6%</td><td>23.3%</td></td<> | | | % | %5'09 | 7.0% | 97.7% | 95.3% | %5'09 | 37.2% | 11.6% | 23.3% |
| % 92.3% 23.4% 92.3% 100.0% 69.2% 38.5% 15.4% Freq 21 6 28 32 20 13 10 % 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 28.6% Freq 23 2 29 31 13 15 9 Freq 27 2 30 33.9% 39.4% 45.5% 27.3% 97.3% Freq 27 2 30 33 23 17 13 13 Freq 12 1 13 13 8 53.1% 40.6% Freq 12 1 13 13 8 57.1% 35.7% 21.4% Freq 15 4 22 24 15 3 3 Freq 15 4 22 24 15 5 3 Freq 15 4 22 24 | | Tanintheri | Fred | 12 | က | 12 | 13 | 6 | 2 | 2 | |
| Freq 21 6 28 32 20 13 10 % 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 28.6% Freq 23 29 31 13 15 9 Freq 27 2 29 39.8% 93.9% 39.4% 45.5% 27.3% Freq 27 2 30 30 23 17 13 13 Freq 12 1 13 13 8 53.1% 40.6% Freq 15 4 22 24 15 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | | % | 92.3% | 23.1% | 92.3% | 100.0% | 69.2% | 38.5% | 15.4% | 38.5% |
| % 60.0% 17.1% 80.0% 91.4% 57.1% 37.1% 28.6% Freq 23 2 29 31 13 15 9 % 69.7% 6.1% 87.9% 93.9% 39.4% 45.5% 27.3% Freq 27 2 30 30 23 17 13 13 Freq 12 1 13 13 8 51.1% 40.6% % 85.7% 7.1% 92.9% 92.9% 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | Bago | Freq | 21 | 9 | 28 | 32 | 20 | 13 | 10 | ~ |
| Freq 23 2 29 31 13 15 9 % 69.7% 6.1% 87.9% 93.9% 39.4% 45.5% 27.3% Freq 27 30 30 23 17 13 13 Freq 12 1 13 13 8 57.1% 40.6% % 85.7% 7.1% 92.9% 92.9% 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | | % | %0.09 | 17.1% | 80.0% | 91.4% | 57.1% | 37.1% | 28.6% | 22.9% |
| % 69.7% 6.1% 87.9% 93.9% 39.4% 45.5% 27.3% Freq 27 30 30 23 17 13 13 13 13 13 13 14 40.6% 15 14 40.6% 15 14 14 14 13 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 15 14 15 14 15 15 14 15 < | | Magway | Freq | 23 | 2 | 29 | 31 | 13 | 15 | တ | 7 |
| Freq 27 2 30 30 23 17 13 % 84.4% 6.3% 93.8% 93.8% 71.9% 53.1% 40.6% Freq 12 1 13 13 8 5 3 % 85.7% 7.1% 92.9% 92.9% 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | | % | %2'69 | 6.1% | 87.9% | 93.9% | 39.4% | 45.5% | 27.3% | 36.4% |
| % 84.4% 6.3% 93.8% 93.8% 71.9% 53.1% 40.6% Freq 12 1 13 13 8 5 3 % 85.7% 7.1% 92.9% 92.9% 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | Mandalay | Fred | 27 | 2 | 30 | 30 | 23 | 7 | 13 | 7 |
| Freq 12 1 13 13 8 5 3 % 85.7% 7.1% 92.9% 92.9% 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | | % | 84.4% | 6.3% | 93.8% | 93.8% | 71.9% | 53.1% | 40.6% | 40.6% |
| % 85.7% 7.1% 92.9% 92.9% 92.9% 57.1% 35.7% 21.4% Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | Mon | Freq | 12 | - | 13 | 13 | 8 | 5 | က | 7 |
| Freq 15 4 22 24 15 5 3 % 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | | % | 85.7% | 7.1% | 92.9% | 95.9% | 57.1% | 35.7% | 21.4% | 28.6% |
| 62.5% 16.7% 91.7% 100.0% 62.5% 20.8% 12.5% | | Rakhine | Fred | 15 | 4 | 22 | 24 | 15 | 2 | က | |
| | | | % | 62.5% | 16.7% | 91.7% | 100.0% | 62.5% | 20.8% | 12.5% | 29.2% |

2018 RHCS Report

| | Yangon | Freq | 22 | - | 23 | 25 | 15 | 19 | 17 | 12 |
|----------------|--------------|------|-------|-------|--------|--------|--------|-------|-------|-------|
| | | % | 88.0% | 4.0% | 92.0% | 100.0% | %0.09 | %0.97 | %0.89 | 48.0% |
| | Shan (South) | Freq | 20 | 0 | 21 | 21 | 21 | 17 | 10 | 6 |
| | | % | 95.2% | %0.0 | 100.0% | 100.0% | 100.0% | 81.0% | 47.6% | 42.9% |
| | Shan (North) | Freq | 15 | 0 | 20 | 22 | 12 | 2 | 80 | 10 |
| | | % | 68.2% | %0.0 | %6.06 | 100.0% | 54.5% | 22.7% | 36.4% | 45.5% |
| | Shan (East) | Freq | 80 | 0 | 10 | 10 | 4 | 7 | 2 | 4 |
| | | % | 80.0% | %0.0 | 100.0% | 100.0% | 40.0% | %0.07 | 20.0% | 40.0% |
| | Ayeyawady | Freq | 23 | 7 | 36 | 38 | 20 | 15 | 12 | 13 |
| | | % | 53.5% | 16.3% | 83.7% | 88.4% | 46.5% | 34.9% | 27.9% | 30.2% |
| | Nay Pyi Taw | Freq | 9 | 2 | 9 | 80 | 2 | 9 | 9 | 2 |
| | | % | 75.0% | 25.0% | %0'52 | 100.0% | 62.5% | 75.0% | 75.0% | 25.0% |
| Urban/Rural | Urban | Freq | 66 | 13 | 129 | 136 | 88 | 96 | 9/ | 83 |
| | | % | 68.3% | %0.6 | %0.68 | 93.8% | 61.4% | 66.2% | 52.4% | 57.2% |
| | Rural | Freq | 171 | 25 | 210 | 218 | 141 | 20 | 40 | 40 |
| | | % | 75.7% | 11.1% | 92.9% | 96.5% | 62.4% | 31.0% | 17.7% | 17.7% |
| Type of | Govt | Freq | 257 | 37 | 320 | 336 | 216 | 149 | 86 | 109 |
| administration | | % | 73.0% | 10.5% | %6.06 | 95.5% | 61.4% | 42.3% | 27.8% | 31.0% |
| | Private | Freq | 13 | - | 19 | 18 | 14 | 17 | 18 | 14 |
| | | % | 68.4% | 5.3% | 100.0% | 94.7% | 73.7% | 89.5% | 94.7% | 73.7% |
| | Total | Fred | 270 | 38 | 339 | 354 | 230 | 166 | 116 | 123 |

OCP and injectable contraceptives were most commonly provided BS methods at all level HFs. ECP and male condom were second most common use contraceptives. Majority of tertiary level HFs could provide injectable, IUD, OCP, implant, male condom, and female sterilization method. Commonly available BS methods at primary level HFs were OCP, injectable, male condom and ECP. Female condom, ECP, IUD and implants methods were not much available at all levels of HFs. Urban rural difference was obvious for IUD, implant and female sterilization methods. The pattern was similar to the last year 2016 and 2017.

2018 RHCS Report

Availability of any Maternal/RH Medicine

Table 108. Percentage distribution of service delivery points with any Maternal/RH Medicine Available

| Total | 19 | | 167 | | 175 | | 19 | | 17 | | 7 | | 14 | | 12 | | 4 | | 13 | | 37 | |
|---------------------------------|-----------------|----------|-----------|-------|---------------|-------|---------|----------|--------------|--------|-------|---------|-------|---------|------|-------|---------|-------|------------|---------|------|-------|
| Recently available | 17 | 89.5% | 127 | %0.97 | 91 | 34.9% | 17 | 89.5% | 14 | 82.4% | 3 | 45.9% | Ξ | %9'82 | 80 | %2.99 | 22 | %0.09 | 4 | 30.8% | Ξ | 29.7% |
| Na Lactate | 19 | 100.0% | 155 | 92.8% | 165 | 94.3% | 18 | 94.7% | 16 | 94.1% | 7 | 100.0% | 14 | 100.001 | ŧ | 91.7% | 43 | %1.7% | 13 | 100.001 | 33 | 89.2% |
| oxytocin | 17 | 89.5% | 150 | %8.68 | 152 | %6.98 | 48 | 94.7% | 15 | 88.2% | 7 | 100.001 | 13 | 95.9% | 7 | 58.3% | 40 | %6.06 | F | 84.6% | 33 | 83.8% |
| nifedipine | 11 | 89.5% | 138 | 82.6% | 126 | 72.0% | 17 | 89.5% | 12 | %9.07 | 9 | 85.7% | 7 | %0.09 | 4 | 33.3% | 39 | %9.88 | 13 | 100.0% | 24 | 64.9% |
| mifepristone | - | 5.3% | 9 | %0.9 | 2 | 2.9% | 4 | 21.1% | 2 | 11.8% | 0 | %0.0 | - | 7.1% | 0 | %0.0 | 2 | 4.5% | ** | 7.7% | 2 | 5.4% |
| misoprostol | 15 | 78.9% | 104 | 62.3% | 131 | 74.9% | 18 | 94.7% | 11 | 64.7% | 7 | 100.0% | F | %9'82 | 2 | 41.7% | 30 | 68.2% | 13 | 100.0% | 13 | 35.1% |
| metronidazole | 19 | 100.0% | 149 | 89.2% | 143 | 81.7% | 18 | 94.7% | 17 | 100.0% | 9 | 85.7% | 12 | 85.7% | 6 | 75.0% | 39 | %9.88 | 12 | 92.3% | 27 | 73.0% |
| M-Dopa | 8 | 42.1% | 29 | 35.3% | 20 | 11.4% | 15 | 78.9% | 2 | 29.4% | 3 | 42.9% | 2 | 14.3% | 2 | 16.7% | 18 | 40.9% | 3 | 23.1% | 3 | 8.1% |
| MgSO4 | 18 | 94.7% | 115 | %6.89 | 130 | 74.3% | 12 | 63.2% | 13 | 76.5% | 9 | 85.7% | F | 78.6% | 8 | 25.0% | 32 | 72.7% | F | 84.6% | 20 | 54.1% |
| hydralazine | F | %6'29 | 33 | 19.8% | 8 | 4.6% | တ | 47.4% | 0 | %0.0 | 2 | 28.6% | 4 | 28.6% | 2 | 16.7% | 6 | 20.5% | 3 | 23.1% | 2 | 5.4% |
| gentamycin | 18 | 94.7% | 149 | 89.2% | 101 | 27.7% | 18 | 94.7% | 12 | %9:02 | 7 | 100.0% | ÷ | 78.6% | 4 | 83.3% | 36 | 81.8% | 12 | 92.3% | 16 | 43.2% |
| cefixime | 17 | 89.5% | 124 | 74.3% | 69 | 39.4% | 18 | 94.7% | 15 | 88.2% | 4 | 57.1% | 7 | 20.0% | 1 | 58.3% | 33 | 75.0% | 4 | 30.8% | 41 | 45.9% |
| calcium gluconate | 14 | 73.7% | 115 | %6'89 | 46 | 26.3% | 17 | 89.5% | 6 | 52.9% | က | 42.9% | 9 | 45.9% | က | 25.0% | 31 | 70.5% | 7 | 53.8% | 12 | 32.4% |
| betamethasone/ dexamethasone | 15 | 78.9% | 132 | %0.62 | 69 | 39.4% | 92 | 94.7% | 15 | 88.2% | 7 | 57.1% | 6 | 64.3% | 4 | 33.3% | 35 | 79.5% | 7. | 53.8% | Ξ | 29.7% |
| benzithine/benzyl penicillin | 10 | 52.6% | 113 | %1.79 | 28 | 16.0% | 16 | 84.2% | 9 | 35.3% | - | 14.3% | 1 | 20.0% | 9 | %0.09 | 20 | 45.5% | 9 | 46.2% | 13 | 35.1% |
| azithromycin | 12 | 63.2% | 118 | 70.7% | 95 | 25.6% | 48 | 94.7% | 5 | 29.4% | 2 | 28.6% | 2 | 14.3% | 2 | 41.7% | 41 | 93.2% | 12 | 92.3% | 17 | 45.9% |
| ampicillin | 9 | 31.6% | 108 | 64.7% | 99 | 37.7% | 8 | 94.7% | ∞ | 47.1% | 2 | 28.6% | 4 | 28.6% | 2 | 41.7% | 32 | 72.7% | 9 | 46.2% | 8 | 21.6% |
| | Freq | % | Freq | % | Freq | % | Freq | % | Fred | % | Freq | % | Fred | % | Freq | % | Freq | % | Freq | % | Freq | % |
| | Tertiary level | | Secondary | level | Primary level | | Private | hospital | Kachin | | Kayah | | Kayin | | Chin | | Sagaing | | Tanintheri | | Bago | |
| | Level of Health | Facility | | | | | | | State/Region | | | | | | | | | | | | | |

2018 RHCS Report

| 97.0% 30.3% 30.3% 30.3% 36.4% | 30.3% 30.3% 30.3% |
|--------------------------------|--------------------|
| 18 13 20 16 19 | 13 20 16 |
| 54.5% 39.4% 60.6% 48.5% 57.6% | 39.4% 60.6% 48.5% |
| 12 11 15 11 | 11 15 |
| 80.0% 73.3% 100.0% 73.3% 53.3% | 73.3% 100.0% 73.3% |
| 11 6 13 13 | 6 13 |
| 45.8% 25.0% 54.2% 54.2% | 25.0% 54.2% |
| 17 12 17 17 | 12 17 |
| 68.0% 48.0% 68.0% 68.0% | 48.0% 68.0% |
| 12 9 18 14 | 9 18 |
| 57.1% 42.9% 85.7% 66.7% | 42.9% 85.7% |
| 21 13 14 10 | 13 14 |
| 91.3% 56.5% 60.9% 43.5% | %6.09 %5.95 |
| 2 8 7 7 | |
| 70.0% 70.0% 80.0% 50.0% | %0.08 %0.07 |
| 20 22 28 21 | 22 28 |
| 45.5% 50.0% 63.6% 47.7% | 20.0% 63.6% |
| 6 5 6 4 | 5 6 |
| 75.0% 62.5% 75.0% 50.0% | 62.5% 75.0% |
| 109 85 107 94 | 85 107 |
| 73.6% 57.4% 72.3% 63.5% | 57.4% 72.3% |
| 131 82 127 98 | 82 127 |
| 56.5% 35.3% 54.7% 42.2% | 35.3% 54.7% |
| 222 151 216 175 | 151 216 |
| 61.5% 41.8% 59.8% 48.5% | 41.8% 59.8% |
| 18 16 18 17 | 16 18 |
| 94.7% 84.2% 94.7% 89.5% | 84.2% 94.7% |
| 240 167 234 192 | |

Any modern contraceptive method in stock (NO STOCK OUT) in the last three months

Table 109. Percentage distribution of service delivery points with any modern contraceptive method instock (NO STOCK-OUT) in the last three months (N=336)

| | | | male condom | female condom | OCpill | injectable | ECP | IUD | implant | femal sterilizatio |
|--------------|-------------|------|----------------|---------------|--------|------------|-------|-------|---------|-----------------------|
| Level of | Tertiary | Freq | 15 | 2 | 13 | 13 | 5 | 15 | 12 | 1 |
| Health | levél | % | 78.9% | 10.5% | 68.4% | 68.4% | 26.3% | 78.9% | 63.2% | 78.99 |
| Facility | Secondary | Freq | 61 | 9 | 92 | 99 | 44 | 69 | 59 | 6 |
| | level | % | 43.6% | 6.4% | 65.7% | 70.7% | 31.4% | 49.3% | 42.1% | 42.99 |
| | Primary | Freq | 118 | 20 | 134 | 124 | 93 | 32 | 4 | R |
| | level | % | 73.8% | 12.5% | 83.8% | 77.5% | 58.1% | 20.0% | 2.5% | 2.59 |
| | Private | Freq | 11 | 2 | 17 | 16 | 12 | 15 | 16 | 1 |
| | hospital | % | 64.7% | 11.8% | 100.0% | 94.1% | 70.6% | 88.2% | 94.1% | 58.89 |
| State/Region | Kachin | Freq | 10 | 4 | 13 | 13 | 11 | 4 | 1 | |
| | | % | 66.7% | 26.7% | 86.7% | 86.7% | 73.3% | 26.7% | 6.7% | 20.09 |
| | Kayah | Freq | 5 | 0 | 6 | 4 | 5 | 4 | 4 | |
| | | % | 71.4% | 0.0% | 85.7% | 57.1% | 71.4% | 57.1% | 57.1% | 42.99 |
| | Kayin | Freq | 11 | 2 | 13 | 13 | 10 | 8 | 8 | |
| | | % | 78.6% | 14.3% | 92.9% | 92.9% | 71.4% | 57.1% | 57.1% | 28.69 |
| | Chin | Freq | 4 | 0 | 7 | 7 | 1 | 2 | 1 | |
| | | % | 50.0% | 0.0% | 87.5% | 87.5% | 12.5% | 25.0% | 12.5% | 25.09 |
| | Sagaing | Freq | 20 | 1 | 27 | 24 | 12 | 13 | 1 | |
| | | % | 51.3% | 2.6% | 69.2% | 61.5% | 30.8% | 33.3% | 2.6% | 17.99 |
| | Tanintheri | Freq | 9 | 4 | 10 | 11 | 5 | 6 | 1 | |
| | | % | 69.2% | 30.8% | 76.9% | 84.6% | 38.5% | 46.2% | 7.7% | 46.2 |
| | Bago | Freq | 15 | 4 | 21 | 22 | 12 | 7 | 7 | |
| | | % | 51.7% | 13.8% | 72.4% | 75.9% | 41.4% | 24.1% | 24.1% | 27.6 |
| | Magway | Freq | 17 | 1 | 22 | 20 | 4 | 8 | 9 | 1 |
| | | % | 56.7% | 3.3% | 73.3% | 66.7% | 13.3% | 26.7% | 30.0% | 40.0 |
| | Mandalay | Freq | 17 | 3 | 18 | 14 | 13 | 11 | 8 | |
| | | % | 60.7% | 10.7% | 64.3% | 50.0% | 46.4% | 39.3% | 28.6% | 25.0 |
| | Mon | Freq | 9 | 0 | 10 | 11 | 7 | 3 | 1 | |
| | | % | 75.0% | 0.0% | 83.3% | 91.7% | 58.3% | 25.0% | 8.3% | 0.0 |
| | Rakhine | Freq | 12 | 3 | 17 | 14 | 11 | 1 | 1 | |
| | | % | 63.2% | 15.8% | 89.5% | 73.7% | 57.9% | 5.3% | 5.3% | 0.0 |
| | Yangon | Freq | 21 | 3 | 19 | 22 | 10 | 19 | 17 | 1 |
| | W | % | 84.0% | 12.0% | 76.0% | 88.0% | 40.0% | 76.0% | 68.0% | 52.09 |
| | Shan | Freq | 17 | 0 | 21 | 20 | 16 | 13 | 8 | |
| | (South) | % | 81.0% | 0.0% | 100.0% | 95.2% | 76.2% | 61.9% | 38.1% | 19.09 |
| | Shan | Freq | 15 | 0 | 18 | 20 | 13 | 11 | 7 | |
| | (North) | % | 65.2% | 0.0% | 78.3% | 87.0% | 56.5% | 47.8% | 30.4% | 30.49 |
| | Shan (East) | Freq | 5 | 1 | 6 | 9 | 5 | 4 | 2 | |
| | | % | 55.6% | 11.1% | 66.7% | 100.0% | 55.6% | 44.4% | 22.2% | 33.3 |
| | Ayeyawady | Freq | 14 | 7 | 26 | 24 | 17 | 14 | 11 | |
| | | % | 36.8% | 18.4% | 68.4% | 63.2% | 44.7% | 36.8% | 28.9% | 21.19 |
| | Nay Pyi | Freq | 4 | 0 | 2 | 4 | 2 | 3 | 4 | |
| | Taw | % | 66.7% | 0.0% | 33.3% | 66.7% | 33.3% | 50.0% | 66.7% | 33.39 |
| Urban/Rural | Urban | Freq | 84 | 12 | 100 | 100 | 60 | 75 | 60 | 6 |
| | | % | 65.6% | 9.4% | 78.1% | 78.1% | 46.9% | 58.6% | 46.9% | 48.49 |
| | Rural | Freq | 121 | 21 | 156 | 152 | 94 | 56 | 31 | 2 |
| | | % | 58.2% | 10.1% | 75.0% | 73.1% | 45.2% | 26.9% | 14.9% | 13.09 |
| | Total | Freq | 205 | 33 | 256 | 252 | 154 | 131 | 91 | 8 |

Contraceptive method "no stock-out" at last three months was well observed only for OCP, and injectable at all level HFs (>65%). Female condom was least frequent for "no stock-out" for all level HFs (<20%). Implant 'no stock-out' (19%) was not much improved than last year for all level government

sector HFs. Contraceptives except female condom were in-stock at most of private hospital.

Any modern contraceptive method in stock (NO STOCK-OUT) at the time of the survey

Table 110. Percentage distribution of service delivery points with a modern contraceptive method instock (NO STOCK-OUT) at the time of the survey

| | | | | | | | Contr | aceptive i | no stock-ou | ıt recenta |
|--------------|------------|------|-------------|---------------|---------|------------------------------|-------|------------|-------------|-------------------------|
| | | 8 | male condom | female condom | OC pill | injectable contraceptives | ECP | IUD | implant | female sterilization |
| Level of | Tertiary | Freq | 14 | 2 | 15 | 13 | 7 | 15 | 13 | 11 |
| Health | level | % | 73.7% | 10.5% | 78.9% | 68.4% | 36.8% | 78.9% | 68.4% | 57.9% |
| Facility | Secondary | Freq | 65 | 12 | 91 | 110 | 46 | 66 | 50 | 44 |
| | level | % | 45.5% | 8.4% | 63.6% | 76.9% | 32.2% | 46.2% | 35.0% | 30.8% |
| | Primary | Freq | 121 | 19 | 143 | 140 | 105 | 41 | 8 | 6 |
| | level | % | 73.8% | 11.6% | 87.2% | 85.4% | 64.0% | 25.0% | 4.9% | 3.7% |
| | Private | Freq | 9 | 2 | 14 | 14 | 11 | 12 | 13 | 8 |
| | hospital | % | 64.3% | 14.3% | 100.0% | 100.0% | 78.6% | 85.7% | 92.9% | 57.1% |
| State/Region | Kachin | Freq | 10 | 3 | 13 | 14 | 11 | 7 | 1 | 4 |
| | | % | 62.5% | 18.8% | 81.3% | 87.5% | 68.8% | 43.8% | 6.3% | 25.0% |
| | Kayah | Freq | 5 | 0 | 5 | 4 | 5 | 5 | 4 | 3 |
| | | % | 71.4% | 0.0% | 71.4% | 57.1% | 71.4% | 71.4% | 57.1% | 42.9% |
| | Kayin | Freq | 10 | 2 | 14 | 14 | 11 | 8 | 6 | 5 |
| | | % | 71.4% | 14.3% | 100.0% | 100.0% | 78.6% | 57.1% | 42.9% | 35.7% |
| | Chin | Freq | 4 | 0 | 10 | 10 | 2 | 1 | 2 | 2 |
| | | % | 40.0% | 0.0% | 100.0% | 100.0% | 20.0% | 10.0% | 20.0% | 20.0% |
| | Sagaing | Freq | 20 | 1 | 31 | 28 | 15 | 12 | 0 | 0 |
| | | % | 51.3% | 2.6% | 79.5% | 71.8% | 38.5% | 30.8% | 0.0% | 0.0% |
| | Tanintheri | Freq | 9 | 4 | 8 | 10 | 7 | 5 | 0 | 2 |
| | | % | 75.0% | 33.3% | 66.7% | 83.3% | 58.3% | 41.7% | 0.0% | 16.7% |
| | Bago | Freq | 12 | 3 | 17 | 21 | 10 | 4 | 5 | 6 |
| | | % | 42.9% | 10.7% | 60.7% | 75.0% | 35.7% | 14.3% | 17.9% | 21.4% |
| | Magway | Freq | 20 | 1 | 25 | 25 | 6 | 8 | 6 | 11 |
| | | % | 66.7% | 3.3% | 83.3% | 83.3% | 20.0% | 26.7% | 20.0% | 36.7% |
| | Mandalay | Freq | 18 | 3 | 25 | 20 | 17 | 11 | 10 | 1 |
| | | % | 60.0% | 10.0% | 83.3% | 66.7% | 56.7% | 36.7% | 33.3% | 3.3% |
| | Mon | Freq | 8 | 1 | 9 | 9 | 6 | 3 | 2 | 0 |
| | | % | 72.7% | 9.1% | 81.8% | 81.8% | 54.5% | 27.3% | 18.2% | 0.0% |
| | Rakhine | Freq | 14 | 3 | 16 | 18 | 10 | 3 | 1 | 0 |
| | | % | 63.6% | 13.6% | 72.7% | 81.8% | 45.5% | 13.6% | 4.5% | 0.0% |
| | Yangon | Freq | 20 | 3 | 19 | 21 | 15 | 19 | 15 | 12 |
| | | % | 83.3% | 12.5% | 79.2% | 87.5% | 62.5% | 79.2% | 62.5% | 50.0% |
| | Shan | Freq | 17 | 1 | 19 | 20 | 17 | 16 | 9 | 7 |
| | (South) | % | 81.0% | 4.8% | 90.5% | 95.2% | 81.0% | 76.2% | 42.9% | 33.3% |
| | Shan | Freq | 12 | 0 | 11 | 15 | 10 | 7 | 1 | 2 |
| | (North) | % | 66.7% | 0.0% | 61.1% | 83.3% | 55.6% | 38.9% | 5.6% | 11.1% |
| | | | | | | | | | | |

| | Shan | Freq | 6 | 2 | 7 | 7 | 5 | 3 | 1 | 3 |
|-------------|-----------------|------|-------|-------|-------|-------|-------|-------|--------|-------|
| | (East) | % | 75.0% | 25.0% | 87.5% | 87.5% | 62.5% | 37.5% | 12.5% | 37.5% |
| | Ayeyawady | Freq | 19 | 7 | 30 | 35 | 18 | 17 | 14 | 5 |
| | | % | 44.2% | 16.3% | 69.8% | 81.4% | 41.9% | 39.5% | 32.6% | 11.6% |
| | Nay Pyi | Freq | 5 | 1 | 4 | 6 | 4 | 5 | 7 | 6 |
| | Taw | % | 71.4% | 14.3% | 57.1% | 85.7% | 57.1% | 71.4% | 100.0% | 85.7% |
| Urban/Rural | Urban | Freq | 82 | 16 | 96 | 107 | 61 | 70 | 52 | 46 |
| | 200 (170,000 0) | % | 65.1% | 12.7% | 76.2% | 84.9% | 48.4% | 55.6% | 41.3% | 36.5% |
| | Rural | Freq | 127 | 19 | 167 | 170 | 108 | 64 | 32 | 23 |
| | | % | 59.3% | 8.9% | 78.0% | 79.4% | 50.5% | 29.9% | 15.0% | 10.7% |
| | Total | Freq | 209 | 35 | 263 | 277 | 169 | 134 | 84 | 69 |

Recent "no stock-out" was very low for female condom for all level HFs (<10%). Highest "no stock-out" rate at all level HFs was observed for OCP and injectable methods (>65%). No stock-out for other BS methods were found moderately apparent (20-50%). Significant urban rural discrepancy was noted for IUD, implant and female sterilization.

Table 110b. Availability of life-saving MRH Medicine comparison in four years

| RH Medicine | 2015 | 2016 | 2017 | 2018 |
|-----------------------|-------|-------|-------|-------|
| (inj metro) | 89.6% | 96.3% | 86.0% | 86.6% |
| (inj Na Lactate) | 77.8% | 86.5% | 85.7% | 93.9% |
| (oral misoprostol) | 74.7% | 75.9% | 71.2% | 70.5% |
| (inj oxytocin) | 72.2% | 78.3% | 86.0% | 88.7% |
| (inj gentamycin) | 64.0% | 79.9% | 65.7% | 75.3% |
| (inj dexa) | 62.9% | 70.9% | 59.6% | 61.6% |
| (inj ampicillin) | 60.4% | 70.6% | 49.2% | 52.1% |
| (inj MgSO4) | 57.0% | 74.6% | 78.3% | 72.4% |
| (inj benz penicillin) | 55.1% | 55.6% | 48.1% | 43.9% |
| (oral nifedipine) | 53.9% | 73.8% | 69.5% | 78.4% |
| (oral cefixime) | 53.7% | 66.4% | 51.4% | 60.0% |
| (inj azithro) | 50.6% | 71.2% | 60.7% | 63.2% |
| (inj cal gluconate) | 50.6% | 63.8% | 53.3% | 50.5% |
| (inj TT) | 42.1% | 63.2% | 65.4% | 58.4% |
| (oral M-Dopa) | 19.4% | 41.0% | 30.5% | 26.8% |
| (oral hydralazine) | 11.0% | 23.0% | 20.6% | 16.1% |

Four most common RH life-saving medicines in 2017 were "Inj Metronidazole" (86.6%), "Na Lactate" (93.9%), "Oral misoprostol" (70.5%) and "Inj Oxytocin" (88.7%). "Inj Gentamycin" was available at 75.3% of all HFs. Least frequently available medicine were 'M-dopa" (26.8%) and "Hydralazine" (16.1%). 58.4% of HFs of all levels had injection TT. Primary-level HFs were not relevant in this availability because most of those HFs had no continuous cold chain to keep TT injection all the time in their facility. Availability of some kinds of RH medicine (misoprostol, MgSO4, penicillin, calcium were less in this year assessment compare to last year report.




Figure 16. Two years comparison of recent availability of RH Medicine

Stock-out situation and reasons for stock-out by specific contraceptive methods (For FP2020 indicators)

Table 110c. Contraceptive stock-out in last 3 months

| | | N | Responses Percent | Percent of Cases (N=373) |
|-----------------------------------|----------------------|-----|----------------------|-----------------------------|
| Contraceptive stock-out in last 3 | Male condom | 153 | 14.4% | 47.2% |
| mth ^a | Female condom | 201 | 18.9% | 62.0% |
| | OCP | 111 | 10.4% | 34.3% |
| | Injection | 120 | 11.3% | 37.0% |
| | ECP | 194 | 18.2% | 59.9% |
| | IUD | 156 | 14.6% | 48.1% |
| | Implant | 90 | 8.5% | 27.8% |
| | Female sterilization | 34 | 3.2% | 10.5% |

a. Dichotomy group tabulated at value 1.

Table 110d. Contraceptive stock-out at time of survey

| | | N | Responses Percent | Percent of Cases |
|---------------------------------|----------------------|-----|----------------------|------------------|
| Contraceptive stock-out recenta | Male condom | 171 | 7.9% | 45.0% |
| | Female condom | 345 | 15.9% | 90.8% |
| | OCP | 117 | 5.4% | 30.8% |
| | Injection | 103 | 4.7% | 27.1% |
| | ECP | 211 | 9.7% | 55.5% |
| | IUD | 246 | 11.3% | 64.7% |
| | Implant | 296 | 13.6% | 77.9% |
| | Female sterilization | 311 | 14.3% | 81.8% |

a. Dichotomy group tabulated at value 2.

Table 110e. Reasons for stock-out recently

| 66 | Supplies could not received | male |
|-----|------------------------------------|-------------------------|
| | timely | condom |
| 8 | Supplies could not indent timely | |
| 1 | Stock-out at market | |
| 26 | No users | |
| 35 | No supply | female |
| | Supplies could not received timely | condom |
| | Supplies could not indent timely | |
| | Stock-out at market | |
| 61 | No users | |
| 90 | No supply | |
| 56 | Supplies could not received timely | OC pill |
| 14 | Supplies could not indent timely | |
| | Stock-out at market | |
| 7 | No users | |
| 12 | No supply | |
| 56 | Supplies could not received | injectable |
| | timely | |
| 10 | Supplies could not indend timely | |
| 4 | No users | |
| 11 | No supply | 22.00 |
| 75 | Supplies could not received timely | ECP |
| 15 | Supplies could not indend timely | |
| 2 | Stock-out at market | |
| 35 | No users | |
| | No skilled staff | |
| 42 | No supply | |
| 61 | Supplies could not received timely | IUD |
| 10 | Supplies could not indend timely | |
| | Stock-out at market | |
| 21 | No users | |
| 18 | No skilled staff | |
| 1 | No equipment | |
| 35 | No supply | |
| 32 | Supplies could not received timely | implant |
| 7 | Supplies could not indend timely | |
| 2 | Stock-out at market | |
| - 6 | No users | |
| 18 | No skilled staff | |
| 2 | 11.410.0.41.14.15.11.11.11.11.11 | |
| | No equipment | |
| 24 | No supply | female |
| | Supplies could not received timely | remaie sterilization |
| 8 | No users | |
| 18 | No skilled staff | |
| | No equipment | |
| 2 | Operation Theatre not functioning | |

PART IV. Findings from clients interview

Background characteristics of Clients

| | Characteristics | Frequency | Percent |
|----------|-----------------|-----------|---------|
| State/ | Kachin | 66 | 5.9 |
| Region | Kayah | 66 | 5.9 |
| | Kayin | 64 | 5.8 |
| | Chin | 65 | 5.8 |
| | Sagaing | 65 | 5.8 |
| | Tanintheri | 65 | 5.8 |
| | Bago | 64 | 5.8 |
| | Magway | 65 | 5.8 |
| | Mandalay | 70 | 6.3 |
| | Mon | 65 | 5.8 |
| | Rakhine | 66 | 5.9 |
| | Yangon | 65 | 5.8 |
| | Shan (South) | 67 | 6.0 |
| | Shan (North) | 64 | 5.8 |
| | Shan (East) | 65 | 5.8 |
| | Ayeyawady | 65 | 5.8 |
| | Nay Pyi Taw | 66 | 5.9 |
| Level of | Tertiary level | 88 | 7.9 |
| Health | Secondary level | 359 | 32.3 |
| Facility | Primary level | 666 | 59.8 |
| Urban/Ru | Urban | 497 | 44.7 |
| ral | Rural | 616 | 55.3 |
| | Total | 1113 | 100.0 |

Distribution of clients who had responded to the client exit interview by region, level of HFs and urban/rural residence were described in the table above. Similar to the last year, this year assessment the sample clients with equal number in all regions were recruited. In each region, 5 from one tertiary HF, 20 from two secondary HFs and 40 from four primary HFs were sampled from selected HFs' client register. No clients from private sector HFs were recruited. Most of clients were interviewed at their home rather than inviting to the clinic by specifically recruited and trained enumerators from States/Regional Public Health Departments. Client recruitment was also proportionately in accordance with level of facility and urban/rural status. Proportion of clients in rural was nearly twice of urban.

| | | Ur | ban/Rural | |
|--------------------------|-----------------|-------|-----------|-------|
| | 5. | Urban | Rural | Total |
| Level of Health Facility | Tertiary level | 72 | 16 | 88 |
| 24 | Secondary level | 211 | 148 | 359 |
| | Primary level | 214 | 452 | 666 |
| | Total | 497 | 616 | 1113 |

Sex distribution of clients

Table 87. Sex distribution of clients

| | | | | Sex | |
|--------------------------|-----------------|------|------|--------|--------|
| | | 8 | Male | Female | Total |
| Level of Health Facility | Tertiary level | Freq | 1 | 87 | 88 |
| | | % | 1.1% | 98.9% | 100.0% |
| | Secondary level | Freq | 1 | 358 | 359 |
| | | % | 0.3% | 99.7% | 100.0% |
| | Primary level | Freq | 0 | 666 | 666 |
| | - | % | 0.0% | 100.0% | 100.0% |
| | Total | Freq | 2 | 1111 | 1113 |
| | | % | 0.2% | 99.8% | 100.0% |

Age distribution of clients Table 88. Age distribution of clients

2018 RHCS Report

| | Clients' Characteristics | racteristics | 15 - 19 | 20 - 24 | 25 - 29 | 30 - 34 | 35 - 39 | 40 - 44 | 45 - 49 | 50 - 54 | 22+ | Total |
|-----------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|----------|------|--------|
| Level of Health | Tertiary level | Freq | 4 | 11 | 24 | 20 | 18 | 80 | 2 | <u> </u> | 0 | 88 |
| Facility | ge. | % | 4.5% | 12.5% | 27.3% | 22.7% | 20.5% | 9.1% | 2.3% | 1.1% | %0.0 | 100.0% |
| | Secondary | Fred | 4 | 11 | 73 | 88 | 22 | 35 | 23 | 8 | 0 | 329 |
| | level | % | 1.1% | 21.4% | 20.3% | 24.8% | 15.9% | 9.7% | 6.4% | 0.3% | %0.0 | 100.0% |
| | Primary level | Freq | 28 | 118 | 137 | 135 | 135 | 81 | 28 | က | - | 999 |
| | | % | 4.2% | 17.7% | 20.6% | 20.3% | 20.3% | 12.2% | 4.2% | 0.5% | 0.5% | 100.0% |
| State/Region | Kachin | Freq | - | 15 | 12 | 15 | 8 | တ | 9 | 0 | 0 | 99 |
| | | % | 1.5% | 22.7% | 18.2% | 22.7% | 12.1% | 13.6% | 9.1% | %0.0 | %0.0 | 100.0% |
| | Kayah | Freq | - | 6 | 20 | 19 | 10 | 2 | 2 | 0 | 0 | 99 |
| | | % | 1.5% | 13.6% | 30.3% | 28.8% | 15.2% | 7.6% | 3.0% | %0.0 | %0.0 | 100.0% |
| | Kayin | Fred | 2 | 80 | 1 | 17 | 14 | 6 | 2 | 5 | 0 | 64 |
| | | % | 3.1% | 12.5% | 17.2% | 26.6% | 21.9% | 14.1% | 3.1% | 1.6% | %0.0 | 100.0% |
| | Chin | Freq | - | = | 23 | 12 | 7 | ∞ | က | 0 | 0 | 65 |
| | | % | 1.5% | 16.9% | 35.4% | 18.5% | 10.8% | 12.3% | 4.6% | %0.0 | %0.0 | 100.0% |
| | Sagaing | Freq | 2 | Ξ | 16 | 15 | 12 | ω | - | 0 | 0 | 65 |
| | | % | 3.1% | 16.9% | 24.6% | 23.1% | 18.5% | 12.3% | 1.5% | %0.0 | %0.0 | 100.0% |
| | Tanintheri | Freq | • | 13 | 12 | 80 | 22 | 2 | 3 | 5 | 0 | 65 |
| | | % | 1.5% | 20.0% | 18.5% | 12.3% | 33.8% | 7.7% | 4.6% | 1.5% | %0.0 | 100.0% |
| | Bago | Fred | က | 10 | 12 | 13 | 12 | 2 | 80 | 0 | 5.0 | 64 |
| | | % | 4.7% | 15.6% | 18.8% | 20.3% | 18.8% | 7.8% | 12.5% | %0.0 | 1.6% | 100.0% |
| | Magway | Freq | 2 | 6 | 15 | 13 | 12 | 9 | 8 | 0 | 0 | 65 |
| | | % | 3.1% | 13.8% | 23.1% | 20.0% | 18.5% | 9.2% | 12.3% | %0.0 | %0.0 | 100.0% |
| | Mandalay | Freq | က | 7 | o | 17 | 21 | 10 | 3 | 0 | 0 | 70 |
| | | % | 4.3% | 10.0% | 12.9% | 24.3% | 30.0% | 14.3% | 4.3% | %0.0 | %0.0 | 100.0% |
| | Mon | Freq | 4 | 7 | 12 | 17 | 14 | 80 | 3 | 0 | 0 | 65 |
| | | % | 6.2% | 10.8% | 18.5% | 26.2% | 21.5% | 12.3% | 4.6% | %0.0 | %0.0 | 100.0% |
| | Rakhine | Freq | 0 | 17 | 17 | 16 | 1 | 4 | *** | 0 | 0 | 99 |
| | | % | %0.0 | 25.8% | 25.8% | 24.2% | 16.7% | 6.1% | 1.5% | %0.0 | %0.0 | 100.0% |
| | Yangon | Freq | 4 | 19 | 7 | 10 | 12 | 80 | 2 | 0 | 0 | 65 |
| | | % | 6.2% | 29.2% | 10.8% | 15.4% | 18.5% | 12.3% | 7.7% | %0.0 | %0:0 | 100.0% |
| | Shan (South) | Freq | വ | 17 | 12 | Ξ | 14 | 9 | 2 | 0 | 0 | 29 |
| | | % | 7.5% | 25.4% | 17.9% | 16.4% | 20.9% | %0.6 | 3.0% | %0.0 | %0.0 | 100.0% |

| | Shan (North) | Fred | 2 | 18 | 12 | 18 | 2 | വ | 2 | 0 | 0 | 64 |
|-------------|--------------|------|------|-------|-------|-------|-------|-------|------|---------------|----------|--------|
| | 9 | % | 3.1% | 28.1% | 18.8% | 28.1% | 10.9% | 7.8% | 3.1% | %0.0 | %0.0 | 100.0% |
| | Shan (East) | Freq | 2 | 14 | 19 | 12 | 7 | 6 | • | - | 0 | 65 |
| | | % | 3.1% | 21.5% | 29.2% | 18.5% | 10.8% | 13.8% | 1.5% | 1.5% | %0.0 | 100.0% |
| | Ayeyawady | Freq | 2 | 14 | 11 | 15 | 10 | - | 0 | 2 | 0 | 65 |
| | | % | 3.1% | 21.5% | 16.9% | 23.1% | 15.4% | 16.9% | %0.0 | 3.1% | %0.0 | 100.0% |
| | Nay Pyi Taw | Freq | - | 7 | 14 | 16 | 17 | 80 | က | 0 | 0 | 99 |
| | | % | 1.5% | 10.6% | 21.2% | 24.2% | 25.8% | 12.1% | 4.5% | %0.0 | %0.0 | 100.0% |
| Urban/Rural | Urban | Freq | 14 | 110 | 108 | 111 | 82 | 51 | 19 | 2 | 0 | 497 |
| | | % | 2.8% | 22.1% | 21.7% | 22.3% | 16.5% | 10.3% | 3.8% | 0.4% | %0.0 | 100.0% |
| | Rural | Freq | 22 | 96 | 126 | 133 | 128 | 73 | 34 | က | - | 616 |
| | | % | 3.6% | 15.6% | 20.5% | 21.6% | 20.8% | 11.9% | 2.5% | 0.5% | 0.2% | 100.0% |
| | Total | Freq | 36 | 206 | 234 | 244 | 210 | 124 | 53 | 2 | 5 | 1113 |
| | | % | 3.2% | 18.5% | 21.0% | 21.9% | 18.9% | 11.1% | 4.8% | 0.4% | 0.1% | 100.0% |

More than 90% of clients were aged between 20-49 years.

Marital status of clients

Table 89. Marital status of clients

| | Marital status | | | | | |
|---------------|----------------------|---------------------------|--------------------------|-----------|------------------|-----------------|
| | Divorce | 11 | 1137 | 62 | | |
| Tota | /separated/ widow | Married/ live together | Unmarried /live together | orietice | Clients' Charact | |
| 88 | widow 2 | 86 | 0 | Freq | Tertiary level | Level of Health |
| 100.0% | 2.3% | 97.7% | 0.0% | % | rordary lover | Facility |
| 359 | 4 | 354 | 1 | Freq | Secondary level | 1 dointy |
| 100.0% | 1.1% | 98.6% | 0.3% | % | Occordary level | |
| 666 | 5 | 652 | 9 | Freq | Primary level | |
| 100.0% | 0.8% | 97.9% | 1.4% | % | 1 milary level | |
| 66 | 0.070 | 61 | 5 | Freq | Kachin | State/Region |
| 100.0% | 0.0% | 92.4% | 7.6% | % | Naoriii | Oldio/Negion |
| 66 | 0.070 | 66 | 0 | Freq | Kayah | |
| 100.0% | 0.0% | 100.0% | 0.0% | % | rayan | |
| 64 | 3 | 61 | 0.070 | Freq | Kayin | |
| 100.0% | 4.7% | 95.3% | 0.0% | % | rayiii | |
| 65 | 2 | 63 | 0.070 | Freq | Chin | |
| 100.0% | 3.1% | 96.9% | 0.0% | % | Otilit | |
| 65 | 0 | 65 | 0.070 | Freq | Sagaing | |
| 100.0% | 0.0% | 100.0% | 0.0% | % | Cayang | |
| 65 | 0.070 | 65 | 0.070 | Freq | Tanintheri | |
| 100.0% | 0.0% | 100.0% | 0.0% | % | Taninuicii | |
| 64 | 0.076 | 62 | 0.078 | Freq | Bago | |
| 100.0% | 1.6% | 96.9% | 1.6% | % | Dago | |
| 65 | 0 | 65 | 0 | Freq | Magway | |
| 100.0% | 0.0% | 100.0% | 0.0% | % | wayway | |
| 70 | 0.0% | 70 | 0.070 | Freq | Mandalay | |
| 100.0% | 0.0% | 100.0% | 0.0% | % | iviariualay | |
| 65 | 0.0% | 64 | 0.0% | | Mon | |
| 100.0% | 1.5% | 98.5% | 0.0% | Freq % | IVIOI1 | |
| 100.0% | 1.5% | 96.5% | 0.0% | | Rakhine | |
| 100.0% | 1.5% | 98.5% | 0.0% | Freq % | Nakilile | |
| 65 | 1.5% | 90.576 | 0.0% | | Vangon | |
| 100.0% | 1.5% | 98.5% | 0.0% | Freq % | Yangon | |
| | | 96.5% | 0.0% | | Chan (Couth) | |
| 100.0% | 1 50/ | 97.0% | 1.5% | Freq % | Shan (South) | |
| 100.0% | 1.5% | 97.0% | Anno America | | Chan (North) | |
| 100.0% | 0.0% | 100.0% | 0.0% | Freq | Shan (North) | |
| 100.0% | 0.0% | 65 | 0.0% | % Erog | Chan (Foot) | |
| 100.0% | 0.0% | 100.0% | 0.0% | Freq % | Shan (East) | |
| 100.0% | 0.0% | 62 | 0.0% | | Augustus du | |
| 100.0% | 0.0% | 95.4% | | Freq % | Ayeyawady | |
| 100.0% | | | 4.6% | | New Dui Tour | |
| | 1 50/ | 65 | 0 0% | Freq % | Nay Pyi Taw | |
| 100.0% | 1.5% | 98.5% | 0.0% | | Lirbon | Lirban/Dural |
| 497 100.0% | 1.6% | 487 | 0.4% | Freq % | Urban | Urban/Rural |
| 616 | 1.6% | 98.0% | 0.4% 8 | | Rural | |
| | | 605 | | Freq % | Kural | |
| 100.0% | 0.5% | 98.2% | 1.3% | | Total | |
| 1113 | 11 | 1092 | 10 | Freq | Total | |
| 100.0% | 1.0% | 98.1% | 0.9% | % | | |

Majority of clients was married (98.1%). There was no differential between levels of HFs, regions and urban rural.

Education level

Table 90. Percentage distribution of clients by education level

| | | | | Edu | cation level | |
|--|------------------------|----------|--------------|---------|--------------|--------|
| | Clients' Charact | eristics | No schooling | Primary | Above | Tot |
| evel of Health | Tertiary level | Freq | 7 | 22 | 59 | 8 |
| Facility | 7 | % | 8.0% | 25.0% | 67.0% | 100.00 |
| | Secondary level | Freq | 23 | 99 | 237 | 35 |
| | * | % | 6.4% | 27.6% | 66.0% | 100.00 |
| | Primary level | Freq | 55 | 220 | 391 | 66 |
| | ON THE PROPERTY OF THE | % | 8.3% | 33.0% | 58.7% | 100.09 |
| State/Region | Kachin | Freq | 0 | 16 | 50 | 6 |
| NAMES OF THE PARTY | | % | 0.0% | 24.2% | 75.8% | 100.0 |
| | Kayah | Freq | 4 | 15 | 47 | 6 |
| | | % | 6.1% | 22.7% | 71.2% | 100.0 |
| | Kayin | Freq | 2 | 27 | 35 | 6 |
| | | % | 3.1% | 42.2% | 54.7% | 100.0 |
| | Chin | Freq | 7 | 19 | 39 | 6 |
| | N911111 1 | % | 10.8% | 29.2% | 60.0% | 100.0 |
| | Sagaing | Freq | 2 | 21 | 42 | (|
| | cagaing | % | 3.1% | 32.3% | 64.6% | 100.0 |
| | Tanintheri | Freq | 3 | 25 | 37 | (|
| | rannatari | % | 4.6% | 38.5% | 56.9% | 100.0 |
| | Bago | Freq | 2 | 27 | 35 | 100.0 |
| | Dago | % | 3.1% | 42.2% | 54.7% | 100.0 |
| | Magway | Freq | 8 | 26 | 31 | 100.0 |
| | Magnay | % | 12.3% | 40.0% | 47.7% | 100.0 |
| | Mandalay | Freq | 5 | 19 | 46 | 700.0 |
| | Manaday | % | 7.1% | 27.1% | 65.7% | 100.0 |
| | Mon | Freq | 3 | 18 | 44 | 100.0 |
| | mon. | % | 4.6% | 27.7% | 67.7% | 100.0 |
| | Rakhine | Freq | 2 | 14 | 50 | (|
| | Takinio | % | 3.0% | 21.2% | 75.8% | 100.0 |
| | Yangon | Freq | 6 | 23 | 36 | (|
| | rangen | % | 9.2% | 35.4% | 55.4% | 100.0 |
| | Shan (South) | Freq | 9 | 15 | 43 | (|
| | Chan (Codai) | % | 13.4% | 22.4% | 64.2% | 100.0 |
| | Shan (North) | Freq | 6 | 15 | 43 | (|
| | Orian (North) | % | 9.4% | 23.4% | 67.2% | 100.0 |
| | Shan (East) | Freq | 14 | 15 | 36 | (|
| | Orian (Last) | % | 21.5% | 23.1% | 55.4% | 100.0 |
| | Ayeyawady | Freq | 3 | 21 | 41 | 100.0 |
| | Aycyawaay | % | 4.6% | 32.3% | 63.1% | 100.0 |
| | Nay Pyi Taw | Freq | 9 | 25 | 32 | 100.0 |
| | ray i yi raw | % | 13.6% | 37.9% | 48.5% | 100.0 |
| Urban/Rural | Urban | Freq | 43 | 133 | 321 | 49 |
| Olbail/Mai | Olbali | % | 8.7% | 26.8% | 64.6% | 100.0 |
| | Rural | Freq | 42 | 20.076 | 366 | 61 |
| | Nuidi | % | 6.8% | 33.8% | 59.4% | 100.0 |
| | Total | Freq | 85 | 341 | 687 | 100.0 |
| | TOTAL | % | 7.6% | 30.6% | 61.7% | 100.0 |

More than 90% of clients was above primary level education. One-third of clients was at primary level education. There was slight higher level education in urban (64.6% vs. 59.4%) HFs. Respondents from Kacinh, Kayah, and Rakhine were noted as relatively higher level of education.

Clients' perception of family planning service provision

Clients' frequency of visit to the SDP for FP services

Table 91. Percentage distribution of clients by frequency of visit to the SDP for FP services

| | caing clinic | isit to birth sp | ency of ever | Freque | | - | | |
|--------|-------------------------------|------------------|-------------------|-----------------|---------|------------|-------------------------|-----------------|
| Tota | Just once (for implant) | Irregularly | three- monthly | two- monthly | monthly | cteristics | Clients' Chara | |
| 8 | 0 | 29 | 44 | 1 | 14 | Freq | Tertiary level | Level of Health |
| 100.09 | 0.0% | 33.0% | 50.0% | 1.1% | 15.9% | % | | Facility |
| 35 | 0 | 62 | 216 | 3 | 78 | Freq | Secondary | |
| 100.09 | 0.0% | 17.3% | 60.2% | 0.8% | 21.7% | % | level | |
| 66 | 1 | 52 | 454 | 10 | 149 | Freq | Primary level | |
| 100.09 | 0.2% | 7.8% | 68.2% | 1.5% | 22.4% | % | 8 | |
| 6 | 0 | 8 | 36 | 1 | 21 | Freq | Kachin | State/Region |
| 100.09 | 0.0% | 12.1% | 54.5% | 1.5% | 31.8% | % | | |
| 6 | 0 | 18 | 36 | 1 | 11 | Freq | Kayah | |
| 100.09 | 0.0% | 27.3% | 54.5% | 1.5% | 16.7% | % | | |
| 6 | 1 | 13 | 33 | 0 | 17 | Freq | Kayin | |
| 100.09 | 1.6% | 20.3% | 51.6% | 0.0% | 26.6% | % | | |
| 6 | 0 | 22 | 35 | 0 | 8 | Freq | Chin | |
| 100.09 | 0.0% | 33.8% | 53.8% | 0.0% | 12.3% | % | | |
| 6 | 0 | 7 | 44 | 1 | 13 | Freq | Sagaing | |
| 100.09 | 0.0% | 10.8% | 67.7% | 1.5% | 20.0% | % | <i>≅i. ≅i.</i> == | |
| 6 | 0 | 4 | 53 | 0 | 8 | Freq | Tanintheri | |
| 100.09 | 0.0% | 6.2% | 81.5% | 0.0% | 12.3% | % | | |
| 6 | 0 | 1 | 43 | 2 | 18 | Freq | Bago | |
| 100.09 | 0.0% | 1.6% | 67.2% | 3.1% | 28.1% | % | | |
| 6 | 0 | 2 | 46 | 1 | 16 | Freq | Magway | |
| 100.09 | 0.0% | 3.1% | 70.8% | 1.5% | 24.6% | % | | |
| 7 | 0 | 8 | 44 | 0 | 18 | Freq | Mandalay | |
| 100.09 | 0.0% | 11.4% | 62.9% | 0.0% | 25.7% | % | | |
| 6 | 0 | 3 | 46 | 1 | 15 | Freq | Mon | |
| 100.09 | 0.0% | 4.6% | 70.8% | 1.5% | 23.1% | % | | |
| 6 | 0 | 0 | 56 | 0 | 10 | Freq | Rakhine | |
| 100.09 | 0.0% | 0.0% | 84.8% | 0.0% | 15.2% | % | | |
| 6 | 0 | 7 | 44 | 1 | 13 | Freq | Yangon | |
| 100.09 | 0.0% | 10.8% | 67.7% | 1.5% | 20.0% | % | | |
| 6 | 0 | 13 | 40 | 1 | 13 | Freq | Shan (South) | |
| 100.09 | 0.0% | 19.4% | 59.7% | 1.5% | 19.4% | % | * | |
| 6 | 0 | 4 | 46 | 3 | 11 | Freq | Shan (North) | |
| 100.09 | 0.0% | 6.3% | 71.9% | 4.7% | 17.2% | % | ¥1 (6) | |
| 6 | 0 | 8 | 35 | 0 | 22 | Freq | Shan (East) | |
| 100.09 | 0.0% | 12.3% | 53.8% | 0.0% | 33.8% | % | | |
| 6 | 0 | 9 | 41 | 0 | 15 | Freq | Ayeyawady | |
| 100.09 | 0.0% | 13.8% | 63.1% | 0.0% | 23.1% | % | 10.1 (1.0) | |
| 6 | 0 | 16 | 36 | 2 | 12 | Freq | Nay Pyi Taw | |
| 100.09 | 0.0% | 24.2% | 54.5% | 3.0% | 18.2% | % | Transport of an arrange | |
| 49 | 1 | 72 | 311 | 6 | 107 | Freq | Urban | Urban/Rural |
| 100.09 | 0.2% | 14.5% | 62.6% | 1.2% | 21.5% | % | | |
| 61 | 0 | 71 | 403 | 8 | 134 | Freq | Rural | |
| 100.09 | 0.0% | 11.5% | 65.4% | 1.3% | 21.8% | % | | |
| 111 | 1 | 143 | 714 | 14 | 241 | Freq | Total | |
| 100.09 | 0.1% | 12.8% | 64.2% | 1.3% | 21.7% | % | 0.70370 | |

About 86% of clients in the interview were monthly or three-monthly visitors. Of them, three-monthly visitors were accounted as two-thirds of total (64.2%). 12.8% of clients were irregular visitors. Irregularity was more apparent in tertiary level HFs, Chin, Kayah and Kayin States with slightly higher at urban areas. Three-monthly visits were more frequent in lower level HFs.

Clients' perspective of FP service provider's adherence to technical issues

Table 92. Percentage distribution of clients' perspective of FP service provider's adherence to technical issues

| | | | | | Staff | Staff informed you | Staff informed you side effects | | |
|--------------------------|--------------------------|-----------|-------------------------------------|--|--|---|---|---------------------|-------|
| | Clients' Characteristics | terístics | The method you got is that you like | Staff informed you how to use the method | informed you side effects of the method | how to manage side effects of the method | of the method that need to follow up | Staff informed next | Total |
| Level of Health Facility | Tertiary level | Freq | 98 | 89 | 65 | 89 | 69 | 80 | 88 |
| | × | % | 97.7% | 77.3% | 73.9% | 77.3% | 78.4% | %6'06 | |
| | Secondary level | Freq | 330 | 310 | 274 | 271 | 284 | 318 | 355 |
| | | % | 93.0% | 87.3% | 77.2% | 76.3% | 80.0% | %9.68 | |
| | Primary level | Fred | 295 | 594 | 539 | 526 | 546 | 592 | 629 |
| | | % | 90.3% | 90.1% | 81.8% | %8'62 | 82.9% | 86.8% | |
| State/Region | Kachin | Fred | 65 | 61 | 49 | 45 | 42 | 49 | 65 |
| re. | | % | 100.0% | 93.8% | 75.4% | 69.2% | 64.6% | 75.4% | |
| | Kayah | Fred | 64 | 61 | 53 | 45 | 52 | 29 | 99 |
| | | % | %0'.26 | 92.4% | 80.3% | 68.2% | 78.8% | 89.4% | |
| | Kayin | Fred | 29 | 63 | 41 | 33 | 37 | 28 | 49 |
| | | % | 92.2% | 98.4% | 64.1% | %6.09 | 24.8% | %9.06 | |
| | Chin | Fred | 25 | 52 | 8 | 32 | 4 | 55 | 63 |
| | | % | 85.7% | 82.5% | 54.0% | 20.8% | 65.1% | 87.3% | |
| | Sagaing | Fred | 26 | 51 | 47 | 47 | 52 | 54 | 64 |
| | | % | 87.5% | 79.7% | 73.4% | 73.4% | 81.3% | 84.4% | |
| | Tanintheri | Fred | 65 | 62 | 22 | 29 | 29 | 63 | 65 |
| | | % | 100.0% | 95.4% | 87.7% | %8'06 | %8.06 | %6'96 | |
| | Bago | Fred | 28 | 54 | 55 | 52 | 51 | 55 | 49 |
| | | % | 100.0% | 84.4% | 84.4% | 81.3% | %2.62 | 85.9% | |
| | Magway | Fred | 63 | 28 | 25 | 55 | 22 | 28 | 65 |
| | | % | %6.96 | 89.2% | 87.7% | 84.6% | 87.7% | 89.2% | |
| | Mandalay | Fred | 61 | 89 | 92 | 29 | 89 | 64 | 69 |
| | | % | 88.4% | %9'86 | 94.2% | 97.1% | %9.86 | 92.8% | |
| | Mon | Fred | 63 | 62 | 22 | 26 | 26 | 62 | 65 |

| | | % | %6.96 | 95.4% | 87.7% | 86.2% | 86.2% | 95.4% | |
|-------------|--------------|------|--------|-------|-------|-------|-------|-------|------|
| | Rakhine | Freq | 53 | 09 | 25 | 53 | 22 | 63 | 99 |
| | | % | 80.3% | %6.06 | 78.8% | 80.3% | 83.3% | 95.5% | |
| | Yangon | Freq | 29 | 29 | 48 | 53 | 24 | 26 | 64 |
| | G. | % | 92.2% | 92.2% | 75.0% | 82.8% | 84.4% | 87.5% | |
| | Shan (South) | Fred | 25 | 53 | 54 | 25 | 28 | 62 | 65 |
| | | % | 87.7% | 81.5% | 83.1% | 87.7% | 89.2% | 95.4% | |
| | Shan (North) | Fred | 64 | 61 | 55 | 26 | 26 | 09 | 64 |
| | | % | 100.0% | 95.3% | 85.9% | 87.5% | 87.5% | 93.8% | |
| | Shan (East) | Freq | 42 | 44 | 47 | 49 | 53 | 26 | 62 |
| | 77. VE | % | %2'.29 | 71.0% | 75.8% | %0.62 | 85.5% | 90.3% | |
| | Ayeyawady | Fred | 99 | 51 | 26 | 20 | 52 | 29 | 65 |
| | | % | 86.2% | 78.5% | 86.2% | %6'92 | %0.08 | %8'06 | |
| | Nay Pyi Taw | Fred | 99 | 52 | 25 | 20 | 26 | 25 | 99 |
| | | % | 100.0% | 78.8% | 78.8% | 75.8% | 84.8% | 86.4% | |
| Urban/Rural | Urban | Fred | 458 | 437 | 380 | 383 | 396 | 452 | 494 |
| | | % | 92.7% | 88.5% | %6'92 | 77.5% | 80.2% | 91.5% | |
| | Rural | Fred | 553 | 535 | 498 | 482 | 503 | 538 | 809 |
| | | % | 91.0% | 88.0% | 81.9% | 79.3% | 82.7% | 88.5% | |
| | Total | Freq | 1011 | 972 | 878 | 865 | 899 | 066 | 1102 |

Regarding to clients' response about receiving their preferred method was apparently low in Shan (E) (67.7%) in comparing to other areas having more than 80%. However, the rates were found improved than the last year data (77%). Relative less informed about side effect was noted at Chin (54%) and Kayin Most of people (>90%) got the BS method they preferred. Information they received from providers which relatively less was "about side-effects" (about 70%), about how to manage side effects of the contraceptives" (about 70%), and "about need to follow up for side-effects" (about 80%) especially at tertiary level HFs. (64.1%). Urban rural difference for the information receiving was not noted.

Clients' perspective on organizational aspects of FP service

Table 93. Percentage distribution of Clients' perspective of FP service organizational aspects

| | | | Clie | | | |
|--------------------------|-------------------|------------|--|-------------------------------|---------------------------------------|---------|
| | Clients' Charac | eteristics | Waiting time before consultation was too long | Satisfy the cleanliness of HC | Satisfy privacy status of HC | Tota |
| of Health | Tertiary level | Freq | 21 | 85 | 84 | 87 |
| Facility | , or using to tot | % | 24.1% | 97.7% | 96.6% | |
| Section 2011 August 1997 | Secondary level | Freq | 34 | 350 | 348 | 358 |
| | | % | 9.5% | 97.8% | 97.2% | 1555 |
| | Primary level | Freq | 60 | 648 | 638 | 658 |
| | , innery level | % | 9.1% | 98.5% | 97.0% | (30.50) |
| e/Region | Kachin | Freq | 4 | 66 | 63 | 66 |
| // togion | TRACTION | % | 6.1% | 100.0% | 95.5% | |
| | Kayah | Freq | 13 | 63 | 59 | 65 |
| | rayan | % | 20.0% | 96.9% | 90.8% | |
| | Kayin | Freq | 1 | 63 | 58 | 64 |
| | Kayiii | % | 1.6% | 98.4% | 90.6% | J. |
| | Chin | Freq | 22 | 60 | 61 | 63 |
| | Othir | % | 34.9% | 95.2% | 96.8% | |
| | Sagaing | Freq | 10 | 65 | 63 | 6 |
| | oagang | % | 15.4% | 100.0% | 96.9% | |
| | Tanintheri | Freq | 7 | 63 | 63 | 6 |
| | raminatori | % | 10.8% | 96.9% | 96.9% | |
| | Bago | Freq | 4 | 62 | 61 | 6 |
| | Dago | % | 6.3% | 96.9% | 95.3% | U |
| | Magway | Freq | 7 | 63 | 65 | 6 |
| | iviagway | % | 10.8% | 96.9% | 100.0% | O. |
| | Mandalay | Freq | 4 | 69 | 68 | 6 |
| | Wandalay | % | 5.8% | 100.0% | 98.6% | |
| | Mon | Freq | 4 | 65 | 65 | 6 |
| | WIOII | % | 6.2% | 100.0% | 100.0% | 10 |
| | Rakhine | Freq | 4 | 61 | 64 | 6 |
| | TAKIIII 6 | % | 6.3% | 95.3% | 100.0% | U |
| | Yangon | Freq | 7 | 62 | 63 | 6 |
| | rangon | % | 10.9% | 96.9% | 98.4% | Ü |
| | Shan (South) | Freq | 3 | 67 | 66 | 6 |
| | Onan (Oodin) | % | 4.5% | 100.0% | 98.5% | U |
| | Shan (North) | Freq | 1.576 | 62 | 62 | 6 |
| | Onan (North) | % | 1.6% | 96.9% | 96.9% | ,,0, |
| | Shan (East) | Freq | 1.0% | 62 | 61 | 6 |
| | Orian (Last) | % | 9.7% | 100.0% | 98.4% | 0. |
| | Ayeyawady | Freq | 10 | 64 | 63 | 6 |
| | / ijojawady | % | 15.4% | 98.5% | 96.9% | U |
| | Nay Pyi Taw | Freq | 8 | 66 | 65 | 6 |
| | ridy i yi idii | % | 12.1% | 100.0% | 98.5% | .00 |
| an/Rural | Urban | Freq | 62 | 481 | 477 | 493 |
| ail/ixulai | Olbali | % | 12.6% | 97.6% | 96.8% | 43 |
| | Rural | Freq | 53 | 602 | 593 | 610 |
| | Nulai | rieq % | 8.7% | 98.7% | 97.2% | 010 |
| | Total | Freq | 115 | 1083 | 1070 | 1103 |

More than 95% gave favourable response for situation of clinic. Most of clients satisfied about cleanliness and privacy at the health center. Long waiting time at the health center was complained only by 8.7% of respondents (less than 2017 data >15%). Long waiting time was complained more

frequently by clients of tertiary level HFs (24.1%) and it was slight higher than 2017 (17%). Significantly high percent for responding long waiting time was observed at Chin State. Urban rural difference for responding long waiting time was apparent (12.6% vs. 8.7%).

Clients' perspective on inter-personal aspects of FP service

Table 94. Percentage distribution of clients' perspective of FP service inter-personal aspects

| | personal aspects ^a | Gave | 525 NO 190 | | | |
|------|---|--------------------------------|--|-------------|--|--------------------|
| Tota | Insisted/urged to accept the method you got | regards and warm welcome | Took enough time for consultation | toriotico | Clients' Charac | |
| | | | Control of the Contro | 100.000.000 | CONTRACTOR OF THE PROPERTY OF | Level of Health |
| 8 | 7 | 87 | 86 | Freq | Tertiary level | |
| 25 | 8.0% | 98.9% | 97.7% | % | Ossandan Israel | Facility |
| 35 | 26 | 356 | 346 | Freq | Secondary level | |
| 66 | 7.3% 43 | 99.4% 659 | 96.6% 649 | % | Primary level | |
| 00 | 6.5% | 99.7% | 98.2% | Freq % | Primary level | |
| 6 | 9 | 66 | 64 | Freq | Kachin | State/Region |
| U | 13.6% | 100.0% | 97.0% | % | Nacriiii | Otate/Negion |
| 6 | 4 | 66 | 65 | Freq | Kayah | |
| | 6.1% | 100.0% | 98.5% | % | ixayan | |
| 6 | 1 | 63 | 62 | Freq | Kayin | |
| | 1.6% | 98.4% | 96.9% | % | | |
| 6 | 0 | 64 | 60 | Freq | Chin | |
| | 0.0% | 98.5% | 92.3% | % | | |
| 6 | 7 | 65 | 65 | Freq | Sagaing | |
| 230 | 10.8% | 100.0% | 100.0% | % | | |
| 6 | 5 | 65 | 64 | Freq | Tanintheri | |
| | 7.7% | 100.0% | 98.5% | % | | |
| 6 | 2 | 62 | 63 | Freq | Bago | |
| | 3.1% | 96.9% | 98.4% | % | | |
| 6 | 4 | 65 | 64 | Freq | Magway | |
| | 6.2% | 100.0% | 98.5% | % | | |
| 6 | 0 | 69 | 67 | Freq | Mandalay | |
| 100 | 0.0% | 100.0% | 97.1% | % | 12/21 | |
| 6 | 3 | 65 | 65 | Freq | Mon | |
| | 4.6% | 100.0% | 100.0% | _ % | 2.77 | |
| 6 | 2 | 66 | 65 | Freq | Rakhine | |
| | 3.0% | 100.0% | 98.5% | _ % | (ACCOUNT OF THE CONTROL OF THE CONTR | |
| 6 | 9 | 64 | 63 | Freq | Yangon | |
| • | 14.1% | 100.0% | 98.4% | % | Ob (O#L) | |
| 6 | 5 | 67 100.0% | 400.0% | Freq % | Shan (South) | |
| 6 | 7.5% | 63 | 100.0% 64 | | Shan (North) | |
| O | 4.7% | 98.4% | 100.0% | Freq % | Shari (Norui) | |
| 6 | 7 | 61 | 61 | Freq | Shan (East) | |
| U | 11.5% | 100.0% | 100.0% | % | Orian (Last) | |
| 6 | 13 | 65 | 56 | Freq | Ayeyawady | |
| U | 20.0% | 100.0% | 86.2% | % | rijoyawaay | |
| 6 | 20.070 | 66 | 66 | Freq | Nay Pyi Taw | |
| | 3.0% | 100.0% | 100.0% | % | | |
| 49 | 35 | 493 | 491 | Freq | Urban | Urban/Rural |
| 1805 | 7.1% | 99.4% | 99.0% | % | 7.771 | Assessment was all |
| 61 | 41 | 609 | 590 | Freq | Rural | |

| , | % | 96.6% | 99.7% | 6.7% | |
|-------|------|-------|-------|------|------|
| Total | Freq | 1081 | 1102 | 76 | 1107 |

Regarding the inter-personal relationship with service providers during the clinic visit, almost all of respondents gave favorable response. Only <7% of respondents stated they have been insisted to accept the BS method that they have from the HF. Responding insist on the method choice was more frequently observed at Ayeyarwady, Yangon and Kachin.

Clients' perspective on outcome aspects of FP service

Table 95. Percentage distribution of clients' perspective of FP service outcome aspects

| Tota | Have idea to encourage friends/ relatives to use this HC | Have idea to visit the HC in future | Satisfy the service/ treatment you received | Satisfy the attitude of staff on you | cteristics | Clients' Chara | |
|------|--|-------------------------------------|---|--|------------|-----------------|-----------------|
| 88 | 82 | 79 | 88 | 87 | Freq | Tertiary level | Level of Health |
| | 93.2% | 89.8% | 100.0% | 98.9% | % | | Facility |
| 35 | 342 | 348 | 354 | 354 | Freq | Secondary level | |
| | 95.8% | 97.5% | 99.2% | 99.2% | % | | |
| 660 | 617 | 644 | 657 | 652 | Freq | Primary level | |
| | 93.5% | 97.6% | 99.5% | 98.8% | % | | |
| 66 | 65 | 63 | 66 | 66 | Freq | Kachin | State/Region |
| | 98.5% | 95.5% | 100.0% | 100.0% | % | | |
| 66 | 60 | 65 | 64 | 65 | Freq | Kayah | |
| | 90.9% | 98.5% | 97.0% | 98.5% | % | | |
| 64 | 64 | 64 | 64 | 63 | Freq | Kayin | |
| | 100.0% | 100.0% | 100.0% | 98.4% | % | | |
| 64 | 45 | 59 | 63 | 62 | Freq | Chin | |
| | 70.3% | 92.2% | 98.4% | 96.9% | % | | |
| 6 | 62 | 61 | 65 | 64 | Freq | Sagaing | |
| | 95.4% | 93.8% | 100.0% | 98.5% | % | | |
| 6 | 65 | 64 | 65 | 65 | Freq | Tanintheri | |
| | 100.0% | 98.5% | 100.0% | 100.0% | % | | |
| 64 | 53 | 58 | 63 | 63 | Freq | Bago | |
| | 82.8% | 90.6% | 98.4% | 98.4% | % | | |
| 6 | 58 | 64 | 64 | 63 | Freq | Magway | |
| | 89.2% | 98.5% | 98.5% | 96.9% | % | | |
| 69 | 69 | 69 | 69 | 69 | Freq | Mandalay | |
| | 100.0% | 100.0% | 100.0% | 100.0% | % | | |
| 6 | 65 | 64 | 65 | 65 | Freq | Mon | |
| | 100.0% | 98.5% | 100.0% | 100.0% | % | | |
| 66 | 62 | 64 | 65 | 65 | Freq | Rakhine | |
| | 93.9% | 97.0% | 98.5% | 98.5% | % | | |
| 64 | 59 | 63 | 64 | 64 | Freq | Yangon | |
| | 92.2% | 98.4% | 100.0% | 100.0% | % | | |
| 6 | 65 | 66 | 67 | 67 | Freq | Shan (South) | |
| | 97.0% | 98.5% | 100.0% | 100.0% | % | | |
| 64 | 64 | 64 | 64 | 62 | Freq | Shan (North) | |
| | 100.0% | 100.0% | 100.0% | 96.9% | % | | |
| 60 | 60 | 59 | 60 | 59 | Freq | Shan (East) | |
| | 100.0% | 98.3% | 100.0% | 98.3% | % | | |
| 6 | 64 | 59 | 65 | 65 | Freq | Ayeyawady | |
| | 98.5% | 90.8% | 100.0% | 100.0% | % | | |

| | Nay Pyi Taw | Freq | 66 | 66 | 65 | 61 | 66 |
|-------------|-------------|------|--------|--------|-------|-------|------|
| | | % | 100.0% | 100.0% | 98.5% | 92.4% | |
| Urban/Rural | Urban | Freq | 490 | 490 | 478 | 457 | 495 |
| | | % | 99.0% | 99.0% | 96.6% | 92.3% | |
| | Rural | Freq | 603 | 609 | 593 | 584 | 610 |
| | | % | 98.9% | 99.8% | 97.2% | 95.7% | |
| | Total | Freq | 1093 | 1099 | 1071 | 1041 | 1105 |

On the outcome aspect, almost all statements pointed clients satisfied the result of the clinic visit.

Clients' appraisal of cost of family planning services

Clients' appraisal on paying for service and average amount paid by type of SDP

Table 96a. Percentage of clients reporting paying for service and average amount paid by type of SDP

| | | | Need to pay for t | he last visit 3S services | |
|--------------------------|-----------------|------------|-------------------|------------------------------|--------|
| | Clients' Chara | cteristics | yes | no | Total |
| Level of Health Facility | | Freq | 23 | 65 | 88 |
| | | % | 26.1% | 73.9% | 100.0% |
| | Secondary level | Freq | 88 | 268 | 356 |
| | | % | 24.7% | 75.3% | 100.0% |
| | Primary level | Freq | 133 | 530 | 663 |
| | | | 20.1% | 79.9% | 100.0% |
| | Total Freq % | | 244 | 863 | 1107 |
| | | | 22.0% | 78.0% | 100.0% |

Table 96b. Clients reporting average amount paid by type of SDP

| nination fees | Medicine from outside pahrmacy Exami | Medicine from clinic | Charged for Lab/X Ray procedure | Charged for registration | of Health Facility | Level | |
|---------------|--------------------------------------|----------------------|---------------------------------------|--------------------------|--------------------|-----------------|--|
| 9 | 13 | 14 | 8 | 11 | N | Tertiary level | |
| C | 100 | 1000 | 0 | 0 | Median | | |
| 278 | 10869 | 1314 | 0 | 473 | Mean | | |
| 833 | 28003 | 1270 | 0 | 899 | Std. Deviation | | |
| 35 | 49 | 56 | 32 | 39 | N | Secondary level | |
| 0 | 0 | 1000 | 0 | 0 | Median | | |
| 200 | 1041 | 1858 | 94 | 244 | Mean | | |
| 597 | 1801 | 4318 | 530 | 485 | Std. Deviation | - | |
| 49 | 53 | 87 | 41 | 50 | N | Primary level | |
| 0 | 0 | 1000 | 0 | 150 | Median | | |
| 769 | 4083 | 4366 | 2244 | 516 | Mean | | |
| 3573 | 15691 | 16165 | 14051 | 862 | Std. Deviation | | |
| 93 | 115 | 157 | 81 | 100 | N | Total | |
| 0 | 0 | 1000 | 0 | 0 | Median | | |
| 508 | 3554 | 3199 | 1173 | 405 | Mean | | |
| 2633 | 14323 | 12349 | 10001 | 746 | Std. Deviation | | |

About 22% of clients responded they had to pay for services at HFs. The response was highest at tertiary level (26%) and lowest at primary level (20%). Kachin, Shan (E), Ayayarwady, Yangon and Rakhine were high rate of response of pay for service. Urban rural difference was not significant (21.5% vs. 22.5%).

Table 97a. Percentage of clients reporting paying for service by Administrative Unit (Region)

Need to pay for the last visit for BS services Total yes State/Region Kachin Freq 28 38 66 100.0% % 42.4% 57.6% Freq Kayah 12 54 66 18.2% 81.8% 100.0% Freq Kayin 64 12 52 18.8% 81.3% 100.0% Chin Freq 8 65 57 12.3% 87.7% 100.0% Sagaing Freq 54 65 11 16.9% 83.1% 100.0% Tanintheri Freq 65 14 51 % 21.5% 78.5% 100.0% Bago Freq 11 53 64 17.2% 82.8% 100.0% Magway Freq 34 31 65 % 52.3% 47.7% 100.0% Mandalay 69 Freq 16 53 23.2% 76.8% 100.0% % Mon Freq 6 59 65 % 9.2% 90.8% 100.0% Rakhine Freq 18 48 66 27.3% 72.7% 100.0% Yangon Freq 18 45 63 28.6% 71.4% 100.0% Shan (South) Freq 4 63 67 94.0% 6.0% 100.0% Freq Shan (North) 64 63 % 1.6% 98.4% 100.0% Shan (East) Freq 20 42 32.3% 67.7% 100.0% Ayeyawady Freq 23 42 65 100.0% % 35.4% 64.6% Freq 8 Nay Pyi Taw 58 66 12.1% 87.9% 100.0% Total Freq 244 863 1107

Table 97b. Clients reporting average amount paid by Administrative Unit (Region)

| Examination fees | Medicine from utside pharmacy | Medicine from clinic or | for Lab/X Ray procedure | for registration | State/Region | |
|------------------|-------------------------------|-------------------------|-------------------------|------------------|----------------|---------|
| 1 | 3 | 26 | 2 | | N | Kachin |
| 2500 | 1000 | 1250 | 2500 | | Median | |
| 2500 | 867 | 6635 | 2500 | | Mean | |
| | 231 | 15087 | 707 | | Std. Deviation | |
| | 1 | 8 | | 2 | N | Kayin |
| | 6000 | 1000 | | 1250 | Median | |
| | 6000 | 1188 | | 1250 | Mean | |
| | | 753 | | 354 | Std. Deviation | |
| 2 | 1 | 5 | 1 | 3 | N | Chin |
| 500 | 0 | 1500 | 0 | 1000 | Median | |
| 500 | 0 | 4200 | 0 | 667 | Mean | |
| 707 | , | 6048 | 9 | 577 | Std. Deviation | |
| 1 | 6 | 2 | 1 | 4 | N | Sagaing |
| 200 | 3750 | 500 | 0 | 400 | Median | |

22.0%

78.0%

100.0%

| | Mean | 325 | 0 | 500 | 3833 | 200 |
|--------------|----------------|------|-------|-------|-------|-------|
| | Std. Deviation | 236 | | 707 | 3559 | |
| Tanintheri | N | 14 | 13 | 13 | 13 | 13 |
| _ | Median | 1000 | 0 | 0 | 0 | (|
| | Mean | 893 | 0 | 192 | 10000 | (|
| 1920 | Std. Deviation | 626 | 0 | 693 | 28284 | |
| Bago | N | | | 4 | 4 | |
| | Median | | | 1250 | 800 | 2000 |
| | Mean | | | 1125 | 775 | 2000 |
| 200.000 | Std. Deviation | | | 479 | 206 | 1414 |
| Magway | N | 9 | | 10 | 9 | 9 |
| _ | Median | 500 | | 1000 | 1000 | 1500 |
| | Mean | 478 | | 1105 | 933 | 1278 |
| | Std. Deviation | 67 | | 550 | 591 | 363 |
| Mandalay | N | 2 | | 7 | 3 | 1 |
| _ | Median | 500 | | 1000 | 2000 | 1500 |
| | Mean | 500 | | 1143 | 2833 | 1500 |
| | Std. Deviation | 0 | | 378 | 1893 | |
| Mon | N | 1 | | 5 | | |
| | Median | 200 | | 1000 | | |
| | Mean | 200 | | 1000 | | |
| | Std. Deviation | | | 500 | | |
| Rakhine | N | | | 10 | 8 | |
| | Median | | | 1250 | 1500 | |
| | Mean | | | 1550 | 1563 | |
| | Std. Deviation | | | 926 | 678 | |
| Yangon | N | 18 | 18 | 18 | 18 | 18 |
| | Median | 0 | 0 | 1500 | 0 | C |
| | Mean | 0 | 0 | 1728 | 0 | 0 |
| | Std. Deviation | 0 | 0 | 1315 | 0 | C |
| Shan (South) | N | | | 3 | | |
| | Median | | | 3000 | | |
| | Mean | | | 2667 | | |
| | Std. Deviation | | | 1528 | | |
| Shan (North) | N | 1 | 1 | 1 | 1 | 1 |
| | Median | 0 | 0 | 0 | 0 | 1000 |
| | Mean | 0 | 0 | 0 | 0 | 1000 |
| | Std. Deviation | • | | | | |
| Shan (East) | N | 18 | 18 | 18 | 18 | 18 |
| | Median | 0 | 0 | 0 | 0 | C |
| | Mean | 222 | 0 | 5733 | 6306 | |
| | Std. Deviation | 392 | 0 | 23528 | 16872 | 0 |
| Ayeyawady | N | 23 | 23 | 23 | 23 | 23 |
| 5.5 | Median | 0 | 0 | 500 | 0 | C |
| | Mean | 174 | 0 | 737 | 304 | 22 |
| | Std. Deviation | 650 | 0 | 615 | 926 | 104 |
| Nay Pyi Taw | N | 5 | 4 | 4 | 7 | 4 |
| | Median | 1000 | 0 | 1250 | 600 | C |
| | Mean | 1740 | 22500 | 23125 | 13443 | 6250 |
| | Std. Deviation | 2130 | 45000 | 44588 | 33770 | 12500 |
| Total | N | 100 | 81 | 157 | 115 | 93 |
| 202000 | Median | 0 | 0 | 1000 | 0 | C |
| - | Mean | 405 | 1173 | 3199 | 3554 | 508 |
| | Std. Deviation | 746 | 10001 | 12349 | 14323 | 2633 |

There was high variation of different variety of costing among respondents for their visit to HFs to get BS service.

Table 98a. Percentage of clients reporting paying for serviceby urban/rural

Need to pay for the last visit for BS services Total yes Urban/Rural Urban Freq 106 388 494 78.5% 100.0% % 21.5% Rural Freq 138 475 613 22.5% 77.5% 100.0% % Total Freq 244 863 1107 22.0% 78.0% 100.0% %

Table 98b. Clients reporting average amount paid visitsby urban/rural

| Examination fees | Medicine from outside pharmacy | Medicine from clinic | Charged for Lab/X Ray procedure | Charged for registration | Urban/Rural | |
|------------------|--------------------------------|----------------------|---------------------------------------|--------------------------|----------------|-------|
| 37 | 49 | 67 | 34 | 40 | N | Urban |
| C | 0 | 1000 | 0 | 0 | Median | |
| 216 | 3218 | 3045 | 59 | 393 | Mean | |
| 683 | 14766 | 9249 | 343 | 682 | Std. Deviation | - |
| - 56 | 66 | 90 | 47 | 60 | N | Rural |
| 0 | 0 | 1000 | 0 | 0 | Median | _ |
| 700 | 3803 | 3314 | 1979 | 413 | Mean | - |
| 3346 | 14095 | 14277 | 13126 | 792 | Std. Deviation | |
| 93 | 115 | 157 | 81 | 100 | N | Total |
| C | 0 | 1000 | 0 | 0 | Median | |
| 508 | 3554 | 3199 | 1173 | 405 | Mean | |
| 2633 | 14323 | 12349 | 10001 | 746 | Std. Deviation | _ |

Urban rural difference for the amount of pay for medicine was not apparent. "Table 99. Percentage of clients reporting paying for service and average amount paid visits by management of facility" could not be described due to exclusiveness of private sector clients in the recruitment.

Clients' mode of transportation, distance travelled and cost of transportation

Table 100. Percentage distribution of clients by mode of transportation, distance travelled and cost of transportation

| | Transportation | Frequency | Percent |
|--------------------------------|----------------|-----------|---------|
| Main route to reach the clinic | On-foot | 673 | 60.7 |
| | Bicycle | 42 | 3.8 |
| | Motorbike | 317 | 28.6 |
| | Bus/Taxi | 34 | 3.1 |
| | Own vehicle | 18 | 1.6 |
| | Other | 24 | 2.2 |
| Distance to clinic from home | 0. => | 183 | 18.3 |
| (mile) | .1 - 1.0 | 670 | 66.9 |
| | 1.1+ | 149 | 14.9 |

| Cost of clinic vis | t <= .00 | 274 | 42.5 |
|--------------------|-------------------|-----|------|
| | 1.00 - 1000.00 | 319 | 49.5 |
| | 1001.00 - 2000.00 | 26 | 4.0 |
| | 2001.00 - 3000.00 | 10 | 1.6 |
| | 3001.00 - 4000.00 | 2 | 0.3 |
| | 4001.00+ | 13 | 2.0 |

Motorbike and "on-foot" were found as most frequent mode of transportation (28.6% and 60.7% respectively). Majority of clients (85%) stayed at less than 1 mile away from their nearest HF. Most of them (92%) needed to spend no more than 1000 kyats (nearly one USD) for clinic visit. The finding was consistent with 2016 and 2017 situation.

Table 100a.Percentage distribution of clients by mode of transportation

| | | | Main route to reach the clinic | | | | | | |
|--------------|---------------------|-----------|--------------------------------|---------|-----------|----------|-------------|-------|--------|
| | Clients' Charac | teristics | On-foot | Bicycle | Motorbike | Bus/Taxi | Own vehicle | Other | Tota |
| Level of | Tertiary level | Freq | 30 | 3 | 37 | 11 | 2 | -4 | 87 |
| Health | | % | 34.5% | 3.4% | 42.5% | 12.6% | 2.3% | 4.6% | 100.0% |
| Facility | Secondary | Freq | 208 | 13 | 119 | 6 | 7 | 5 | 358 |
| | level | % | 58.1% | 3.6% | 33.2% | 1.7% | 2.0% | 1.4% | 100.0% |
| | Primary level | Freq | 435 | 26 | 161 | 17 | 9 | 15 | 663 |
| | | % | 65.6% | 3.9% | 24.3% | 2.6% | 1.4% | 2.3% | 100.0% |
| State/Region | Kachin | Freq | 32 | 2 | 29 | - 1 | 1 | 1 | 66 |
| | | % | 48.5% | 3.0% | 43.9% | 1.5% | 1.5% | 1.5% | 100.09 |
| | Kayah | Freq | 34 | 2 | 28 | 1 | 0 | 1 | 6 |
| | | % | 51.5% | 3.0% | 42.4% | 1.5% | 0.0% | 1.5% | 100.09 |
| | Kayin | Freq | 33 | 0 | 21 | 4 | 6 | 0 | 64 |
| | | % | 51.6% | 0.0% | 32.8% | 6.3% | 9.4% | 0.0% | 100.09 |
| | Chin | Freq | 56 | 0 | 9 | 0 | 0 | 0 | 6 |
| | (35.171.0) <u>-</u> | % | 86.2% | 0.0% | 13.8% | 0.0% | 0.0% | 0.0% | 100.09 |
| | Sagaing | Freq | 37 | 1 | 23 | 0.070 | 0 | 4 | 6 |
| | ougung | % | 56.9% | 1.5% | 35.4% | 0.0% | 0.0% | 6.2% | 100.09 |
| | Tanintheri | Freq | 34 | 1.070 | 17 | 9 | 4 | 0.270 | 6 |
| | Total Interest | % | 52.3% | 1.5% | 26.2% | 13.8% | 6.2% | 0.0% | 100.09 |
| | Bago | Freq | 33 | 13 | 14 | 0 | 1 | 3 | 6 |
| | 5490 | % | 51.6% | 20.3% | 21.9% | 0.0% | 1.6% | 4.7% | 100.09 |
| | Magway | Freq | 48 | 0 | 15 | 0.070 | 0 | 2 | 6 |
| | Magway | % | 73.8% | 0.0% | 23.1% | 0.0% | 0.0% | 3.1% | 100.09 |
| | Mandalay | | 38 | 0.076 | 25.176 | 2 | 0.076 | 0.170 | 6 |
| | Mandalay | Freq % | 55.9% | 1.5% | 38.2% | 2.9% | 1.5% | 0.0% | 100.09 |
| | Mon | | 28 | 8 | 19 | 10 | 1.5% | 0.076 | 6 |
| | Mon | Freq % | | | | | | | |
| | Dalubiaa | | 43.1% 45 | 12.3% | 29.2% | 15.4% | 0.0% | 0.0% | 100.09 |
| | Rakhine | Freq | | 0 | 15 | 1 4 50/ | | | 400.00 |
| | Vanana | % | 68.2% | 0.0% | 22.7% | 1.5% | 0.0% | 7.6% | 100.09 |
| | Yangon | Freq | 43 | 3 | 10 | 4 | 0 | 4 | 6 |
| | Ohan (Oauth) | % | 67.2% | 4.7% | 15.6% | 6.3% | 0.0% | 6.3% | 100.09 |
| | Shan (South) | Freq | 39 | 2 | 24 | 1 | 1 500 | 0 | 6 |
| | OI | _ % | 58.2% | 3.0% | 35.8% | 1.5% | 1.5% | 0.0% | 100.09 |
| | Shan (North) | Freq | 32 | 1 | 31 | 0 | 0 | 0 | 6 |
| | | | % 50.0% 1.6% | | 48.4% | 0.0% | 0.0% | 0.0% | 100.09 |
| | Shan (East) | Freq | 36 | 7 | 17 | 1 | 2 | 0 | 6 |
| | | % | 57.1% | 11.1% | 27.0% | 1.6% | 3.2% | 0.0% | 100.09 |
| | Ayeyawady | Freq | 61 | 0 | 2 | 0 | 0 | 2 | 6 |
| | | % | 93.8% | 0.0% | 3.1% | 0.0% | 0.0% | 3.1% | 100.09 |
| | Nay Pyi Taw | Freq | 44 | 1 | 17 | 0 | 2 | 2 | 6 |
| | | % | 66.7% | 1.5% | 25.8% | 0.0% | 3.0% | 3.0% | 100.0% |
| Urban/Rural | Urban | Freq | 273 | 22 | 160 | 18 | 6 | 16 | 49 |

| | | % | 55.2% | 4.4% | 32.3% | 3.6% | 1.2% | 3.2% | 100.0% |
|----|-------|------|-------|------|-------|------|------|------|--------|
| | Rural | Freq | 400 | 20 | 157 | 16 | 12 | 8 | 613 |
| | | % | 65.3% | 3.3% | 25.6% | 2.6% | 2.0% | 1.3% | 100.0% |
| 7. | Total | Freq | 673 | 42 | 317 | 34 | 18 | 24 | 1108 |
| | | % | 60.7% | 3.8% | 28.6% | 3.1% | 1.6% | 2.2% | 100.0% |

Table 100b. Percentage distribution of clients by mode of distance travelled

| | | | Distance t | o clinic from h | ome (mile) (Binned) | |
|--|----------------------------|---------------|--------------|-----------------|------------------------|--------|
| | Clients' Cha | aracteristics | <=.0 | .1 - 1.0 | 1.1+ | Tota |
| Level of Health | Tertiary level | Freq | 11 | 40 | 35 | 80 |
| Facility | Value (Name of Artistance) | % | 12.8% | 46.5% | 40.7% | 100.09 |
| A0000000-00-00-00-00-00-00-00-00-00-00-0 | Secondary | Freq | 68 | 214 | 49 | 33 |
| | level | % | 20.5% | 64.7% | 14.8% | 100.09 |
| | Primary level | Freq | 104 | 416 | 65 | 58 |
| | | % | 17.8% | 71.1% | 11.1% | 100.09 |
| State/Region | Kachin | Freq | 2 | 55 | 8 | 6 |
| 9 | | % | 3.1% | 84.6% | 12.3% | 100.09 |
| | Kayah | Freq | 0 | 53 | 13 | 6 |
| | (7.17. % (23.7. | % | 0.0% | 80.3% | 19.7% | 100.09 |
| | Kayin | Freq | 0 | 46 | 14 | 6 |
| | | % | 0.0% | 76.7% | 23.3% | 100.09 |
| | Chin | Freq | 0 | 58 | 7 | 6 |
| | | % | 0.0% | 89.2% | 10.8% | 100.09 |
| | Sagaing | Freq | 25 | 38 | 1 | 6 |
| | ougun,g | % | 39.1% | 59.4% | 1.6% | 100.09 |
| | Tanintheri | Freq | 1 | 55 | 8 | 6 |
| | rannaron | % | 1.6% | 85.9% | 12.5% | 100.09 |
| | Bago | Freq | 35 | 18 | 11 | 6 |
| | bugo | % | 54.7% | 28.1% | 17.2% | 100.09 |
| | Magway | Freq | 0 | 51 | 13 | 6 |
| | magnay | % | 0.0% | 79.7% | 20.3% | 100.09 |
| | Mandalay | Freq | 0.070 | 29 | 10 | 3 |
| | Mandalay | % | 0.0% | 74.4% | 25.6% | 100.09 |
| | Mon | Freq | 0.070 | 62 | 3 | 6 |
| | WOT | % | 0.0% | 95.4% | 4.6% | 100.09 |
| | Rakhine | Freq | 0.070 | 47 | 16 | 6 |
| | Nakilile | % | 0.0% | 74.6% | 25.4% | 100.09 |
| | Yangon | | 16 | 25 | 8 | 4 |
| | Tangon | Freq % | 32.7% | 51.0% | 16.3% | 100.09 |
| | Shan (South) | | 12 | 49 | 10.5% | 6 |
| | Shari (South) | Freq % | 18.2% | 74.2% | 7.6% | 100.09 |
| | Shan (North) | | 22 | 32 | 7.0% | 100.07 |
| | Shan (Norun) | Freq % | 36.1% | | 11.5% | 100.09 |
| | Chan (Foot) | | | 52.5% | | |
| | Shan (East) | Freq | 41 72 20/ | 9.0% | 17.00/ | 100.00 |
| | Averaged | % | 73.2% | 8.9% | 17.9% | 100.09 |
| | Ayeyawady | Freq | 21 | 4 | 0 | 100.00 |
| | New D. / Tarre | % | 84.0% | 16.0% | 0.0% | 100.09 |
| | Nay Pyi Taw | Freq | 8 | 43 | 15 | 400.00 |
| Flakes /Down | 1 Jac 2 a | % | 12.1% | 65.2% | 22.7% | 100.09 |
| Urban/Rural | Urban | Freq | 78 | 314 | 75 | 46 |
| | D1 | % | 16.7% | 67.2% | 16.1% | 100.09 |
| | Rural | Freq | 105 | 356 | 74 | 53 |
| | | - % | 19.6% | 66.5% | 13.8% | 100.09 |
| | Total | Freq | 183 | 670 | 149 | 100 |
| | | % | 18.3% | 66.9% | 14.9% | 100.09 |

Table 100c. Percentage distribution of clients by cost of transportation

| | f clinic visit | Cost o | | | | | | | |
|--------|-----------------------|-------------------------|---------|---------|---------|--------|--------------|------------------------|--------------|
| | NIDOGO STOLATION (CO. | To missed in succession | 2001.00 | 1001.00 | ľ | | | | |
| | | 3001.00 - | | - | 1.00 - | | | | |
| Tota | 4001.00+ | 4000.00 | 3000.00 | 2000.00 | 1000.00 | <= .00 | racteristics | Clients' Char | |
| 6 | 6 | 2 | 2 | 8 | 36 | 10 | Freq | Tertiary | Level of |
| 100.09 | 9.4% | 3.1% | 3.1% | 12.5% | 56.3% | 15.6% | % | level | Health |
| 23 | 3 | 0 | 7 | 9 | 127 | 90 | Freq | Secondary | Facility |
| 100.09 | 1.3% | 0.0% | 3.0% | 3.8% | 53.8% | 38.1% | % | level | |
| 34 | 4 | 0 | 1 | 9 | 156 | 174 | Freq | Primary | |
| 100.09 | 1.2% | 0.0% | 0.3% | 2.6% | 45.3% | 50.6% | % | level | |
| 3 | 2 | 0 | 1 | 5 | 23 | 0 | Freq | Kachin | State/Region |
| 100.09 | 6.5% | 0.0% | 3.2% | 16.1% | 74.2% | 0.0% | % | | |
| 2 | 1 | 1 | 0 | 1 | 19 | 0 | Freq | Kayah | |
| 100.09 | 4.5% | 4.5% | 0.0% | 4.5% | 86.4% | 0.0% | % | | |
| 3 | 3 | 0 | 1 | 5 | 26 | 0 | Freq | Kayin | |
| 100.09 | 8.6% | 0.0% | 2.9% | 14.3% | 74.3% | 0.0% | % | | |
| 1 | 0 | 0 | 0 | 3 | 6 | 1 | Freq | Chin | |
| 100.09 | 0.0% | 0.0% | 0.0% | 30.0% | 60.0% | 10.0% | % | | |
| 6 | 0 | 0 | 0 | 0 | 24 | 36 | Freq | Sagaing | |
| 100.09 | 0.0% | 0.0% | 0.0% | 0.0% | 40.0% | 60.0% | % | 2 3 | |
| 6 | 0 | 0 | 0 | 4 | 24 | 36 | Freq | Tanintheri | |
| 100.09 | 0.0% | 0.0% | 0.0% | 6.3% | 37.5% | 56.3% | % | | |
| 1 | 0 | 0 | 2 | 1 | 14 | 0 | Freq | Bago | |
| 100.09 | 0.0% | 0.0% | 11.8% | 5.9% | 82.4% | 0.0% | % | 1.75 | |
| 1 | 0 | 0 | 0 | 0 | 16 | 0 | Freq | Magway | |
| 100.09 | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | % | | |
| 2 | 1 | 1 | 0 | 1 | 24 | 0 | Freq | Mandalay | |
| 100.09 | 3.7% | 3.7% | 0.0% | 3.7% | 88.9% | 0.0% | % | | |
| 3 | 0 | 0 | 2 | 1 | 27 | 0 | Freq | Mon | |
| 100.09 | 0.0% | 0.0% | 6.7% | 3.3% | 90.0% | 0.0% | % | | |
| 2 | 0 | 0 | 0 | 0 | 22 | 1 | Freq | Rakhine | |
| 100.09 | 0.0% | 0.0% | 0.0% | 0.0% | 95.7% | 4.3% | % | | |
| 5 | 1 | 0 | 2 | 1 | 24 | 24 | Freq | Yangon | |
| 100.09 | 1.9% | 0.0% | 3.8% | 1.9% | 46.2% | 46.2% | % | 10020 9 200 | |
| 2 | 2 | 0 | 2 | 1 | 18 | 0 | Freq | Shan | |
| 100.09 | 8.7% | 0.0% | 8.7% | 4.3% | 78.3% | 0.0% | % | (South) | |
| 6 | 0 | 0 | 0 | 0 | 28 | 32 | Freq | Shan | |
| 100.09 | 0.0% | 0.0% | 0.0% | 0.0% | 46.7% | 53.3% | % | (North) | |
| 4 | 1 | 0 | 0 | 3 | 6 | 34 | Freq | Shan (East) | |
| 100.09 | 2.3% | 0.0% | 0.0% | 6.8% | 13.6% | 77.3% | % | | |
| 6 | 0 | 0 | 0 | 0 | 4 | 60 | Freq | Ayeyawady | |
| 100.09 | 0.0% | 0.0% | 0.0% | 0.0% | 6.3% | 93.8% | % | W-4004278000004 | |
| 6 | 2 | 0 | 0 | 0 | 14 | 50 | Freq | Nay Pyi | |
| 100.09 | 3.0% | 0.0% | 0.0% | 0.0% | 21.2% | 75.8% | % | Taw | |
| 27 | 9 | 2 | 8 | 16 | 154 | 85 | Freq | Urban | Urban/Rural |
| 100.09 | 3.3% | 0.7% | 2.9% | 5.8% | 56.2% | 31.0% | % | WWW. Process | |
| 37 | 4 | 0 | 2 | 10 | 165 | 189 | Freq | Rural | |
| 100.09 | 1.1% | 0.0% | 0.5% | 2.7% | 44.6% | 51.1% | % | | |
| 64 | 13 | 2 | 10 | 26 | 319 | 274 | Freq | Total | |
| 100.09 | 2.0% | 0.3% | 1.6% | 4.0% | 49.5% | 42.5% | % | #2500A | |

Table 100d. Average cost spent to travel clinic by client

Cost of travel to reach the clinic

| Health Facility | N | Median | Mean | Std. Deviation |
|-----------------|-----|--------|------|----------------|
| Level | | | | |
| Tertiary level | 64 | 500 | 1927 | 5376 |
| Secondary level | 236 | 250 | 591 | 1988 |
| Primary level | 344 | 0 | 493 | 3197 |
| State/Region | | | | |
| Kachin | 31 | 500 | 3110 | 10522 |
| Kayah | 22 | 500 | 932 | 1211 |
| Kayin | 35 | 500 | 1437 | 2030 |
| Chin | 10 | 550 | 810 | 570 |
| Sagaing | 60 | 0 | 138 | 218 |
| Tanintheri | 64 | 0 | 242 | 418 |
| Bago | 17 | 500 | 806 | 796 |
| Magway | 16 | 400 | 425 | 261 |
| Mandalay | 27 | 500 | 2022 | 7619 |
| Mon | 30 | 500 | 732 | 708 |
| Rakhine | 23 | 500 | 467 | 227 |
| Yangon | 52 | 225 | 473 | 854 |
| Shan (South) | 23 | 500 | 1989 | 5110 |
| Shan (North) | 60 | 0 | 142 | 173 |
| Shan (East) | 44 | 0 | 281 | 870 |
| Ayeyawady | 64 | 0 | 35 | 153 |
| Nay Pyi Taw | 66 | 0 | 483 | 2133 |
| Urban/Rural | | | | |
| Urban | 274 | 500 | 1094 | 4635 |
| Rural | 370 | 0 | 358 | 1064 |
| Total | 644 | 250 | 671 | 3147 |

Time spent by client for FP services

Table 100e. Average time spent to travel clinic by client

| Health Facility | Duration for travel to clinic (total minute) | Duration for waiting at clinic (total minute) | Duration for return to home (total minute) |
|-----------------|--|---|--|
| Tertiary level | 18 | 21 | 18 |
| Secondary level | 13 | 8 | 13 |
| Primary level | 11 | 7 | 11 |
| Kachin | 12 | 5 | 12 |
| Kayah | 15 | 14 | 15 |
| Kayin | 12 | 10 | 12 |
| Sagaing | 8 | 4 | 8 |
| Tanintheri | 13 | 10 | 13 |
| Bago | 15 | 4 | 15 |
| Magway | 16 | 10 | 16 |
| Mandalay | 11 | 11 | 10 |
| Mon | 16 | 17 | 16 |
| Rakhine | 12 | 10 | 12 |
| Shan (South) | 11 | 4 | 11 |
| Ayeyawady | 8 | 8 | 8 |
| Nay Pyi Taw | 11 | 6 | 11 |
| Urban | 14 | 11 | 14 |
| Rural | 11 | 7 | 11 |
| Total | 12 | 9 | 12 |

Total time spent for clinic visit for BS was about 31 minutes on average. These were 12 minutes each for travel go and back, 9 minutes for waiting time.

2018 RHCS Report

Clients' activities they would have engaged in during the time spent receiving FP services

Table 102. Percentage distribution of clients by activities they would have engaged in during the time spent receiving FP services.

| | | ļ | | 132 | video diey wedi | September 1 | an admind an | Activities and mode mayo sugged in defining are time specifications. | HOL | |
|----------------|--------------------------|-----------|-----------------------|-----------------|-----------------|-----------------|----------------|--|----------|-------|
| | Clients' Characteristics | teristics | (Regular housechores) | (Farm works) | (Selling) | (Manual labour) | (Skill labour) | (Professional job) | (Others) | Total |
| Sex | Male | Freq | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | | % | 100.0% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | |
| | Female | Fred | 748 | 135 | 111 | 41 | 33 | 18 | 38 | 1106 |
| | | % | %9'.29 | 12.2% | 10.0% | 3.7% | 3.0% | 1.6% | 3.4% | |
| Age (year) | 15 - 19 | Freq | 90 | က | 0 | - | - | 0 | - | 36 |
| (Binned) | | % | 83.3% | 8.3% | %0.0 | 2.8% | 2.8% | %0:0 | 2.8% | |
| | 20 - 24 | Freq | 145 | 22 | 16 | တ | 7 | 2 | 9 | 204 |
| | | % | 71.1% | 10.8% | 7.8% | 4.4% | 3.4% | 1.0% | 2.9% | |
| | 25 - 29 | Freq | 167 | 15 | 18 | 80 | 10 | 9 | 10 | 234 |
| | | % | 71.4% | 6.4% | 7.7% | 3.4% | 4.3% | 2.6% | 4.3% | |
| | 30 - 34 | Fred | 156 | 41 | 31 | 10 | 7 | 4 | 4 | 244 |
| | | % | 63.9% | 16.8% | 12.7% | 4.1% | 1.6% | 1.6% | 1.6% | |
| | 35 - 39 | Fred | 138 | 24 | 23 | တ | 8 | က | 6 | 209 |
| | | % | %0'99 | 11.5% | 11.0% | 4.3% | 3.8% | 1.4% | 4.3% | |
| | 40 - 44 | Freq | 8 | 18 | 14 | က | က | 2 | 2 | 123 |
| | | % | 65.0% | 14.6% | 11.4% | 2.4% | 2.4% | 1.6% | 4.1% | |
| | 45 - 49 | Freq | 29 | 12 | 7 | - | 0 | | က | 52 |
| | | % | 25.8% | 23.1% | 13.5% | 1.9% | %0.0 | 1.9% | 2.8% | |
| | 50 - 54 | Freq | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 5 |
| | | % | %0.08 | %0.0 | 40.0% | %0.0 | %0.0 | %0.0 | %0.0 | |
| | +99 | Freq | 5 | 0 | 0 | 0 | 0 | 0 | 0 | • |
| | | % | 100.0% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | |
| Marital status | Unmarried/live together | Freq | o | Y | 0 | 0 | 0 | 0 | 0 | 10 |
| | | % | %0.06 | 10.0% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | |
| | Married/live together | Fred | 735 | 134 | 110 | 39 | 33 | 11 | 38 | 1088 |
| | | % | %9'.29 | 12.3% | 10.1% | 3.6% | 3.0% | 1.6% | 3.5% | |
| | Divorce/separated/widow | Freq | 9 | 0 | E | 2 | 0 | * | 0 | 10 |
| | | % | %0.09 | %0.0 | 10.0% | 20.0% | %0.0 | 10.0% | %0.0 | |
| Education | No schooling | Freq | 95 | 14 | 9 | က | 2 | 0 | က | 84 |
| level | | % | 70.2% | 16.7% | 7.1% | 3.6% | 2.4% | %0.0 | 3.6% | |
| | Primary | Freq | 227 | 41 | 28 | 19 | 12 | 2 | 17 | 339 |
| | | | | | | | | | | |

2018 RHCS Report

| 18 | 7.6% | 38 |
|---------------|-------------------|---|
| 16 | 2.3% | 18 |
| 19 | 2.8% | 33 |
| 19 | 2.8% | 41 |
| 77 | 11.2% | 111 |
| 80 | 11.7% | 135 |
| 464 | %2'.29 | 750 |
| Freq | % | Freq |
| Above primary | | Total |
| | 80 77 19 19 16 18 | Above primary Freq 464 80 77 19 19 16 18 685 % 67.7% 11.7% 11.2% 2.8% 2.8% 2.3% 2.6% |

About two-third of clients they spared the time for household works during the clinic visit. About 21% stated they spared time for earning farm works or selling. No obvious differential of tasks between clients with different background characteristics was observed. Unmarried women had higher percent of engagement in household chore than married.

Persons indicated to have performed activities on clients' behalf while they were away receiving FP Services

Table 103. Percentage distribution of clients by persons indicated to have performed activities on their behalf while they were away

| | at home | the task left a | m assigned t | To who | | | |
|--------|---------|-----------------|-----------------|---------------|-----------------|---------------------|----------------|
| Total | Other | Nobody | Working partner | Family member | Characteristics | Clients' C | |
| 2 | 0 | 1 | 0 | 1 | Freq | Male | Sex |
| 100.0% | 0.0% | 50.0% | 0.0% | 50.0% | % | | |
| 1093 | 11 | 605 | 14 | 463 | Freq | Female | |
| 100.0% | 1.0% | 55.4% | 1.3% | 42.4% | % | | |
| 35 | 0 | 17 | 0 | 18 | Freq | 15 - 19 | Age (year) |
| 100.0% | 0.0% | 48.6% | 0.0% | 51.4% | % | | (Binned) |
| 201 | 2 | 116 | 2 | 81 | Freq | 20 - 24 | |
| 100.0% | 1.0% | 57.7% | 1.0% | 40.3% | % | | |
| 232 | 2 | 139 | 3 | 88 | Freq | 25 - 29 | |
| 100.0% | 0.9% | 59.9% | 1.3% | 37.9% | % | | |
| 243 | 3 | 124 | 5 | 111 | Freq | 30 - 34 | |
| 100.0% | 1.2% | 51.0% | 2.1% | 45.7% | % | | |
| 204 | 2 | 114 | 3 | 85 | Freq | 35 - 39 | |
| 100.0% | 1.0% | 55.9% | 1.5% | 41.7% | % | | |
| 122 | 2 | 66 | 1 | 53 | Freq | 40 - 44 | |
| 100.0% | 1.6% | 54.1% | 0.8% | 43.4% | % | | |
| 52 | 0 | 26 | 0 | 26 | Freq | 45 - 49 | |
| 100.0% | 0.0% | 50.0% | 0.0% | 50.0% | % | | |
| 5 | 0 | 3 | 0 | 2 | Freq | 50 - 54 | |
| 100.0% | 0.0% | 60.0% | 0.0% | 40.0% | % | | |
| 1 | 0 | 1 | 0 | 0 | Freq | 55+ | |
| 100.0% | 0.0% | 100.0% | 0.0% | 0.0% | % | | |
| 10 | 0 | 6 | 0 | 4 | Freq | Unmarried/ | Marital status |
| 100.0% | 0.0% | 60.0% | 0.0% | 40.0% | % | live together | |
| 1075 | 11 | 592 | 14 | 458 | Freq | Married/live | |
| 100.0% | 1.0% | 55.1% | 1.3% | 42.6% | % | together | |
| 10 | 0 | 8 | 0 | 2 | Freq | Divorce/ | |
| 100.0% | 0.0% | 80.0% | 0.0% | 20.0% | % | separated /widow | |
| 84 | 1 | 43 | 1 | 39 | Freq | No schooling | Education |
| 100.0% | 1.2% | 51.2% | 1.2% | 46.4% | % | 2 /= | level |
| 333 | 3 | 195 | 4 | 131 | Freq | Primary | |
| 100.0% | 0.9% | 58.6% | 1.2% | 39.3% | % | <i>₹</i> = | |
| 678 | 7 | 368 | 9 | 294 | Freq | Above primary | |
| 100.0% | 1.0% | 54.3% | 1.3% | 43.4% | % | | |
| 1095 | 11 | 606 | 14 | 464 | Freq | Total | |
| 100.0% | 1.0% | 55.3% | 1.3% | 42.4% | % | | |

About 55.3% of clients did not delegate the duties to others for absence of works during the clinic visit. 42.4% of clients stated they delegated their duties to their family members during their visit to clinic. Differentials of duty delegation to family members was not obvious among different background.

Amount paid to persons who performed activities on behalf of clients while client was away receiving FP services

Table 104. Average amount paid to persons who performed activities on behalf of clients by activities performed while client was away receiving FP services

| Client | Delegated person | N | Mean | Std. Deviation |
|--|------------------|-------|--------------|----------------|
| Regular HH works | | | (II | |
| | Family member | 94 | 500 | 235 |
| | Nobody | 118 | 620 | 945 |
| | Other | 3 | 1500 | 289 |
| | Total | 215 | 1000 | 160 |
| Farmer | | | | |
| | Family member | 20 | 350 | 1565 |
| | Working partner | 1 | 6000 | |
| | Nobody | 10 | 500 | : |
| | Total | 31 | 500 | 1628 |
| Selling works | | 15000 | | |
| | Family member | 18 | 500 | 118 |
| | Nobody | 8 | | |
| | Other | 2 | 500 | 707 |
| | Total | 28 | 500 | 208 |
| Manual laborer | | | | |
| | Family member | 1 | 300 | 000 |
| | Nobody | 8 | 355 | 8 |
| | Total | 9 | 520 | 12 |
| Skilled laborer | | | | |
| | Family member | 1 | 100 | |
| | Working partner | 2 | 2000 | 2828 |
| | Nobody | 4 | 5 = 3 | - |
| | Total | 7 | 600 | 1512 |
| Profession works | | | | |
| | Family member | 1 | 346 | 8 |
| | Nobody | 3 | 941 | 64 |
| | Total | 4 | III (350 | 125 |
| Other works | 1,50,572.3 | 1223 | | |
| 2000 00 00 00 1 (2000 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Family member | 3 | 855 | 100 |
| | Working partner | 1 | 3353 | pe. |
| | Nobody | 6 | 580 | |
| | Other | 1 | 500 | |
| | Total | 11 | 500 | 151 |

Of those clients who had assigned for their work during the clinic visit had to spend about 1000 kyats for regular house-works and 500 kyats for farm-works.

Source of money paid for FP services

Table 105. Percentage distribution of clients by source of funds used to pay for FP services

| | to pay for services ^a | of funds used to FP | by source c | Clients | | | |
|-------|-------------------------------------|------------------------|-------------|----------------|-----------------|-------------------------|-----------------|
| Tota | (by others) | (by family members) | (by spouse) | (by myself) | Characteristics | Clients' C | |
| | Ó | ó | 1 | Ó | Freq | Male | Sex |
| | 0.0% | 0.0% | 100.0% | 0.0% | % | | |
| 56 | 1 | 6 | 276 | 282 | Freq | Female | |
| | 0.2% | 1.1% | 49.0% | 50.1% | % | | |
| 21 | 1 | 0 | 14 | 2 | Freq | 15 - 19 | Age (year) |
| | 5.9% | 0.0% | 82.4% | 11.8% | % | | (Binned) |
| 10 | 0 | 3 | 57 | 49 | Freq | 20 - 24 | |
| | 0.0% | 2.8% | 52.8% | 45.4% | % | | |
| 11 | 0 | 2 | 60 | 58 | Freq | 25 - 29 | |
| | 0.0% | 1.7% | 50.4% | 48.7% | % | | |
| 12 | 0 | 1 | 60 | 64 | Freq | 30 - 34 | |
| | 0.0% | 0.8% | 48.0% | 51.2% | % | | |
| 10 | 0 | 0 | 47 | 59 | Freq | 35 - 39 | |
| 11000 | 0.0% | 0.0% | 44.3% | 55.7% | % | | |
| 5 | 0 | 0 | 27 | 31 | Freq | 40 - 44 | |
| | 0.0% | 0.0% | 46.6% | 53.4% | % | | |
| 2 | 0 | 0 | 12 | 17 | Freq | 45 - 49 | |
| | 0.0% | 0.0% | 41.4% | 58.6% | % | | |
| | 0 | 0 | 0 | 1 | Freq | 50 - 54 | |
| | 0.0% | 0.0% | 0.0% | 100.0% | % | | |
| | 0 | 0 | 0 | 1 | Freq | 55+ | |
| | 0.0% | 0.0% | 0.0% | 100.0% | % | | |
| 9 | 0 | 0 | 6 | 3 | Freq | Unmarried/live together | Marital status |
| | 0.0% | 0.0% | 66.7% | 33.3% | % | | |
| 55 | 1 | 6 | 268 | 278 | Freq | Married/live together | |
| | 0.2% | 1.1% | 48.6% | 50.5% | % | | |
| | 0 | 0 | 3 | 1 | Freq | Divorce/separated/widow | |
| | 0.0% | 0.0% | 75.0% | 25.0% | % | | |
| 4 | 0 | 0 | 15 | 26 | Freq | No schooling | Education level |
| | 0.0% | 0.0% | 36.6% | 63.4% | % | | |
| 15 | 0 | 1 | 71 | 82 | Freq | Primary | |
| | 0.0% | 0.7% | 46.4% | 53.6% | % | | |
| 37 | 1 | 5 | 191 | 174 | Freq | Above primary | |
| | 0.3% | 1.4% | 51.6% | 47.0% | % | | |
| 56 | 1 | 6 | 277 | 282 | Freq | Total | |

The payment was made mostly by their spouse (49%) and by themselves (50%).

Amount paid from each source by background characteristics of clients

Table 106. Average amount paid from each source by background characteristics of clients

| Clients' Characteristics | Amount of cost solved by myself | Amount of cost solved by spouse | Amount of cost solved by family members | Amount of cost solved by others |
|--|---------------------------------|---------------------------------|---|---------------------------------|
| Sex | | | | |
| Male | (#8 | 1200 | 988 | 100 |
| Female | 1971 | 3828 | 2583 | 2000 |
| Age (year) (Binned) 15 - 19 | 500 | 1407 | | 2000 |
| 20 - 24 | 1576 | 2132 | 2167 | |
| 25 - 29 | 2020 | 2394 | 2750 | |
| 30 - 34 | 1357 | 1861 | 3500 | |
| 35 - 39 | 3279 | 10997 | | |
| 40 - 44 | 1257 | 2984 | | |
| 45 - 49 | 2259 | 5492 | | |
| 50 - 54 | 500 | | | |
| 55+ | 3000 | | | |
| Marital status Unmarried/live together | 2333 | 917 | | |
| Married/live together | 1971 | 3897 | 2583 | 2000 |
| Divorce/separated/widow | 1000 | 2800 | | |
| Education level No schooling | 1000 | 2557 | | |
| Primary | 3047 | 2900 | 3500 | |
| Above primary | 1589 | 4253 | 2400 | 2000 |
| Total | 1971 | 3818 | 2583 | 2000 |

Average amount paid from each source during the clinic visit was around 2500 kyats.

Part V: Summary of findings

Summary findings of Health Facility assessment

Sample HFs

A total of 380 health facilities including 19 private hospitals were assessed. Selected HFs in Yangon Regions included Urban Health Centers and MCH clinics as primary level HFs. Some of Station Hospitals and all private hospitals were also located at urban rather than rural context. Higher proportion of sample HFs at Ayeyarwady, Shan (north), and Rakhine were located at more than 21 miles away from the nearest medical depot.

A. Modern contraceptives offered by health facilities

<u>Primary level HFs:</u> Out of total 175 primary level HFs, 94.3% (compare to 81.4% at 2016 and 82.3% at 2017) were providing at least three modern contraceptive and majority was fulfilling basically required services for birth spacing. In 11 States/Regions (out of 17), more than 90% of HFs could provide at least three modern contraceptive methods. Bago, Magway Sagaing, Kachin, Shan (North) and Chin were noted to have less than union level 94%.

Secondary, tertiary and private HFs: 48.5% of secondary level HFs were available of at least "five" modern contraceptive methods and it was much lower than tertiary level and private HFs (84.2% and. 78.9%). The 2018 percentage at Tertiary Level HFs was higher than 2017 data (77.3%). Eight out of 17 areas have noted that only less than 60%. Urban rural difference (63.8% vs. 42.7%) was still obvious, but the gap was narrower than that of 2017 (52.5% vs. 25%). The difference between government and private sectors (i.e. 52% vs. 79%) was statistically significant as 2017.

B. Availability of Maternal and RH Medicines

55% of total HFs were available of essential life saving MRH medicine and slight increase (49.9% at 2017) was noted. It was highest in tertiary level (78.9%) and lowest in primary level 48%. Four years' trend for all level HFs showed fluctuation, but obvious rising trend in last three years was noted in tertiary level and primary levels. Less than 40% of HFs in Chin, Rakhine, Bago and Ayeyarwady were available 7 seesential MRH medicines like 2017 situation. Highest percentage was found in Shan (south), Nay Pyi Taw and Kayah (>80%). The urban rural gap 4% was narrower in 2018 compare to 2017 (8.7%). Availability was higher in private sector than government sector (68.4% vs. 54.3%). The situation was reverse of 2017 (Govt 49.6% vs. Private 52.6%). Higher availability was noted in HFs located at easier to travel duration and route to depot. RH medicines stock-out situation slightly increased at 2018 compare to 2017 for almost all kinds of medicine.

C. Incidence of "No Stock Out" of modern contraceptives in the last three months

56.1% of HFs experienced stock-out of at least one modern contraceptive in last three months. The lower the level of HFs, thie higher the percents of stock-out. Kayin, and Shan (South) were lowest having less than 30%. Urban and rural, "stock-out rates" were 46.6% and 62.1% respectively. Urban rural difference 15% was narrower in 2018 compare to 2017 data (20%). Stock-out status was only in government sector. No stock-out situation for "OCP" and "Injectable" were more than 65% across all levels of HFs. The lowest no stock-out rate for all HFs was for "female condom" (about 10%). Implant availability was higher for tertiary and secondary level HFs. Implant method was available at 94.1% of private HFs. Most common reasons for stock-out (at last 3 months) were "untimely supplies", "no users" and " no skill staff".

D. Incidence of "No Stock-Out" of modern contraceptives on the day of the survey

Urban HFs had higher percentage of recent no-stock-out a modern method compare to rural HFs (68.2% vs. 61.2%) with narrower gap compare to 2017 (54.8% vs. 47.9%). The difference between government sector and private sector HFs for recent "no stock-out" was significant (62% vs. 100%). Government sector recent "no stock-out" was increased at 2018 compare to 2017 (49%). Stock for "OCP" and "Injectable" methods were high in all levels (>75%). Female condom stock was lowest in all level HFs (<15%). Implant stock were lower in secondary level HFs compare to tertiary level HFs (35% vs. 68.4%). Implant stock rate in private sector was quite high (92.9%). Five common modern methods (OCP, M condom, Injectable, IUD and ECP) were available over all regions. IUD availability was lower than other four methods. Implant and female sterilization were not available in many Regions. Implant, IUD, implant, female condom and female sterilization which were higher in urban than rural HFs. Comparison for specific methods between four years showed reduction of stock-out of implant was noted while other methods stock out rates were increasing.

FP 2020 Indicators

<u>Provision of contraceptives:</u> OCP and injectable contraceptives were most commonly provided BS methods at all level HFs. ECP and male condom were second most commonly used contraceptives. Female condom, IUD and implants methods were not much available at all levels of HFs. Majority of tertiary level HFs could provide injectables, IUD, OCP, implant, male condom, and female sterilization method, while most primary level HFs could provide OCP, injectable, male condom and ECP. Urban rural difference was obvious for IUD, implant and female sterilization methods. The pattern was similar to the last years 2016 and 2017.

No stock-out during last three months: Contraceptive method "no stock-out" at last three months was well observed only for OCP, and injectable at all level HFs (>65%). Female condom was least frequent for "no stock-out" for all level HFs (<20%). Implant 'no stock-out' (19%) was not much improved than last year for all level government sector HFs. Contraceptives except female condom were in-stock at most of private hospital.

Recent "no stock-out" was very low for female condom for all level HFs (<10%). Highest "no stock-out" rate at all level HFs was observed for OCP and injectable methods (>65%). No stock-out for other BS methods were found moderately apparent (20-50%). Significant urban rural discrepancy was noted for IUD, implant and female sterilization.

RH life-saving medicines: Four most common RH life-saving medicines available in 2018 were "Inj Metronidazole" (86.6%), "Na Lactate" (93.9%), "Oral Misoprostol" (70.5%) and "Inj Oxytocin" (88.7%). "Inj Gentamycin" was available at 75.3% of all HFs. Least frequently available medicine was 'M-dopa" (26.8%) and "Hydralazine" (16.1%). 58.4% of HFs of all levels had injection TT. Primary-level HFs were not relevant in this availability because most of those HFs had no continuous cold chain to keep TT injection all the time in their facility. Availability of some kinds of RH medicine (Misoprostol, MgSO4, Penicillin, Calcium gluconate were less in this year assessment compare to last year report.

E. Supply chain, including cold chain

"MS", and "Assigned MO" were main responsible person for drug indent at tertiary and secondary level HFs while "HA/LHV/Sister" were in primary level HFs. HA/LHV/Sister was most frequently assigned in all regions except Kachin, Shan (east) and Nay Pyi Taw. Similarly, to 2017, in urban HFs, MS/Head, Assigned MO and HA/LHV/Sister were more while in rural HFs HA/LHV/Sister, and assigned MO were taking responsibility more. Private HFs assigned more frequently to nurses, pharmacists and head of the hospital.

Quantifying: Supplies for majority secondary and primary levels HFs were also quantified by calculation (63%) and medical depot only (52.1%, 65.7% and 59.4%, 56.6% respectively). Tertiary level HFs

quantified more by calculation (73.7%). Majority of tertiary and secondary HFs in urban areas (65% and 58%) quantified their supply needs by themselves while rural HFs by depot. "Other" means "use of facility stock report or form that created by higher level HF". Private sector HFs mainly quantified drug needed by calculation (61.1%).

Main source of supplies for all levels HFs were respective Township HD and State/Region HD (68.4% and 15.7% respectively). However, supplies for majority of tertiary level HFs were State/Region HD and CMSD (63.2% and 31.6% respectively). Main source of drug supply for private sector HF was private pharmacy and companies.

<u>Transportation</u>: Most of HFs (>70%) at all levels had their own arrangement for transportation of supplies to their HFs. Most of HFs were arranging the transportation for supplies themselves in all areas. Government arrangement for the transportation for tertiary and secondary level HFs were only 15.8% and 12.6% respectively. Government arrangement was identified in some HFs at Kayah, Kachin, Kayin, Shan (E), Yangon and Nay Pyi Taw. Transportation by own arrangement was more obvious in rural HFs than urban HFs (92.2% vs.75%).

<u>Frequency</u>: About 40% of HFs at all levels were irregular in the interval. Majority of HFs especially secondary and primary levels stated that the interval between order and receipt was irregular (43.2% and 41.4% respectively). Majority of Private HFs (50%) received drug supplies in relatively short interval (<2 weeks). Similarly, 32% of HFs described the interval of between-indents was "irregular". The irregularity was more pronounced in private HFs (55.6%). Irregularity of frequency of resupply was more pronounced in private HFs (52.6% vs. 41.7%).

Availability of cold chain was 67.6% of HFs and was higher in tertiary and secondary level HFs (100% & 86.2%) and too much less in primary level HFs (42.9%). All private HFs had cold chain system. Variations among the regions was observed. Kayah, Shan (N), Bago, and Chin were (<less than 60%). The highest availability was noted in Shan (E) and Mon having more than 80%. Urban rural difference was also obvious (79.1% vs. 60.3%). The private sector HFs had 100% availability. Of available cold chains, more than 90% was electric system and less than 7% was ice box. There were no variations among levels and urban/rural HFs for having the electric type cold chain.

Majority of cold chain system had "regular supply system". However, many tertiary level secondary level and private HFs had their own generators (31.6%, 30.16% and 50% respectively). About 32.9% of secondary level and 50% of primary level HFs also used solar power. Use rate of solar was higher than 2017 (39% in 2018 and 26% in 2017). While the use of national grid power supply was marked in urban HFs, use of solar power was much higher in rural (42.6% in rural vs. 23.0% in urban). Use of generator was more frequent in private HFs (64.7%).

F. Staff training and supervision

<u>Trained staff for birth Spacing</u>: About 61.6% of HFs had trained staff for birth spacing and it becomes higher than last two year figures (50.4% at 2017 and 55% at 2016). Percentages of having trained staff for BS was lowest in secondary level (59.3%) compare to tertiary and primary levels (68.4% and 63.4% respectively). More than 80 HFs in Shan (N), Kayah and Mandalay had trained staff for BS. Urban rural difference became obvious (64.9% and 59.5% respectively).

<u>Trained staff for implant</u>: HFs which had trained staff for implant was increased to 31.3% and became more than last year data (i.e. 21.1%). Tertiary level HF had 57.9% and it was highest among levels of HFs. At primary levels HFs, it was higher than the last year (13.1% vs. 7.7%). Majority States and Regions have less than 20%. The urban rural difference (45.9% and 22%) was obvious and more pronounced in this year (i.e. 31% vs. 14% in 2017). Private sector had more than government sector (57.9% vs. 29.9%)

<u>Training:</u> 68.1% got the training for BS more than one year ago. This trained for longer duration was more marked at government HFs compare to private hospital (>50%% vs. 37.5%). It was high in

Tanintheri, Rakhine, Chin and Mandalay compare to other regions. The difference between urban and rural was not much (59.1% and 58.8%). Most recently trained staff for implant was more prevalent in tertiary and private hospitals (27.3% vs. 22.2%).

<u>Supervision for RH</u> matter was received by 52.1% of HFs and it was higher in secondary level (57.5%) and highest in private hospitals (63.2%). The percentages were increasing compare to 2017. All HFs in Shan (E), Mon, and Kayah received the supervision.

HFs which had not received RH supervision was obvious that Chin, Mandalay, Bago and Sagaing, had highest proportion of HFs (>65%). There was not much different between urban and rural (53.4% vs. 51.3%). More frequently visited HFs was higher in urban. Quarterly visit was higher among rural HFs.

As in the last year 2016 and 2017, supervision for RH was more apparent and frequent in government sectors than private sector. The occurrences of issues were not different between levels of HFs. Most frequent issue for supervision was "logistic". Second most-frequent issues was "reporting". Supervision for abiding guideline and instruction was also well apparent in this year assessment.

G. Availability of guidelines, check-lists and job aids

Availability of any guidelines was (157/380=41.3%) of HFs. Most frequently available guidebook was "Job aid for antenatal care" (24.7%) and "Guidebook for antenatal care" (18.7%). Regarding the guide for BS, 17.6% of HFs had "Checklist for BS". "National guidebook for BS" was available at 7.1% of HFs only. "Guide for waste disposal" was least available at only 15.5% of HFs. Availability of all items were higher than that of the last year 2017 especially "Guide for waste disposal" (15.5% vs. 5%).

H. Use of Information Communication Technology (ICT)

Almost all of HFs had any one of ICT appliances and it was much higher than last year. Most frequently used ICT appliance were "Smart phone" (92%), and "computer" (39.1%). Availability for all type of ICT equipment was more frequent at private HFs and lowest in primary level HFs. Urban rural difference was also apparent like 2017. Most ICT suppliers were "own" (73.2%) and "government" (20.4%). Government supply was least in primary level. Governments supplies were mostly at Kayah, Nay Pyi Taw, and Kachin compare to other regions. Most frequent uses of ICT were for "hospital record", 'patient register", "HE" and "routine communication". Use for "Hospital record", and "patient register" were more prevalent in this year assessment.

I. Waste disposal

Burying and burning were still mostly used method for waste disposal. However, waste disposal of 52.6% of tertiary level and 100% of private HFs used municipal disposal system.

J. Charges for user fees

User fee charge was noted at (132/380=34.7%) of HFs. 33.4% of HFs charged user fees especially for "medicine" and 12.6% was for "specialty services". HFs which charged for consultation fees was only 5.3%. Comparatively higher number was due to inclusiveness of private sector HFs in the analysis. Private sector HFs had no FOC services. User fees for medication was more frequent at tertiary level and at urban HFs.

Summary findings of clients' interview

Clients' characteristics

More than 90% of clients were aged between 20-49 years, married, and above primary level education with no differential between different types of of HFs. There was slight higher level education in urban (64.6% vs. 59.4%) HFs. Respondents from Kacinh, Kayah, and Rakhine were noted as relatively higher level of education.

Clients' perception of family planning service provision

Most of people (>90%) got the BS method they preferred. Information they received from providers which relatively less was "about side-effects" (about 70%), "about how to manage side effects of the contraceptives" (about 70%), and "about need to follow up for side-effects" (about 80%) especially at tertiary level HFs. Regarding to clients' response about receiving their preferred method was apparently low in Shan (E) (67.7%) in comparing to other areas having more than 80%. Clients from Chin (54%) and Kayin (64.1%) were relatively less informed about side effect.

Clients perspective of FP service organizational aspects

Clients expressed good inter-personal relationship of service providers during the clinic visit. Only <7% of respondents stated they have been insisted to accept the BS method that they have from the HF. Responses of "insist on the method choice" were more frequently observed at Ayeyarwady, Yangon and Kachin.

Clients' appraisal of cost of family planning services

About 22% of clients had to pay for services at HFs, which was highest at tertiary level (26%) and lowest at primary level (20%) with no urban rural difference. Kachin, Shan (E), Ayayarwady, Yangon and Rakhine were higher rate of response of pay for service. There was high variation of costing for different variety of services. Urban rural difference for the amount of pay for medicine was not apparent.

Clients by mode of transportation, distance travelled and cost of transportation

Motorbike and "on-foot" were most frequent mode of transportation (28.6% and 60.7% respectively). Majority of clients (85%) stayed at less than 1 mile away from their nearest HF. Most of them (92%) needed to spend no more than 1000 kyats (nearly one USD) for clinic visit like 2016 and 2017 situation. About two-third of clients they spared the time for household works during the clinic visit. About 21% stated they spared time for earning farm works or selling.

Pay for task delegation during clinic visit

About 44.7% of clients delegated the duties to others for absence of works during the clinic visit. 42.4% of clients delegated their duties to their family members during their visit to clinic. Differentials of duty delegation to family members was not obvious among different background. Of those clients who had assigned for their work during the clinic visit had to spend about 1000 kyats for regular house-works and 500 kyats for farm-works. The payment was made mostly by their spouse (49%) and by themselves (50%). Average amount of expense for delegation of work during the clinic visit was 2500 kyats.

Part VI: Discussion and conclusion

Challenges of RHC-LS program

Secondary Level HFs in Magway, Bago, Nay Pyi Taw, Sagaing, Kayah and Ayeyawady were below national level in doing minimum FP services at 2017. MRH focused to have enough contraceptive supplies for the best choice for the clients' demand at those areas by giving instruction to distribute contraception to hospital side over whole country. In 2018, overall national level increased and many of the regions such as Kayah, Shan (E), and Magway were found improving their "providing minimum FP services" above the national level.

To reduce stock-out situations at all levels of HFs, RHC LS system is introducing to provide good channeling of reporting and communication of real time stock status using modern ICT technology. Guides for procurement, quantification and distribution are reaching to all levels of HFs over the country. It covered 172 townships in 10 States/Region at 2018 counting 59% of total townships. Trainign and guidelines included capacity building, warehousing, quality Improvement, team approach, quantification/forecasting. National Supply Chain Task Force meeting was also carried out in 2017-18.

In 2017, implants stock rate, which relate to presence of trained staff, was very low at secondary level HFs indicates the needs for improving method-mix by not only supplies of variety of contraceptives but also providing more training for staff at secondary level HFs. MRH is planning for continuous expansion of implant training of staff to cover nationwide after conducting at Sagaing and Tanintharyi in 2019.

There was much variations in taking responsibility for drug indent mostly at tertiary and secondary level of HFs. Tertiary and secondary level HFs had more options to assign the duty. The situation was not much changed during the past years. Supplies for 63% of secondary and primary levels HFs were also quantified by calculation. PULL system could not cover majority of HFs. Currently, supply chain management looks like semi-PULL mechanism. It must be transformed into full-PULL in future. Most of HFs in all areas were arranging the transportation for supplies themselves. Government arrangement for the transportation for tertiary and secondary level HFs were only 15.8% and 12.6% respectively. Majority of HFs especially secondary and primary levels stated that the interval between order and receipt was irregular (43.2% and 41.4% respectively). It also reflects human resource insufficiency and lack of strict policy for duty assignment on drug indent system. Three types of challenges are noted as regarding to; staff, management and policy.

<u>Challenges on staffing:</u> Some of the basic health staff are not able to handle simple calculation work or computerized data entry. Staff turnover has a negative impact on providing the training. Some of the trained staff are no more available (or transferred out) in local areas, while newly appointed are not skillful in RHC LS because of no training obtained yet. Some are reluctant to practice instead of getting the training. Specifically assigned staff for stock management could have more responsibility on stock balance. Incorporation of FP training into pre-services curriculum on how to offer comprehensive, quality, and voluntary rights-based family planning and SRHR counseling should be considered.

<u>Challenges on management</u>: A few TMO still enter data in 'Stock', 'Sub stock' which make them more workloads unnecessarily. Supply chain management could not be implemented without efficient networking and information sharing among key stakeholders. Sharing of RH-LMIS with other relevant Logistic Management key stakeholders would result better cooperation and collaboration in LMIS and improve supply chain system.

<u>Challenges on policy matters</u>: No proper and sustainable human resource policy for RHC LS in different level of the Ministry was noticed. Existing situation, challenges and knowledge gaps should be briefed to policy makers with strong evidences resulted from systematic studies in Myanmar. RHCS assessment studies were conducted in five consecutive years and the results should be reviewed and analysed to develop fact sheet, policy brief and data review report on RHCS assessments five years' trend in picture.

Stock out situation

MRH Medicine stock-out rate was found slight increase in from 49.9% at 2017 to 55% at 2018. States/Regions requests could not be fully provided by CMSD. It was resulted from high stocks of MRH medicine and contraception especially ECP at CMSD. There were gaps between stock, indent and distribution system. All kinds and all amount are not bought by MRH. There are States/Regions and Tertiary Hospitals' own arrangement also. States/Regions should indent more frequently and more quantification than current status. If not, it will happen in future more stock out at peripherals and high drug expiration rate. There should be coordinated action for supplies and distribution of MRH medicine between separate sectors. ²⁰

Community engagement for demand creation

Accessible to fair, inclusive, responsive health service is an aim of UHC. Overall, 52 percent of currently married women use a method of family planning, with 51 percent using a modern method and 1 percent using a traditional method. This indicates that Myanmar is on track for meeting the commitment endorsed for Family Planning 2020, a global partnership for women on reproductive rights, stating that Myanmar aims to increase modern contraceptive use (mCPR) from 41 percent to over 60 percent by 2020 (Family Planning 2020, 2013).²¹

Recent report showed that most of clients got their preferred method of FP with good inter-personal relationship with the providers. However, there was need of communication and information about side effects and ways to manage side effects of FP methods they received. About one-fifth of clients needed to spend their money directly or indirectly to get FP services. Believing that certain contraceptives cause side effects, contributed to fear of use. This lack of knowledge and fear, even with the desire to space and limit births, affected motivation to use FP services.

To improve service utilization, effective communication strategies are important to empower and engage families and community to take an active part in improving their reproductive health outcomes. Increase awareness on RH matters related to family planning and maternal health issues among individuals, families and communities through equipping these groups with knowledge and capacities to promote health outcomes. Linking to this, demand generation from community for FP services and keeping continuum of services from provider sides must be harmonized in action. Links between community, AMWs and BHS should be strengthened. Male involvement in family planning is also need to strengthened. To reduce irrational practices among informal providers, task shifting of volunteers in FP services by givinf training and allow them to perform interventions in some FP services that might have been performed by MWs. Vulnerable clients (HIV, Disabled, Migrants, etc) are also included in accessing FP services like other community groups. FP services need to creat environment for friendliness to those groups.

Assuring quality of care

It is important to practice client-centered services with built-in supervision & monitoring system. In this assessment, most of clients received effective communication with respect, confidentiality from the providers. They received organized and responsive service setting. Clients also expressed good interpersonal relationship of service providers during the clinic visit. Client can choose FP services with options, sufficient understanding and autonomy. Only <7% of respondents stated they have been insisted to accept the FP method that they have from the HF. On the provider side, 52.1% of total HFs 57.5% of secondary level HFs and 63.2% of primary level HFs received supervision related to RH matters. The percentages were found increasing compare to 2017. Most frequent issue for supervision

was "logistic". Second most-frequent issue was "reporting". Supervision for abiding guideline and instruction was also well apparent in this year assessment. Continuous supportive supervision, including responsiveness on clients' need would improve service quality on the aspect of continuity of care and inter-personal communication. Moreover, due to less frequent in communication and information sharing about side effect of FP methods provided by health staff to clients, it needs to develop a formal mechanism for reporting side effects and adverse events related to contraceptive service provision for both short term and long term methods in all levels of health facilities.

Supervision mechanism and checklist logbook

Supervision for RH matter was received by 52.1% of HFs and it was higher in secondary level (57.5%). Most frequent issue for supervision was "logistic". Second most-frequent issues were "reporting". Supervision for abiding guideline and instruction was also well apparent in this year assessment. Availability of any guidelines was (157/380=41.3%) of HFs. Availability of all items were higher than that of the last year 2017 especially "Guide for waste disposal" (15.5% vs. 5%). In principal, supervision and monitoring must be consistent, complete and recorded for the sake of effectiveness. In this regard, it will be much helpful to develop a system or checklist for concrete, compact and common supervision.

Supportive supervision is one of the key functions of Myanmar health system which currently has weakness. NHP aims to promote alignment of supportive supervision to all levels of HFs. Township Health Nurses who supervise midwives have to assess midwives on medical/technical/stock aspects of contraceptives, communication skills (e.g. using open-ended questions, reflective listening, etc) and the midwife, in turn, will assess the community volunteers. Community volunteers need support from supervisors to receive reliable answers to problems and questions. To be more effective, efficient and consistant in supervision, there should be a formal structure of checklist or logbook for HFs at all levels to help and guide any visitors reached to the HF at any time.

Aligning in NHP Strategy

The SDGs and NHP highlight a multi-sectoral approach: interventions across core sectors to address health determinants. RHLMIS will be improved by collaboration with other relevant departments (like HMIS, Procurement, CMSD) and by complementing to other related startegies such as Costed Implementation Plan to meet FP2020 and EPMM (2017-2021). In this regards, MRH will ensure community to access to the RH services free, safe and choices at the point of care, at least in public facilities by reduction of incidences of stock-out in all level of HFs. However, priorities in intervention should go to the poor, migrants and vulnerable who need most. Priority should also give to the expansion of service delivery in the townships with the greatest needs. Goal of the NHP 2017-2021 is to extend access to the Basic EPHS to the entire population while increasing financial protection. Basic EPHS: critical role of primary health care and the delivery of essential services and interventions at township level and below. It is important that RH essential medicines list is aligned with the EPHS for NHP implementation. Township level management is the core function for EPHS. RHCS should also align to NHP centering RHCS towards secondary level HFs.

Reallocation procedure for supplies

About 40% of HFs at all levels were irregular in the interval. Majority of HFs especially secondary and primary levels stated that the interval between order and receipt was irregular (43.2% and 41.4% respectively). Majority of Private HFs (50%) received drug supplies in relatively short interval (<2 weeks). Similarly, 32% of HFs described the interval of between-indents was "irregular". The irregularity was more pronounced in private HFs (55.6%). Irregularity of frequency of resupply was more pronounced in private

Reproductive Health Commodity Logistics System (RHCLS) standardizes storage, distribution, quantification and procurement practices at township, State/Region, and central levels while strengthening management and coordination structures. Data and information are provided by the system via web-based database software called "Logistimo". Health officials at different levels can review these data and information for appropriate decision making. The system is aligned with MoHS's National Health Supply Chain Strategy for medicines and medical supplies (2015-2020) and supports NHP in the area of the development of capacity to gradually move to a PULL system as per local needs. It could help among different levels of HFs within region to prevent imbalcing stocks and irregularity.

Waste disposal guideline for HFsFs

Burying and burning were still mostly used method for waste disposal. However, waste disposal of 52.6% of tertiary level and 100% of private HFs used municipal disposal system. "Guide for waste disposal" was least available at only 15.5% of HFs. Guideline for safe disposal and management of unused, unwanted contraceptives is important for environmental safety. The guideline is needed to provide information; to provide guidance on the safe disposal of unusable contraceptives, to guide countries in developing or updating country-specific waste disposal policies and guidelines that include disposal of contraceptive wastes, and to build awareness and capacity in managing of contraceptive waste.

National level guideline for contraceptive waste and other health care waste disposal has been launched in 2018. The guideline focuses mainly on expired, damaged and unqualified contraceptive materials and various methods of discarding and procedure detail in Myanmar language. It is important to share instruction and dissemination of waste management mechanism to all level of HFs. In this regard, the distribution of guidebooks should be reached towards all levels of HFs. The compliance of guideline should also be checked by supervision and monitoring. The disposal mechanism could be linked with other health care waste management systems.

Conclusion

This report provides 5-Years trend of RH Commodity and Services of the health facilities at a representative sample of urban and rural sites, States/Regions, government and private sectors across the country. The goal of RHCLS is to secure HFs regarding supplies RH medicine and family planning meterials. The implementation must be harmonizing among various sectors in health systems. Decisions on keeping continuum of supplies have to be evidence-based, need-based and right-based approaches. The focus on security of commodities and services will be intensified by programmatic practices aligned to related local as well as international stragies and standards.

²² Myanmar receives support from UNFPA Global Programme of RH Commodity Security.

Recommendations

Aligning RHC-LS into NHP: In line with National Health Plan, township level management is the core function for Essential Package of Health Services (EPHS). RH essential medicines are enlisted to be aligned with the EPHS. Linking to this, RHCS should also align to NHP centering RHCS towards secondary level HFs because web-based databased software called "Logistimo" could be mostly functioning at township level. "Logistimo" at health officials at different levels can review these data and information for appropriate informed decision making in forecasting and quantification for RH/FP products. Expansion of RHC-LS at States and Regions will help the supply chain system moving from PUSH to PULL gradually.

Standard operating procedures (SOP) for RHC-LS: Standard operating procedures (SOP) for RHC-LS should be developed to support system implementation and management. The standardized LMIS forms and the inventory control system for each health facility could be used across townships and States/Regions by following SOP. Data on the quantity of health products will be available at small health facilities and townships in this way. Providing visible logistic data of RH/FP products at different levels is envisioned that this system can be expanded to other commodity categories. Stock reallocation among different levels of health facilities across townships should be encouraged to keep adequate stock for RH and FP logistics. Innovated distribution method to HF should be found out for reaching in shorter interval between townships to health centers.

Effective, efficient and consistant supervision: The system management could be further strengthened with effective, efficient and consistant supervision, using a formal structure of checklist or logbook at HFs at all levels. The standard supervision checklist logbook will help and guide supervisors/visitors reached to the HF at any time and any reasons.

Communication and information sharing about side effect of FP methods: Continuous supportive supervision, including responsiveness on clients' need would improve service quality on the aspect of continuity of care and inter-personal communication. Moreover, due to less frequent in communication and information sharing about side effect of FP methods provided by health staff to clients, it needs to develop a formal mechanism for reporting side effects and adverse events related to contraceptive service provision for both short term and long term methods in all levels of health facilities.

Training for staff: Implants stock rate, which might relate to presence of trained staff, was very low at secondary level HFs indicates the needs for improving method-mix by not only supplies of variety of contraceptives but also providing more training for staff at secondary level HFs. It should be further strengthened capacities to effectively forecast, procure, distribute and track the delivery of sexual and reproductive health commodities, ensuring resilient supply chains. Incorporation of FP training into preservices curriculum on how to offer comprehensive, quality, and voluntary rights-based family planning and SRHR counseling should be considered. It will remove problems of attrition of trained staff due to transfer-out to other areas.

Improving capacities for quality assurance of contraceptives and RH medicine: Country capacities for quality assurance of procuring contraceptives and RH medicine should be facilitated by aligning national procurement policies and procedure with global intervention system. It will save costs by fostering procurement of contraceptives that are generic products and to ensure that procurement requests for humanitarian commodities are fulfilled within lead time. It will also foster national ownership and multisectoral collaboration that will support the achievement. It will strengthen country capacities for evidence-based supply management with a view to ensuring equitable access to sexual and reproductive health.

Task shifting of volunteers in FP services: To reduce irrational practices among informal providers and to creat environment for friendliness to vulnerable clients (HIV, Disabled, Migrants, etc), ways for task shifting of volunteers in some of FP services (such as providing SC-DMPA, counseling, information sharing, referring etc.) should be considered.

The contraceptives waste disposal: The contraceptives waste disposal mechanism to be linked with other health care waste management systems. Distribution of the guidelines, SOP and system for monitoring & supervision of disposal practices should be assured to reach all target areas. There should be budget line with enough amount for establishment and maintenance of waste disposal systems at all level of HFs. Uniformity of implementing RH waste disposal at all level HFs should be monitored.

Annex 1.

GPRHCS Survey Questionnaire ENGLISH

SURVEY QUESTIONNAIRE

2018 FACILITY ASSESSMENT FOR REPRODUCTIVE HEALTH COMMODITIES AND SERVICES

| INFORMATION ABOUT THE INTERVIEW |
|---|
| Country |
| Date of the Survey (year and month) |
| Name of Interviewer |
| Time Interview Started Time Interview Ended |
| Questionnaire checked and attested to be properly completed |
| Name of Supervisor |
| Signature Date) |

The questionnaire is in two parts; Module 1 (sections 1 to 13) is for the health facility/SDP; and, module 2 (sections 14 and 15) is for exit interview of clients visiting the SDP.

To administer Module 1, the interviewer should find the person in charge of the facility or the most senior worker who is present at the facility on that day. It is recommended that the interviewer should greet the interviewee; introduce himself herself; and, explain the purpose of the visit.

To ensure informed consent to the interview it is necessary to read the following statement to the interviewee:

- Your facility was selected to participate in this study. We will be asking you questions about aspects of RH commodities
 and services in your facility including family planning. The information obtained from your facility and from other
 facilities will be used by the MOH and other partners to understand the situation and for better planning to improve on
 service provision.
- The survey is in two parts: The first part will be answered by you the service provider and the second part will be answered by the clients who are visiting the facility for family planning services. We will require your permission to carry on with the exit at the appropriate time.
- You are assured that your name or that of any other health worker who will be designated to respond to this questions
 or the name of any client WILL NOT be mentioned or included in the dataset or in any report of this survey.
- You may refuse to answer any question or choose to stop the interview at any time. However, we hope you will answer
 the questions, which will be of benefit to strengthening national efforts to provide RH services including family planning.
- If there are questions for which someone else is the most appropriate person to provide the information, we would appreciate if you introduce us to that person to help us collect that information.
- At this point, do you have any questions about the study? Do I have your agreement to proceed?

The interviewer can proceed with the interview once the consent of the interviewee has been obtained. At the end of the interview for the SDP [Sections 1 to 13]; please thank the interviewee for his/her time and the information provided; and, obtain his/her permission or the permission of the relevant authorities before carrying on with the Exit Interview of Family planning clients [Sections 14 and 15]

MODULE 1:

AVAILABILITY OF COMMODITIES

| | Reservation was a studied based on the studied based of the studied of the studie |
|-----|--|
| | SECTION 1: FACILITY IDENTIFICATION (Name, Location and Distance) |
| SNo | ITEMS |
| 100 | Name of Service Delivery Point |
| 000 | A) Location (Name of Settlement) |
| 003 | Indicate geographic coordinates of the SDP if any system Global Positioning System (GPS) is used; / |
| 004 | SDP is located in an urban area or a rural settlement (as per your country's classification; 1 Urban 2 Rural |
| 900 | A) What is the distance between the location of the health facility and the nearest warehouse or store or facility which this SDP receives its regular supplies? / _ / |
| | B) Please indicate distance is in; 1 Kilometers 2 Mile 2 |

| | SECTION 2: SDP TYPE AND SERVICES PROVIDED |
|-----|--|
| 900 | Level of Service Delivery Point(Tick the option that is applicable to your country) Primary Level Care SDPs/facilities (or equivalent to country context) 1 Secondary level care SDPs/facilities/hospitals (or equivalent) 2 Tertiary level care SDPs/facilities/hospitals (or equivalent) 3 |
| 200 | 100 Management of Service Delivery Point: 1 Government ☐ 2 Private ☐ 3 NGO ☐ 4 Others (please specify |
| 800 | Does this facility provide family planning services? 1 Yes 2 No (if No, then items in Section 3 and 5 (that is 011 to 014 and 019 to 024) should NOT be administered |
| 600 | Does this facility provide maternal health including delivery services (e. g. with a maternity unit or section for delivery)? 1 Yes 2 No (If No, then items in Section 4 (that is 015 to 018) should NOT be administered) |
| 010 | Does this facility provide any HIV/AIDS services (e.g. VCT, PMTCT, ART, etc.)? 1 Yes ☐ 2 No ☐ |

| | Please no | te that for the SDP to re | SECTION 3: M | SECTION 3: MODERN CONTRACEPTIVE METHODS OFFERED AT SDP Please note that for the SDP to respond to items in this section, it should have indicated in Item 008 above that 'Yes' it provides family planning services | METHODS OFFERED AT | SDP e that 'Yes' it provides f | amily planning services | | |
|--|---|--|---|---|--|---|---|---|---|
| tem | (1) Male condoms | (2) Female Condoms | (3) Oral Contraception | (4) Injectables | (5) IUDS | (6) Implants | (7) Sterilisation for Females | (8) Sterilisation for Male | (9) Emergency contraception |
| 11. | | | | Yes, this SDP is expected | Yes, this SDP is expected Yes, this SDP is expected Yes, this SDP is | Yes, this SDP is | Yes, this SDP is | Yes, this SDP is | Yes, this SDP is |
| With respect to each of the contraceptive methods, <u>please</u> state whether the SDP is | expected /supposed to provide this method | expected /supposed to provide this method | | to/supposed to provide this method | /supposed to provide this method | expected /supposed to provide this method | expected /supposed to provide this method | expected /supposed to expected /supposed to expected /supposed to expected /supposed to provide this method provide this method | expected /supposed to provide this method |
| upposed/ expected to offer it, in | | | | 2 No, this SDP is NOT | 2 No, this SDP is NOT | | | | |
| ine with the current national | 2 No, this SDP is NOT | 2 No, this SDP is NOT 2 No, this SDP is NOT 2 No, this SDP is NOT | ami | expected/ supposed to | expected/ supposed to | 2 No, this SDP is NOT | 2 No, this SDP is NOT | 2 No, this SDP is NOT 2 No, this SDP is NOT 2 No, this SDP is NOT | 2 No, this SDP is NOT |
| protocols, guidelines and/or laws expected/supposed expected/supposed to expected/supposed | expected/supposed | expected/supposed to | expected/ supposed to | to provide this method | provide this method | expected/ supposed to | expected/ supposed to | expected/ supposed to expected/ supposed to expected/ supposed to expected/ supposed to | expected/ supposed to |
| specific for this level of service delivery. Please discuss with the | to provide this | provide this method | provide this method | (Tick only one option) | (Tick only one option) | provide this method | provide this method | provide this method | provide this method |
| espondent and then record your | 1 | | | | | 1 | | : | |
| conclusion before proceeding. | (Tick only one option) | (Tick only one option) (Tick only one option) | (Tick only one option) | | | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) |
| | 1 Yes | 1 Yes | 1 Yes □ | 1 Yes □ | 1 Yes □ | 1 Yes | 1 Yes | 1 Yes | 1 Yes |
| * Please recall SDP level as | | | | | | | ָ ק | | |
| ecoraea in item oob above) | ON 7 | ONZ | 7 NO | ON 7 | Z NO | ON 7 | Z No | ON 7 | Z NO |
| f Yes' in item 011 (i.e., this SDP is 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable | 3 Not Applicable |
| upposed/ expected to offer this (because "nethod), please state whether the item 011) | (because "No" to item 011) | (because "No" to item 011) | item | item | (because "No" to item 01) □ | item | item | item | (because "No" to item 01) □ |
| SDP actually offer it to clients on a | _ | | | | | | | | |
| egular basis | (Tick only one option) | Tick only one option) (Tick only one option) (Tick only one option) | 20000 | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) (Tick only one option) (Tick only one option) (Tick only one option) | Tick only one option) |
| | NOTE, FOR EACH OF (i.e.; the method is ac | NOTE, FOR EACH OF THE METHODS - If this SDP is actually supposed/expected to O [i.e.; the method is actually offered, although it is not currently in stock or available) | OP is actually supposed/ it is not currently in stoc | NOTE, FOR EACH OF THE METHODS - If this SDP is actually supposed/expected to OFFERS the contraceptive method but it is currently out of stock or not available at the time of the survey, please record as "Yes" (i.e.; the method is actually offered, although it is not currently in stock or available) | contraceptive method bu | it it is currently out of st | ock or not available at | the time of the survey, p | lease record as "Yes" |

2018 Health Facility Assessment For RHCS

| ltem | (1) Male condoms | (2) Female Condoms | (3) Oral Contraception | (4) Injectables | (5) Emergency contraception | sanı (9) | (7) Implants | (8) Sterilisation for Females | (9) Sterilisation for Male |
|--|--|---|---|---|---|--|--|---|--|
| I Delays on the part 1 Delays on the part fithis SDP is supposed/expected toof main source offer this method to clients (in line institution/warehou institution/warehous with current national guidelines, se to re-supply this et or re-supply this etc.) but the response to 010 is SDP with this contraceptive contraceptive contraceptive | 1 Delays on the part of main source institution/warehou se to re-supply this SDP with this | 1 Delays on the part 1 Delays on the part of main source of main source institution/warehou institution/warehous se to re-supply this e to re-supply this SDP with this contraceptive contraceptive | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this contraceptive | 1 Delays on the part of main source institution/warehouse to re-supply this SDP with this contraceptive | I Delays on the part of 1 Delays on the part of 1 Delays on the part main source main source of main source nstitution/warehouse institution/warehous institution/warehous or e-supply this SDP to re-supply this SDP et or e-supply this Mith this contraceptive with this contraceptive in contracep | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this contraceptive □ | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this contraceptive | 1 Delays on the part 1 Delays on the part of main source or resupply this e to re-supply this core-supply this sop with this supply this contraceptive contrace | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this contraceptive |
| (Tick only one option [as the main reason] for each contraceptive) | 2 Delays by this SDP to request for supply of the contraceptive □ | 2 Delays by this SDP 2 Delays by this SDP to request for to request for supply supply of the contraceptive contraceptive □ | 2 Delays by this SDP to request for supply of the contraceptive | 2 Delays by this SDP to request for supply of the contraceptive ☐ | 2 Delays by this SDP to 2 Delays by this SDP to equest for supply of request for supply of the contraceptive ☐ | 2 Delays by this SDP to request for supply of the contraceptive | 2 Delays by this SDP to request for supply of the contraceptive | 2 Delays by this SDP to request for supply of the contraceptive | 2 Delays by this SDP to request for supply of the contraceptive |
| | 3 The contraceptive is not available in the market for the SDP to procure □ | 3 The contraceptive is 3 The contraceptive is is not available in the rot available in the rot available in the rot available in the rot is so in arket for the market for the SDP to market for the SDP to procure □ procure □ | 3 The contraceptive is 3 The contraceptive is not available in the not available in the market for the SDP to procure □ procure □ | 3 The contraceptive is not available in the market for the SDP to procure ☐ | 3 The contraceptive is not available in the market for the SDP to procure ☐ | 3 The contraceptive is not available in the market for the SDP to procure □ | 3 The contraceptive in not available in the market for the SDP to procure □ | 3 The contraceptive is 3 The contraceptive is 3 The contraceptive is not available in the not available in the not available in the market for the SDP to market for the SDP to market for the SDP to procure | 3 The contraceptive is not available in the market for the SDP to procure □ |
| | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive □ | 4 Low or no client demand for the contraceptive □ | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive □ | 4 Low or no client demand for the contraceptive |
| | | | | | | 5 No train staff to provide this contraceptive at the SDP ☐ | 5 No train staff to provide this contraceptive at the SDP | 5 No train staff to provide this contraceptive at the SDP □ | 5 No train staff to provide this contraceptive at the SDP ☐ |
| | | | | | | 6. Lack of equipment for the provision of this contraceptive ☐ | 6. Lack of equipment for the provision of this contraceptive ☐ | 6. Lack of equipment 6. Lack of equipment 6. Lack of equipment 6. Lack of equipment for the provision of for the provision of for the provision of this contraceptive ☐ this contraceptive ☐ this contraceptive ☐ this contraceptive ☐ | 6. Lack of equipment for the provision of this contraceptive ☐ |
| | 7. Any other Reason (please specify) | 7. Any other Reason 7. Any other Reason please specify) (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) |
| From responses provided to Item 012, discuss with the respondent and record the conclusion by ticking one of the following statements | IF THIS IS A PRIMARY 1 This SDP offers up 2 This SDP offers thre | IF THIS IS A PRIMARY SDPS (AS NOTED IN ITEMS 06) 1 This SDP offers up to two modern contraceptive methods 2 This SDP offers three and more (at least three) modern contraceptive methods | iMS 06) ptive methods ee) modern contracepti | ve methods | IF THIS IS A SECONDARY OR TERTIARY SDPS (AS NOTED IN ITEM 06) 3 This SDP offers up to four modern contraceptive methods 4 This SDP offers FIVE and more (at least three) modern contraceptive methods | OR TERTIARY SDPS (AS our modern contracepti d more (at least three) i | NOTED IN ITEM 06) ve methods modern contraceptive i | nethods \square | |

| | | | SECTION 4 | : AVAILABILITY OF MA | 4: AVAILABILITY OF MATERNAL/RH MEDICINES | S | | | |
|--|--|--|--|---|---|---|---|---|---|
| | | | | 2 | Maternal/RH Medicines | | | | |
| Items | Please | Please note that for the SDP to respond to items in | o respond to items in the | his section, it should h | this section, it should have indicated in Item 009 above that "Yes" it provides maternal health including delivery services | 09 above that 'Yes' it p | rovides maternal hea | Ith including delivery | services |
| | (1) | (2) | (3) | (4) | (2) | (9) | (2) | (8) | (6) |
| | Ampicillin | Azithromycin | Benzathine benzylpenicillin | Either Betamethasone Or Dexamethasone Or Both of these medicines | Calcium gluconate | Cefixime | Gentamicin | Hydralazine | Magnesium sulfate |
| With respect to each of the expected /sup maternal/ RH Medicines, to have availa please state whether the SDP Maternal /RH is supposed have it available; Medicine ☐ in line with the current mational protocols, guidelines | 1 Yes, this SDP is expected /supposed to have available this Maternal /RH Medicine | 1 Yes, this SDP is expected /supposed to have available this Maternal /RH Medicine □ | 1 Yes, this SDP is expected /supposed to have available this Maternal /RH Medicine □ | 1 Yes, this SDP is expected /supposed to have available any or both of these Maternal /RH Medicines □ | 1 Yes, this SDP is | 10 | 1 Yes, this SDP is expected /supposed to have available this Maternal /RH Medicine | 1 Yes, this SDP is expected /supposed to have available this Maternal /RH Medicine | 1 Yes, this SDP is expected /supposed to have available this Maternal /RH |
| and/or laws specific for this level of service delivery. Please discuss with the respondent and then record your conclusion before proceeding | | 2 No, this SDP is NOT expected/ supposed to have available this Maternal /RH Medicine | 9 | 2 No, this SDP is NOT expected/ supposed to have available <u>any or both of these</u> Maternal /RH Medicine | 2 No, this SDP is NOT expected/ supposed to have available this Maternal /RH Medicine □ | 12/15 | 2 No, this SDP is NOT expected/ supposed to have available this Maternal /RH Medicine □ | 2 No, this SDP is NOT expected/ supposed to have available this Maternal /RH | 2 No, this SDP is NOT expected/ supposed to have available this Maternal /RH Medicine □ |
| (* Please recall SDP level as recorded in item 006 above) | (Tick only one option) | (Tick only one option) (Tick only one option) (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) (Tick only one option) | (Tick only one option) (Tick only one option) (Tick only one option) (Tick only one option) | Tick only one option) | (Tick only one option) | (Tick only one option) |
| 016 If 'Yes' in item 015 (i.e., this SOD is expected / supposed to | 1 Yes 🗌 | 1 Yes □ | 1 Yes □ | 1 Yes (for any or both) | 1 Yes □ | 1 Yes □ | 1 Yes □ | 1 Yes □ | 1 Yes □ |
| have available the maternal /RH medicine) please state whether the medicine is | 2 No | 2 No | Z No 🗌 | 2 No (for any or both) | 2 No | Z No 🗌 | 2 No 🗌 | Z No 🗌 | Z No 🗌 |
| currently available at the SDP 3 Not Applicable (because "No" to item 015) | 3 Not Applicable (because "No" to item 015) □ | 3 Not Applicable (because "No" to item 015) □ | 3 Not Applicable (because "No" to item 015) ☐ | 3 Not Applicable (because "No" to item 015) ☐ | 3 Not Applicable (because "No" to item 015) ☐ | 3 Not Applicable (because "No" to (item 015) ☐ | 3 Not Applicable (because "No" to item 015) □ | 3 Not Applicable (because "No" to item 015) □ | 3 Not Applicable (because "No" to item 015) |
| | | | | | | | | | |

(Rev - August 2014)

| | 3.0 | | Global Programr | ne to Enhance Re | Global Programme to Enhance Reproductive Health Commodity Security | Commodity Secur | ıty | | 10 |
|--|---|--|--|---|---|---|--|---|---|
| | (Tick only one option) | (Tick only one option) (Tick only one option) (Tick only one option) | | (Tick only one option) (Tick only one option) | | Tick only one option) | (Tick only one option) | (Tick only one option) (Tick only one option) (Tick only one option) (Tick only one option) | (Tick only one option) |
| ot7 If this SDP is supposed/ expected to have available this medicine (in line with current national guidelines, etc.) but the response to 015 is "No", please indicate the | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this medicine □ | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this | 1 Delays on the part of 1 Delays on the part main source of main source institution/warehouse institution/warehouse to re-supply this SDP expendition SDP with this medicine SDP with this | 10 | 1 Delays on the part of 1 Delays on the part main source of main source institution/warehouse institution/warehous to re-supply this SDP et or e-supply this with this medicine SDP with this medicine medicine | 10 | 1 Delays on the part of main source institution/warehous et or re-supply this SDP with this medicine | 1 Delays on the part of main source institution/warehous e to re-supply this SDP with this medicine □ | 1 Delays on the part of main source institution/warehous et or e-supply this SDP with this medicine □ |
| main reason (Tick only one option (as the moin reason) for each medicine) | 2 Delays by this SDP to request for supply of the medicine ☐ | 2 Delays by this SDP to request for supply of the medicine | 2 Delays by this SDP to 2 Delays by this SDP request for supply of to request for supply the medicine ☐ of the medicine ☐ | 777 Land | 2 Delays by this SDP to 2 Delays by this SDP request for supply of to request for supply the medicine ☐ of the medicine ☐ | 7.2. | 2 Delays by this SDP to request for supply of the medicine | 2 Delays by this SDP to request for supply of the medicine | 2 Delays by this SDP to request for supply of the medicine |
| | 3 The medicine is not available in the market for the SDP to procure □ | 3 The medicine is not 3 The medicine is not 3 available in the available in the available in the markel market for the SDP to market for the SDP to for the SDP to procure □ | 79000 96 | 3 The medicine is not 3 The medicine is not available in the available in the market market for the SDP to for the SDP to procure ☐ | - | 3 The medicine is not savailable in the savailable in the market for the SDP to procure □ | 3 The medicine is not available in the market for the SDP to procure □ | 3 The medicine is not 3 The medicine is not 3 The medicine is not 3 available in the available in the available in the market for the SDP to market for the SDP to market for the SDP to procure □ procure □ | 3 The medicine is not available in the market for the SDP to procure ☐ |
| | 4 Low or no demand/need for the medicine at this SDP □ | 4 Low or no demand/need for the medicine at this SDP ☐ | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP ☐ | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP ☐ | 4 Low or no demand/need for the medicine at this SDP □ | 4 Low or no demand/need for the medicine at this SDP |
| | 5 No train staff to provide this medicine at the SDP ☐ | 5 No train staff to 5 No train staff to provide this medicine provide this medicine provide this medicine at the SDP □ at the SDP □ at the SDP □ | | 5 No train staff to provide this medicine provide this medicine at the SDP □ at the SDP □ | 7.200 10.397.7900 | 5 No train staff to provide this medicine at the SDP | 5 No train staff to provide this medicine at the SDP □ | 5 No train staff to 5 No train staff to 5 No train staff to provide this medicine provide this medicine provide this medicine provide this medicine at the SDP □ at the SDP □ at the SDP □ | 5 No train staff to provide this medicine at the SDP □ |
| | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) |

| 9 |
|--|
| (3) |
| Azithromycin Benzathine benzylpenicillin |
| |

| | | ☐ Inventory taken, Medicine is in stock | | | | ☐ Inventory taken, | Medicine is NOT in | |
|---------|----------------------------|--|------------------------------|---|--|---------------------------------------|---------------------------------------|--------------|
| | | | | | V | | | stock |
| | | ☐ Inventory taken, ☐ Inventory taken, ☐ Medicine is in stock | | | | ☐ Inventory taken, ☐ Inventory taken, | Medicine is NOT in Medicine is NOT in | stock |
| 650 114 | | ☐ Inventory taken, Medicine is in stock | | | ľ | ☐ Inventory taken, | Medicine is NOT in | stock |
| | | ☐ Inventory taken, Medicine is in stock | | | ☐ Inventory taken, | Medicine is NOT in | stock | |
| 1 | | ☐ Inventory taken, Medicine is in stock | | | ☐ Inventory taken, ☐ Inventory taken, | Medicine is NOT in | stock | |
| | Or Both of these medicines | ☐ Inventory taken, any or both of the | medicine(s) is/are in | stock | ☐ Inventory taken, | any or both of the | medicine(s) is/are | NOT in stock |
| | | ☐ Inventory taken, Medicine is in stock | | | ☐ Inventory taken, | Medicine is NOT in | stock | |
| | | ☐ Inventory taken, Medicine is in stock | | | ☐ Inventory taken, ☐ Inventory taken, ☐ Inventory taken, | Medicine is NOT in Medicine is NOT in | stock | |
| | | ☐ Inventory taken, Medicine is in stock | | | ☐ Inventory taken, | Medicine is NOT in | stock | |
| | | For each response provided Inventory taken, Inventory taken, Inventory taken, Inventory taken, for item 016, the interviewer Medicine is in stock Medicine is in stock | should validate the response | by a physical Inventory and note the appropriate finding | | | | |

SECTION 4 continues on the next page

| | | | SECTION 4 - continues: A | SECTION 4 - continues: AVAILABILITY OF MATERNAL/RH MEDICINES | VAL/RH MEDICINES | | | |
|--|---|---|---|--|---|--|--|---|
| | | | | Maternal/R | Maternal/RH Medicines | | | |
| Items | | Please note that for the | Please note that for the SDP to respond to items in this section, it should have indicated in Item 007 above that 'Yes' it provides delivery services | s in this section, it should | have indicated in Item (| 007 above that 'Yes' it pr | ovides delivery services | |
| | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| | Methyldopa | Metronidazole | Mifepristone | Misoprostol | Nifedipine | Oxytocin | Either Sodium lactate compound solution Or Sodium chloride Or Both of these | Tetanus toxoid |
| 015-continues | 1 Yes, this SDP is | 1 Yes, this SDP is | 1 Yes, this SDP is | 1 Yes, this SDP is | 1 Yes, this SDP is | 1 Yes, this SDP is | 1 Yes, this SDP is | 1 Yes, this SDP is |
| With respect to each of the maternal/ RH Medicines, | expected /supposed to have available this | expected /supposed to have available this | expected /supposed to have available this | expected /supposed to have available this | expected /supposed to have available this | expected /supposed to have available this | expected /supposed to have available any or | expected /supposed to have available this |
| please state whether the SDP Maternal /RH Medicine Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine both of these Maternal | both of these Maternal | Maternal /RH Medicine |
| is supposed have it available; | 1 | | | | | | /RH Medicines | |
| in line with the current | | | | | | | | |
| national protocols, guidelines Z No, this SDP is NOT | S | Z No, this SDP is NOT | Z No, this SDP is NOT | Z No, this SDP is NOT | Z No, this SDP is NOT | Z No, this SDP is NOT | Z No, this SDP is NOT | Z No, this SDP is NOT |
| and/or laws specific for this | | expected/ supposed to | expected/ supposed to | expected/ supposed to | expected/ supposed to | expected/ supposed to | expected/ supposed to | expected/ supposed to |
| level of service delivery. | have available this | | have available | | have available this | | have available any or | have available this |
| Please discuss with the | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | Maternal /RH Medicine | both of these Maternal | Maternal /RH Medicine |
| respondent and then record |] | | | | | | /RH Medicine | |
| your conclusion before proceeding | | | | | | | | |
| | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) |
| (* Please recall SDP level as | | | | | | | | |
| recorded in in item 006 | | | | | | | | |
| above) | | | | | | | | |

(Rev - August 2014)

| 016-continues If 'Yes' in item 015 (i.e., this | 1 Yes □ | 1 Yes ☐ | 1 Yes | 1 Yes | 1 Yes 🗌 | 1 Yes ☐ | 1 Yes (for any or both) | 1 Yes □ |
|--|--|---|--|---|---|--|--|--|
| SDP is expected/ supposed to have available the maternal /RH medicine) please state | 2 No | 2 No 🗌 | 2 No | 2 No | 2 No 🗌 | 2 No | 2 No (for any or both) | 2 No |
| whether each medicine is currently available at the SDP | 3 Not Applicable (because "No" to item 016) | 3 Not Applicable (because "No" to item 016) □ | 3 Not Applicable (because "No" to item 016) □ | 3 Not Applicable (because "No" to item (016) □ | 3 Not Applicable 3 (because "No" to item (016) □ | 3 Not Applicable (because "No" to item 3 (016) ☐ | 3 Not Applicable (because "No" to item 016) □ | 3 Not Applicable (because "No" to item 016) □ |
| | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) |
| 017-continues If this SDP is supposed/ | 1 Delays on the part of main source | AND THE PARTY OF | on or an and | | | 000 | 120 | 1 Delays on the part of main source |
| expected to have available this medicine (in line with current national guidelines, | insutution/warehouse to re-supply this SDP with this medicine | institution/warehouse to re-supply this SDP with this medicine | to re-supply this SDP with this medicine | to re-supply this SDP with this medicine | institution/warehouse in to re-supply this SDP the with this medicine with this medicine with this medicine was a supply this was a supply the supp | institution/warehouse in to re-supply this SDP the with this medicine in the supply this medicine in the supply this medicine. | institution/warehouse to re-supply this SDP with this medicine | institution/warenouse to re-supply this SDP with this medicine |
| etc.) but the response to U.1.s is "No", please indicate the main reason | 2 Delays by this SDP to request for supply of the medicine □ | 2 Delays by this SDP to 3 Del | 2 Delays by this SDP to serequest for supply of the medicine | 2 Delays by this SDP to request for supply of the medicine | 2 Delays by this SDP to 2 request for supply of ther medicine | 2 Delays by this SDP to cequest for supply of ther medicine | 2 Delays by this SDP to request for supply of the medicine ☐ | 2 Delays by this SDP to request for supply of the medicine ☐ |
| (Lick only one option (as the main reason) for each medicine) | 3 The medicine is not available in the market for the SDP to procure | 3 The medicine is not available in the market for the SDP to procure | 3 The medicine is not available in the market for the SDP to procure | 3 The medicine is not available in the market for the SDP to procure | 3 The medicine is not available in the market affor the SDP to procure f | 3 The medicine is not available in the market of for the SDP to procure f | 3 The medicine is not available in the market for the SDP to procure | 3 The medicine is not available in the market for the SDP to procure |
| | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the omedicine at this SDP | 4 Low or no demand/need for the omedicine at this SDP | 4 Low or no demand/need for the medicine at this SDP | 4 Low or no demand/need for the medicine at this SDP |
| | 5 No train staff to provide this medicine at the SDP | S No train staff to S No train staff to provide this medicine at provide this medicine at the SDP ☐ the SDP ☐ the SDP ☐ | 5 No train staff to provide this medicine at the SDP | 5 No train staff to provide this medicine at the SDP □ | 5 No train staff to 5 No train staff to 5 No train staff to provide this medicine at provide this medicine at the SDP the SDP the SDP the SDP the SDP train staff to 5 No train staff to 5 No train staff to the SDP train staff to 5 No train staff to 5 No train staff to 5 No train staff to the SDP train staff to 5 No train staff to 5 | 5 No train staff to provide this medicine at provide the SDP | 5 No train staff to provide this medicine at the SDP □ | 5 No train staff to provide this medicine at the SDP □ |
| | | | | | 1V be | 6 The SDP does not have a cold chain to store the medicine ☐ | | |
| | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) (| 7. Any other Reason (please specify) (| 7. Any other Reason (please specify) | 7. Any other Reason (please specify) |
| 018 From responses provided to Item 016 above, please discuss with respondent and record the conclusion by ticking one of the following statements | tem 016 above, please record the conclusion by atements | Market College The | 1 Ves - this SDP has available the seven (7) lifesaving maternal/RH medicines (which included the two mandatory medicines [Magnesium Sulfate and Oxytocin] and any other five of the remaining medicines on the list - bearing in mind that; a) Sodium chloride and Sodium lactate compound solution are alternate and b) Dexamethasone is an otherwate to Betamethasone | ing maternal/RH medicin d Oxytocin] and any othe dium chloride and Sodium n offernate to Betametha | the | 2 No- this SDP does not have available the seven (7) lifesaving maternal/RH medicines (which included the two mandatory medicines [Magnesium Sulfate and Oxytocin] and any other five of the remaining medicines on the list - bearing in mind that: a) Sodium chloride and Sodium | have available the seven which included the two ro Oxytocin) and any other Jarina in mind that; a) Sod | (7) lifesaving mandatory medicines five of the remaining lium chloride and Sodium |
| 8 | | | | |] | lactate compound solution are alternate; and b) Dexamethasone is an alternate to Betamethasone \Box | n are alternate; and b) D | examethasone is an |

| | (1) | Tetanus toxoid | ☐ Inventory taken, Medicine is in stock | ☐ Inventory taken, Medicine is NOT in stock |
|---------------------------------------|-----------|--|--|---|
| | (16) | Sodium chloride Or Sodium lactate compound solution | □ Inventory taken, any □ Inventory taken, or both of the Medicine is in stock medicine(s) is/are in stock stock | or both of the Inventory taken, and or both of the Medicine is NOT in stock |
| | (15) | Oxytocin | Inventory taken, Inventory | |
| M 016 | (14) | Nifedipine | ☐ Inventory taken, Medicine is in stock ☐ Inventory taken, Medicine is MOT in stock | |
| INTERVIEWER VERIFICATION for ITEM 016 | (13) | Misoprostol | ☐ Inventory taken, Medicine is in stock ☐ Inventory taken, Madicine is NOT in stock | |
| INTERVIEW | (12) | Mifepristone | ☐ Inventory taken, Medicine is in stock ☐ Inventory taken, Medicine is NOT in stock | |
| | (11) | Metronidazole | ☐ Inventory taken, Medicine is in stock ☐ Inventory taken, Madicine is MOT in stock | |
| | (10) | Methyldopa | | |
| | Medicines | | For each response provided for item 016, the interviewer should validate the response by a physical inventory and note the appropriate finding | |

| | Please note that for the SDP to respond to items in this | he SDP to respond to | | i, it should have indic | cated in Item 008 ab | section, it should have indicated in Item 008 above that 'Yes' it provides family planning services | ides family planning | services | |
|------|--|-------------------------------------|----------------------------|--|-----------------------------------|--|-----------------------|-------------------------------------|-------------------------------|
| Item | (1) Male condoms | (2) Female Condoms | | (4) Injectables | (5) Emergency contraception | (e) Saui | (7) Implants | (8) Sterilisation for Females | (9) Sterilisation for Male |
| | | | (i): NO STOCK-OUT | (i): NO STOCK-OUT IN THE LAST SIX MONTHS BEFORE THE SURVEY | NTHS BEFORE THE SI | URVEY | | | |
| | 1 Yes; this method | 1 Yes; this method | 1 Yes; this method | 1 Yes; this method 1 Yes; this method | 1 Yes; this method | 1 Yes; this method | 1 Yes; this method | 1 Yes; this method | 1 Yes; this method |
| | has been out-of- | has been out-of- | has been out-of- | has been out-of- | has been out-of- | has been out-of- | has been out-of- | has been out-of- | has been out-of- |
| | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) |
| | on a given day at | on a given day at | on a given day at | on a given day at | on a given day at | on a given day at | on a given day at | on a given day at | on a given day at |
| | this SDP in the last | this SDP in the last | this SDP in the last | this SDP in the last | this SDP in the last | this SDP in the last | this SDP in the last | this SDP in the last | this SDP in the last |
| | six months | six months 🗌 | six months 🗌 | six months 🗌 | six months | six months | six months | six months | six months |
| | 2 No; this method | 2 No; this method 2 No; this method | | 2 No; this method | 2 No; this method | 2 No; this method | 2 No; this method | 2 No; this method | 2 No; this method |
| | has not been out-of | f-has not been out-of | -has not been out-of | -has not been out-of- | -has not been out-or | has not been out-of-has no | f-has not been out-of | -has not been out-of | f-has not been out-of |
| | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK |
| | OUT) on any given | OUT) on any given | OUT) on any given | OUT) on any given | OUT) on any given | OUT) on any given | OUT) on any given | OUT) on any given | OUT) on any given |
| | day at this SDP in | day at this SDP in | day at this SDP in | day at this SDP in | day at this SDP in | day at this SDP in | day at this SDP in | day at this SDP in | day at this SDP in |
| | the last six months | | the last six months | the last six months | the last six months | the last six months | the last six months | the last six months | the last six months |
| | | | | | | | | | |
| | (Tick only one | (Tick only one | (Tick only one | (Tick only one | (Tick only one | (Tick only one | (Tick only one | (Tick only one | (Tick only one |
| | option) | option) | option) | option) | option) | option) | option) | option) | option) |

(Rev – August 2014)

| 010 | | | One or more of the c | One or more of the contraceptive methods offered by this | | All contraceptive met | thod offered by this | All contraceptive method offered by this SDP has been available/ in-stock on all | e/ in-stock on all | |
|--|--|---|---|--|--|--|--|---|--|--|
| Survey, and therefore the contraceptive method was not available to clients at this SDP | ceptive methods that in with the current in this level of service; se indicate whether it i, within the last six method was no | ure 307 is actional protocols, delivery (as has been out of onths preceding the part available to | months preceding the survey. Therefore, this <u>SDP experien</u> | SUF his been out-off-stock on a given day in the last six months preceding the survey. Therefore, this <u>SDP experienced stock out in the last six months [STOCK-OUT WITHIN THE LAST SIX MONTHS]</u> | . <u>×</u> □ | days in the last six months preceding the survey. Therefore, this <u>SDP did not experience stock outstrock-OUT WITHIN THE LAST SIX MONTHS]</u> | onus preceding the lid not experience st | days in the last six months preceding the survey. Therefore, this <u>SDP did not experience stock out in the last six months [NO-STOCK-OUT WITHIN THE LAST SIX MONTHS]</u> | months [NO- | |
| (* Please recall SDP level as recorded in in item 006 above)020 From responses provided to Item 019 above, please discuss with respondent and record the conclusion by ticking one of the following statements | ed in in item 006 abow 319 above, please discu ig one of the following | e)020 uss with respondent | | | | | | | | |
| 7. If "Yes" to Item 019 (that this method has been out of stock (STOCK OUT) at this SDP on any given day within the last six months (in line with current | 1 Delays on the part of main source institution/warehou se to re-supply this SDP with this contraceptive □ | 1 Delays on the part 1 Delays on the part 2 Delays on the part 3 Delays on the part 4 Delays on the part 5 Delays on the part 5 Delays on the part 6 Delays on the part 1 Delays on the part 5 Delays on the part 1 Delays | 1 Delays on the part 1 Delays on the part 2 Delays on the part 3 Delays on the part 4 Delays on the part 4 Delays on the part 5 Delays on the part 6 Main source of main s | 1 Delays on the part of main source institution/warehou is to re-supply this SDP with this contraceptive | 1 Delays on the part of main source institution/warehou se to re-supply this SDP with this contraceptive | 1 Delays on the part: of main source institution/warehou se to re-supply this SDP with this contraceptive | 1 Delays on the part of main source institution/warehou se to re-supply this SDP with this contraceptive | 1 Delays on the part of main source institution/warehou se to re-supply this contraceptive | 1 Delays on the part of main source institution/warehou se to re-supply this SDP with this contraceptive | |
| national guidelines, etc.) please indicate the main reason | 2 Delays by this SDP to request for to request for supply of the contraceptive | s so | 2 Delays by this SDP 2 to request for the supply of the contraceptive □ | 2 Delays by this SDP : to request for the supply of the contraceptive □ | 2 Delays by this SDP to request for supply of the contraceptive | 2 Delays by this SDP : to request for the supply of the contraceptive □ | 2 Delays by this SDP to request for supply of the contraceptive □ | 2 Delays by this SDP to request for supply of the contraceptive □ | 2 Delays by this SDP to request for supply of the contraceptive □ | |
| | 3 The contraceptive is not available in the market for the SDP to procure ☐ | 3 The contraceptive 3 The contraceptive is not available in is not available in is not available in is not available in the market for the the market for the the market for the SDP to procure SDP to procure □ | | 3 The contraceptive is not available in the market for the SDP to procure ☐ | 3 The contraceptive is not available in the market for the SDP to procure □ | 3 The contraceptive is not available in the market for the SDP to procure ☐ | 3 The contraceptive is not available in the market for the SDP to procure □ | 3 The contraceptive is not available in the market for the SDP to procure □ | 3 The contraceptive is not available in the market for the SDP to procure ☐ | |
| | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | 4 Low or no client demand for the contraceptive | |
| | | | | | | 5 No train staff to provide this contraceptive at the SDP | 5 No train staff to provide this contraceptive at the SDP ☐ | S No train staff to provide this provide this provide the contraceptive at the contraceptive | 5 No train staff to provide this contraceptive at the SDP ☐ | |
| | | | | | | 6. Lack of equipment for the provision of this gontraceptive | 6. Lack of equipment for the provision of this contraceptive □ | 6. Lack of equipment for the provision of this contraceptive □ | 6. Lack of equipment for the provision of this contraceptive □ | |
| | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason 7 (please specify) (| 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | 7. Any other Reason (please specify) | |
| | AA.E. | 0.00 | (iii): NO STO | (ii) NO STOCK-OUT AT THE TIME OF THE SURVEY | F OF THE SURVEY | | | | | |

Ξ

Commodity Security Branch, Technical Division, UNFPA Global Programme to Enhance Reproductive Health Commodity Security

| | | 5 | obal Programme | to Ennance Kepr | oductive Health | Global Programme to Ennance Reproductive Health Commodity Security | Irrey | | |
|--|---|---|---|--|---|---|---|---|--|
| 022 With respect to each of the | 1 Yes; this method | 1 Yes; this method is currently out-of- | 1 Yes; this method is currently out-of- | 1 Yes; this method | 1 Yes; this method is currently out-of- | 1 Yes; this method | 1 Yes; this method is currently out-of- | 1 Yes; this method is currently out-of- | 1 Yes; this method |
| contraceptive methods that the | stock (STOCK-DLIT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | stock (STOCK-OUT) | | stock (STOCK-DLIT) | stock (STOCK-OUT) | stock (STOCK-OUT) |
| SDP is supposed/expected to provide in line with the current | at this SDP | at this SDP | at this SDP | at this SDP | at this SDP | | at this SDP | at this SDP | at this SDP |
| national protocols, guidelines | PUNN | 2 No; this method is 2 No; this method is 2 No; this | | 2 No; this method is | 2 No; this method is | method is 2 No; this method is | 2 No; this method is | 2 No; this method is | 2 No; this method is |
| of service delivery (as indicated in | | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK | stock (NO STOCK |
| Item 011 above); please indicate | | OUT) at this SDP UOUT) at this SDP OUT) at this SDP | OUT) at this SDP | OUT) at this SDP | OUT) at this SDP | OUT) at this SDP | OUT) at this SDP | OUT) at this SDP | OUT) at this SDP |
| whether it is currently out of stock at this SDP and therefore the contraceptive method was not available to give/provide to clients (Tick only one at this SDP | s (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) | (Tick only one option) |
| (* Please recall SDP level as recorded in in item 006 above) | | | | | | | | | |
| 023 | orin carola orioda Ott | 4 | One or more of the | One or more of the contraceptive methods offered by this | ds offered by this | ALL contraceptive method offered by this SDP are currently in-stock/available at | thod offered by this | SDP are currently in | -stock/available at |
| From responses provided to frem 0.19 above, please discuss with respondent SUP is currently out-or-stock at this SUP, and record the conclusion by ticking one of the following statements | g one of the following | cuss with respondent g statements | SOP IS currently out- | -or- stock at this SDP. | | tnis sur. | | | Control of the Contro |
| × | | | Therefore, this SDP survey [STOCK-OUT | Therefore, this SDP is experiencing stock out on the day the survey [STOCK-OUT ON DAY OF SYRVEY] | out on the day the | Therefore, this SDP did not experiencing stock out on the day of the survey [NO- STOCK-OUT ON DAY OF SYRVEY] | id not experiencing OF SYRVEY] | stock out on the day | of the survey [NO- |
| 024 | 1 Delays on the part | t 1 Delays on the part | 1 Delays on the part | 1 Delays on the part | 1 Delays on the part | 1 Delays on the part 2 Delays on the part 2 | 1 Delays on the part | 1 Delays on the part | 1 Delays on the part |
| If "Yes" to Item 22 (that this | of main source | of main source | of main source | of main source | of main source | of main source | of main source | of main source | of main source |
| method is out-of-stock(STOCK | institution/warehou | institution/warehou | institution/warehou | - | institution/warehou | institution/warehou | institution/warehou | institution/warehou | institution/warehou |
| OUT) at this SDP (in line with current national guidelines, etc.) | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this | se to re-supply this SDP with this |
| please indicate the main reason | contraceptive 🗌 | contraceptive | contraceptive | contraceptive | contraceptive | | contraceptive | contraceptive | contraceptive |
| 12 29 24 | is is | : e : e | DE UE | 12 | n n | G He | i e | 73 13 | B G |
| (Tick only one option [as the main | 2 Delays by this SDP | 2 Delays by this SDP | 2 Delays by this SDP | 2 Delays by this SDP | 2 Delays by this SDP | 2 Delays by this SDP 2 Delays | 2 Delays by this SDP | 2 Delays by this SDP | 2 Delays by this SDP |
| יבמסטו לכן במכנו בסטונו מרבי שניים | supply of the | supply of the | supply of the | supply of the | supply of the | | supply of the | supply of the | supply of the |
| | contraceptive | contraceptive 🗌 | contraceptive | contraceptive | contraceptive | | contraceptive | contraceptive | contraceptive |
| | L3 | is j | 8 | 5 | 8 | | Ó | i e | a |
| | 3 The contraceptive is not available in | 3 The contraceptive 3 The contraceptive 3 The contraceptive is not available in the contraceptive is not available in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contraceptive is not available in the contraceptive in the contrace | 3 The contraceptive is not available in | 3 The contraceptive is not available in | 3 The contraceptive is not available in | 3 The contraceptive is not available in | 3 The contraceptive is not available in | 3 The contraceptive 3 The contraceptive is not available in | 3 The contraceptive is not available in |
| | the market for the | the market for the | the market for the | the market for the | the market for the | | the market for the | the market for the | the market for the |
| | SDP to procure | SDP to procure | SDP to procure | SDP to procure | SDP to procure | SDP to procure | SDP to procure | SDP to procure | SDP to procure |
| | 4 Low or no client | 4 Low or no client | 4 Low or no client | 4 Low or no client | 4 Low or no client | 4 Low or no client | 4 Low or no client | 4 Low or no client | 4 Low or no client |
| | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive | demand for the contraceptive |
| | | | | | | S No train staff to provide this provide the contraceptive at the contraceptive at the SDP SDP SDP SDP | 5 No train staff to provide this contraceptive at the SDP | S No train staff to provide this contraceptive at the SDP | 5 No train staff to provide this contraceptive at the SDP |
| | | | | | | • | 1 204 04 | ا اعدا م | ا مرکزی |
| | | | | | | | י דמנע מו | o rack of | C Lach Ol |

| equipment for the provision of this contraceptive contraceptin contraceptive contraceptive contraceptive contraceptive contrac |
|--|
| |
| . Any other Reason 7 |

| | | | INTERVI | INTERVIEWER VERIFICATION for ITEM 022 | for ITEM 022 | | | | |
|--|-----------------------------------|--|---------------------|---------------------------------------|---------------------|---|---------------------|---------------------|---------------------|
| Contraceptive | (E) | (2) | (3) | (4) | (2) | (9) | (2) | (8) | (6) |
| | Male condoms | Male condoms Oral Contraception | IUDs | Implants | Injectables | Female Condoms | Sterilisation for | Sterilisation for | Emergency |
| | | | | | | | Male | remales | contraception |
| For each response provided for | ☐ Inventory taken, | 🗀 Inventory taken, | Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | Inventory taken, | Inventory taken, | Inventory taken, |
| item 022, the interviewer should contraceptive is in contraceptive is in contraceptive is in | contraceptive is in | contraceptive is in | contraceptive is in | contraceptive is in | contraceptive is in | contraceptive is in contraceptive is in contraceptive is in contraceptive is in | contraceptive is in | contraceptive is in | contraceptive is in |
| validate the response by a physical stock | stock | stock | stock | stock | stock | stock | stock | stock | stock |
| Inventory and note the appropriate | | | | | | | | | |
| finding | ☐ Inventory taken, | Inventory taken, 🔲 Inventory taken, 🗀 Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, | ☐ Inventory taken, |
| | contraceptive is contraceptive is | | contraceptive is | contraceptive is | contraceptive is | contraceptive is | contraceptive is | contraceptive is | contraceptive is |
| | NOT in stock | NOT in stock | NOT in stock | NOT in stock | NOT in stock | NOT in stock | NOT in stock | NOT in stock | NOT in stock |

MODULE 2:

FACILITY RESOURCES

| | SECTION 6: SUPPLY CHAIN |
|--|---|
| 025 Who is the main person responsible for ordering medical supplies at this facility? (Tick only one option) | Medical Doctor 1 ☐ Clinical Officer 2 ☐ Pharmacist 3 ☐ Nurse 4 ☐ Other (specify) 5 ☐ |
| 026 How are the resupplies for contraceptives for this facility Cletermined? (<i>Tick only one option</i>) | Staff member(s) of this facility makes request based on calculation of quantity needed using a formula1 Quantity is determined by the institution/warehouse responsible for supplying this SDP 2 Any other method used (please specify) |
| 027 Does this SDP use any logistics forms for reporting and ordering Y supplies? (Tick only one option) | Yes (enumerator verifies the availability of forms) 1 Yes (but availability not observed by enumerator) 2 No; there are no logistics forms in use 3 |
| 028 What is the main source of your routine medicines and Si supplies? (Tick only one option) | Central Medical Stores 1 Regional/district Warehouse or institution 2 Local medical store on the same site 3 NGO 4 Donors 5 Private Sources 6 NGO 4 Donors 5 Private |
| 029 Who is responsible for transporting products to your facility? (Tick only one option) | National/central government 2 Local/District administration 1 This Facility Collects 3 Other(Specify) 4 |
| 030 On average, approximately how long does it take between Nordering and receiving products? (Tick only one option) | Less than two weeks 1 \(\) More than two weeks but not up to one month 2 \(\) More than one month but not up to two months 3 \(\) More than two months but not up to four months 4 \(\) More than four months but not up to six months 5 \(\) More than six months 6 \(\) |
| rick only | Once every two weeks 1 📗 Once every month 2 🔲 Once every three months 3 🔲 Once every six months 4 🔲 Once a year 5 🔲 |
| | SECTION 7: EXISTENCE OF COLD CHAIN AT SDP [To be responded to by all SDPs] |
| 032 Does this SDP have its own cold chain to store medicines or items? (Tick only one option) | Yes 1 No 2 Not Applicable (no to 032 above) 3 |
| 033 If yes to 032, please give a list of the reproductive/ maternal health medicines or items that this SDP stores in cold chain? | £ |
| 034 If yes to 032; what type of cold chain does the SDP have? (Tick only one option) | y Electric Fridge 1 lce box (SDP have to regularly replenish ice supply 2 Other (specify) 3 |
| 035 If the type of cold chain (in 034) is a fridge please indicate the source of power for this (<i>Tick only one option</i>) | rce Electricity from national grid 1 Generator plant at the SDP 2 Portable generator at the SDP 3 Kerosene/paraffin fuel 1 Any Other (specify) |
| 036 If the SDP does not have its own cold chain, how does it preserve items that are supposed to be in cold chain? | |

(Rev - August 2014)

| | | | SECTION 8: STAFF TRAINING FAMILY PLANNING [To be responded to by all SDPs] | 8: STAFF TRAINING FAMILY PL [To be responded to by all SDPs] | IILY PLANNING I SOPSJ | | | |
|---|--|--|---|---|---|---------|-------------------------------------|--|
| 037 Are there staff working at this SDP who are trained to provide family planning services? (<i>Tick only one option</i>) | Yes 1 | No 2 | | 3 N | v. | | | |
| 038 If yes; please indicate how many staff members are trained in provision of family planning services | [] | | | | | | | |
| 039 Is any staff member trained for the insertion and removal of implant contraceptive, specifically? (<i>Tick only one option</i>) | Yes 1 | No 2 | | | | | | |
| 040 If yes; please indicate how many staff members are trained for the insertion and removal of implant contraceptive | | | | | | | | |
| 041 Are the trained staff actually providing FP services (<i>Tick only one</i> Yes 1 □ option) | Yes 1 | No 2 | | | | | | |
| 042 If no to item 041 please indicate the reason why the staff is NOT Yes 1 □ actually providing FP services (<i>Tick only one option</i>) | Yes 1 | No 2 | | | | | | |
| 043 When last did any staff at this SDP receive training in provision of family planning services (<i>Tick only one option</i>) | In the last two months 1 Between six month and on | wo months cmonth and | In the last two months $1 \square$ | Between tv More than | Between two and six months ago 2 | | | |
| 044 Did the training exercise include the insertion and removal of implant contraceptive (<i>Tick only one option</i>) | Yes 1 | No 2 | | | | | | |
| | | | | | | | | |
| | SECTION | 9: STAFF SI | JPERVISION FOR RE [To be re | I FOR REPRODUCTIVE HEALTH [To be responded to by all SDPs] | SECTION 9: STAFF SUPERVISION FOR REPRODUCTIVE HEALTH INCLUDING FAMILY PLANNING [To be responded to by all SDPs] | LANNING | | |
| 045 When was the last time this facility was visited by a supervisory In less than one Month 1 [authority in the past 12 months? (<i>Tick only one option</i>) | In less than Between six | one Month |] ne year ago 4 | etween one | between one and three Months ago2□□ □ Not supervised in the past 12 month 5□ | | Between three and six months ago 3□ | |
| 046 How frequently does this facility receive visits from supervisory authorities? (<i>Tick only one option</i>) | Weekly 1□ Once a year 5□ | S 🗆 | Monthly 2 | Every | Every three months3 | | Every six months 4 | |
| 047 Which of the following were included in the supervision <i>(Tick only one option)</i> | Staff clinical practices 1 ☐ Drug stock out and expiry 2 ☐ Staff availability and training 3 ☐ Data completeness, quality, and Review use of specific guideline Any other please specify | I practices 1 but and exp billity and tracted eteness, qui of specific glease specific | Staff clinical practices 1 ☐ Drug stock out and expiry 2 ☐ Staff availability and training 3 ☐ Data completeness, quality, and timely reporting 4 ☐ Review use of specific guideline or job aid for reproductive health 5 ☐ Any other please specify | oorting 4 | health 5□ 6□ | | | |

Global Programme to Enhance Reproductive Health Commodity Security Commodity Security Branch, Technical Division, UNFPA

| SECTION 12: WASTE DISPOSAL [To be responded to by all SDPs] | Burning on the grounds of the SDP 1 Bury in special dump pits on the grounds of the SDP 2 Use of Incinerators 3 Centrally collected by specific agency for disposal away from the SDP 4 Disposed with regular garbage 5 | SECTION 13: CHARGING FOR USER FEE | lio be responded to by all 3DPs) No 2 □ No 2 □ | Family planning services 1 | Yes 1□ No 2□ | Family planning commodities 1 Maternal Health medicines 2 Child health medicines 3 Other (specify) | a Yes1□ No 2□ | Family planning services 1☐ Antenatal care services 2☐ Delivery services 3☐ 41.1 Post natal care services 4☐ Newborn care services 5☐ Care of sick children under 5 years 6☐ HIV care 7☐ Caesarean Section 8☐ Other (specify)9☐ |
|---|---|-----------------------------------|---|--|--|--|---|--|
| | Surning or Centrally o | | es 1 | Family pla Delivery so Vewborn | res 1 | Family pla | res 1 | ost natal |
| | 057 How does the SDP dispose of health waste? [Tick only one option] | | 058 Does this facility charge patients for consultation (<i>Tick only one</i> Yes 1 □ option) | 059 If Yes; are there exemptions for any of the following services (Tick ALL the options that opply) | 060 Does this facility charge patients for any medication (Tick only Yone option) | here exemptions for any of the following services e options that apply) | 062 Does this facility charge patients for any service provided by a Mqualified health care provider (<i>Tick only one option</i>) | 063 If Yes; are there exemptions for the following services (Tick ALL P the options that apply) |

NOTE: At this stage;

- Thank the interviewer for his/her time and for the information provided 321
- Inform him/her that for the next part of the survey, as you informed him/her earlier, you would interview family planning clients who are visiting the SDP
- Assure him/her that the responses of the clients will not be used against anybody or the SDP but will be used for a general understanding of the views of clients and for better service provision
 - Specifically ask for permission from the relevant authority of the SDP for you to carry on with the exit interview 4

(Rev - August 2014)

MODULE 3:

EXIT INTERVIEW - CLIENTS' PERCEPTION AND APPRAISAL OF COST FOR FP SERVICES

NOTE

Please inform the respondent that;

- You are not a staff member of the SDP but here to talk to ask their opinion about the services they have just received
- Although the staff of the SDP have been informed about, and have given permission for the exercise; they will not be told anything that the respondent says
 - The questions are not personal and his/her name or particulars will not be recorded
- His/her response will not be used against anybody
- He/she may refuse to answer any question or choose to stop the interview at any time. However, you hope he/she will answer the questions, which will be useful to improve on the services that are provided.
 - If he/she has any questions about the study he/she can ask at this stage

The interviewer can then ask client, if he/she agrees to proceed with the interview. Once the consent of the interviewee has been obtained, then the interviewer can proceed with the interview.

2018 Health Facility Assessment For RHCS

Commodity Security Branch, Technical Division, UNFPA Global Programme to Enhance Reproductive Health Commodity Security

| SECTION 14: EXIT INTERVIEW - CLIENTS' PERCEPTION [To be administered to clients at SDPs offering FP services (indicating Yes' to Item 008 above)] | m 008 above)] | |
|---|--|----|
| 4.1 Respondents Background | | |
| 164 | | |
| 65 | | |
| ex (Tick only one option) | Male 1 📗 Female 2 🔲 | |
| 999 | | |
| Aarital status (<i>Tick only one option</i>) | Never Married or in union 1 | |
| | LEGATION W. M. ESCO. No. 5-15-Legation and 5-15- | |
| evel of Education (<i>Tick only one option</i>) | No Education 1 Primary 2 Secondary and higher level 3 | |
| 168 Iow often do you visit this SDP for FP services? (Tick only one option) | Once a month 1☐ Once every 2 months 2☐ Once every 3 months 3☐ Others (please specify) 4☐ | 27 |
| 4.2 Provider adherence to technical aspects | | |
| 69 | | |
| Were you provided with the family planning method of your choice at this SDP? (Tick only one option) | Yes 1 | |
| 170 Note that family service provider take your preference and wishes into consideration in deciding on the family planning method you received? Tick only one option) | Yes 1□ No 2□ | 1 |
| T. | | |
| the health worker teach you how to use the family planning method? (Tick only one option) | Yes 1 | |
| n7.2 Were you told about the common side effects of the family planning method? (Tick only one option) | Yes 1 | |
| 773 Did the health worker inform you about what you can do regarding the side effects of the family planning method should they occur? (Tick | Yes 1□ No 2□ | |
| niy one option) | | |
| 174 Nid the health worker inform you about any serious complications that can occur, as a result of using the family planning method, for which ou should come back to the SDP should such occur? (Tick only one option) | Yes 1 | |
| 175 Were you given any date when you should come back for check-up and/or additional supplies? (Tick only one option) | Yes 1 No 2 | |
| 4.3 Organizational aspect | | |
| 9/2 | | |
| n your opinion did you wait too long for the service to be provided to you? (Tick only one option) | Yes 1 | |
| IT are you satisfied with the cleanliness of the health facility? (Tick only one option) | Yes 1 | |
| 84 | | |
| Are you satisfied with the privacy at the exam room? (Tick only one option) | ↑es 1 | |
| ure you satisfied with the time that was allotted to your case by the health care provider? (Tick only one option) | Yes 1 | |
| 4.4 Interpersonal aspect | | |
| n80 old staff at the health facility treat you with courtesy and respect (<i>Tick only one option</i>) | Yes 1□ No 2□ | |
| 881 Did any of the health service providers force you to accept or insisted that you should accept the family planning method that you received | Yes 1□ No 2□ | |
| | | |

(Rev – August 2014)

19

| Global Flogialline to Elliance Reproductive nealth Collinouty Security | modity security | |
|--|--|----------------------------------|
| today? (Tick only one option) | | |
| 082 Are you satisfied with the attitude of the health provider towards you generally? (<i>Tick only one option</i>) | Yes 1 | No 2 |
| 14.5 Outcome aspect | | |
| 083 Are you satisfied with the service you received? (<i>Tick only one option</i>) | Yes 1 | No 2 |
| 084 Will you continue visiting this SDP in future? (Tick only one option) | Yes 1□ | No 2 |
| 085 Would you recommend your relatives or friends to come to this clinic (Tick only one option) | Yes 1 | No 2 |
| | | |
| SECTION 15: EXIT INTERVIEW — CLIENTS' APPRAISAL OF COST FOR FP SERVICES [To be administered to clients at SDPs offering FP services (indicating 'Yes' to Item 008 above)] | VVICES 008 above]] | |
| 15.1 Family Planning service payment | | |
| oco. The standard of the control of the standard of the standa | Yes 1 | No 2 |
| aid for anything today please how much did you pay for the following method (amount in local currency)? (Indicate for ALL that apply) $ $ Laboratory test/x-ray $ $ Consultation fee $ $ | Contraceptive received from service provider 3 \(\) Others (please specify) 6 \(\) | vice provider 3 / / / |
| | | |
| iin mode of transportation for you to travel from your place of residence to this SDP (<i>Tick only one option</i>) sis is selected then skip to 091) Private vehicle 5□ | Motorcycle 3☐ Others (please specify) 6☐ | \[\tag{\tau} \] |
| 089 What distance did you travel from your place of residence to this SDP / $/$ 1 Kilometers \Box 2 Mile \Box (<i>Tick only one option</i>) | | |
| 090 How much did it cost you to travel from your residence to this SDP / / (amount in local currency) | | |
| | | |
| | | |
| 092 How long did it take for you to travel from your place of residence to this SDP today / / Hours ; / / Minutes | | |
| arrival at | / Hours;// | Minutes |
| 094 How long will it take you to travel back to your place of residence // Hours;/// Minutes | | |
| 095 What is the main thing you would have been doing during the time you have been here receiving FP services at this SDP today (Tick only one option) | (uo | |
| Household chores 1 Selling in the market/trading 3 | ading 3 | Employed as unskilled labourer 4 |
| Employed as killed labourer 5 Clerical or professional work 6 Others (please specify) 7 | 7 | |
| 0096 From the activity you referred to in 095, who took over this activity? (Tick only one option) | | |
| Family member 1 Co-worker 2 Nobody 3 | Other (plea | Other (please specify) 4 |
| 097 Did you have to pay the person who took over the activity on your behalf (<i>Tick only one option</i>) | Ye | Yes 1 |
| 098 If yes please indicate or estimate the monetary value of the payment <i>(Tick only one option)</i> | | / (amount in local currency) |

(Rev - August 2014)

Global Programme to Enhance Reproductive Health Commodity Security Commodity Security Branch, Technical Division, UNFPA

| 15.4 Financing for FP 1999 1999 Please indicate the where you obtain the resources to pay for the cost of FP services you have received today? (Tick ALL the options that apply) - Please refer only to payments mentioned under 087 - (service payment) Paid for by myself 1 Spouse (husband or wife) 2 Family Members other than spouse (husband or wife) 3 Others (please specify) 4 | to payments mentioned under 087 - (service payment) Others (please specify) 4 |
|---|--|
|---|--|

NOTE: At this stage;

- Inform him/her that the interview has ended, and
 Thank the interviewer for his/her time and for the information provided

Annex 2.

GPRHCS Survey Questionnaire MYANMAR

၂၀၁၈ ခုနှစ်အတွင်းကျန်းမာရေးဌာနများ၏မျိုးဆက်ပွားကျန်းမာရေးဆိုင်ရာဆေးပစ္စည်းနှင့် ကျန်းမာရေးစောင့်ရှောက်မှုလုပ်ငန်းများဆန်းစစ်လေ့လာခြင်း သုတေသနမေးခွန်းလွှာ

မေးမြန်းမှုမှတ်တမ်း

| စဥ် | အကြောင်းအရာ | မှတ်တမ်း |
|-----|--|---------------------|
| OII | မေးခွန်းလွှာမှတ်ပုံတင်အမှတ် | |
| ال | မေးမြန်းသောရက်စွဲ | |
| 911 | မေးမြန်းသူအမည် | |
| 911 | မေးမြန်းမှုစတင်ချိန် | _ : နာရီ |
| ၅။ | မေးမြန်းမှုပြီးဆုံးချိန် | _ : နာရီ |
| Gu | မေးခွန်းလွှာမှတ်တမ်းများစစ်ဆေးပြီးခြင်းသက်သေခံချက် ကြီးကြပ်သူအမည် | |
| | လက်မှတ် | |
| | ရက်စွဲ (ရက်/လ/နှစ်) | [_1_[/[_]_]/[_1_]_] |

အခန်း ၁။ ကျန်းမာရေးဌာန၏အကြောင်းအချက်များ

| စ၌ | အကြောင်းအချက် | ဖြေဆိုချက် |
|-------------|---|---------------------------|
| OII | ကျွန်းမာရေးဌာန၏အမည် | |
| JII | တည်နေရာ | |
| | (က)ပြည်နယ်/တိုင်း | |
| | (ခ)မြို့နယ် | <u>-</u> s |
| | (ဂ)ကျေးလက်ကျန်းမာရေးဌာန | |
| 8 11 | GPS စနစ်အသုံးပြုသောနေရာဖြစ်လျှင်ကိုဩဒိနိတ် | N |
| | | E |
| 911 | မြို့ပေါ် /ကျေးလက် | ၁။မြို့ပေါ် ၂။ကျေးလက် |
| ၅။(၅.၁) | ကျန်းမာရေးဌာနနှင့်ယင်းဌာနအတွက်လိုအပ်သောဆေးဝါး ပစ္စည်းများထုတ်ယူရာအနီးဆုံးဆေးသိုလှောင်ဌာန အကွာအဝေး | မိုင် |
| (ე.၂) | ယင်းဌာနသို့ သွားရောက်ရန် ကြာမြင့်သောအချိန် | _ ရက် _ _ နာရီ _ _ မိနစ် |
| (၅.၃) | ယင်းဌာနသို့ သွားရောက်ရန် အသုံးပြုသောလမ်းကြောင်း | ၁။ ကုန်းလမ်း ၂။ ရေလမ်း |

အခန်း ၂။ ကျန်းမာရေးဌာနအမျိုးအစားနှင့်ကျန်းမာရေးစောင့်ရှောက်မှုအမျိုးအစား

| G _{II} (G.၁) | ကျန်းမာရေးဌာနအမျိုးအစား | ၁။ကျွန်းမာရေးဌာန(RHC/UHC/MCH) ၂။တိုက်နယ်ဆေးရုံ(Station Hospital) ၃။မြို့နယ်ဆေးရုံ (ကုတင်) ၄။ခရိုင်ဆေးရုံ (ကုတင်) ၅။ပြည်နယ်/တိုင်း အဆင့်ဆေးရုံ (ကုတင်) ၆။ဗဟိုအဆင့်ဆေးရုံကြီး ၇။ အခြားဝန်ကြီးဌာန |
|-----------------------|--|---|
| (G.J) | ယခု ကျန်းမာရေးဌာနရှိရာမြို့နယ်သည် မျိုးဆက်ပွား ကျန်းမာရေး စီမံချက်တွင် ပါဝင်သော မြို့နယ် ဟုတ်ပါသလား | ၁။ဟုတ် ၂။မဟုတ် |
| S _{II} | ကျန်းမာရေးဌာနစီမံခန့်ခွဲမှုအမျိုးအစား | ၁။အစိုးရဆေးရုံ ၂။ပုဂ္ဂလိကဆေးရုံ ၃။အဖွဲ့အစည်း(NGO) ၄။အခြား(ဖေါ်ပြပါ) |
| ดแ | သားဆက်ခြားလုပ်ငန်းများဆောင်ရွက်ခြင်းရှိ/မရှိ | ၁။ရှိ ၂။မရှိ |
| 6 _{II} | ကလေးမွေးဖွားခြင်းအပါအဝင်မိခင်စောင့်ရှောက် ရေးလုပ်ငန်းများဆောင်ရွက်ခြင်း | ာ။ရှိ ၂။မရှိ |
| IIOC | HIV/AIDS ဆိုင်ရာကျွန်းမှာရေးစောင့်ရှောက်မှု လုပ်ငန်းများဆောင်ရွက်ခြင်း(VCT,PMTCT,ARTစသည်) | ၁။ရှိ ၂။မရှိ |

အခန်း၃။ ခေတ်မီ သားဆက်ခြားနည်းလမ်းများဆောင်ရွက်ပေးမှု

(မေးခွန်းအမှတ်**၈** ၌ **ရှိ** ဟုဖြေထားမှသာဤအခန်း **၃** နှင့် အကျုံးဝင်သည်)

| စဥ် အကြောင်းအရာ ဆော | | ဆောင်ရွက် | ်ပေးနိုင်မှုအခြေအနေ |
|---------------------|---|---|---|
| | လက်ရှိဌာန၏ဖွဲ့ စည်းပုံနှင့်လုပ်ငန်းတာဝန်ပေးအပ် မှုစီမံချက်လုပ်ငန်းပြဋ္ဌာန်းဆောင်ရွက်မှုအခြေအနေ များအရအောက်ဖေါ်ပြပါနည်းလမ်းများကို ဆောင်ရွက်ပေးရန်သတ်မှတ်ထားပါသလား။ | ၁၁။ သတ်မှတ်ထားမှု ၁။သတ်မှတ် ၂။မသတ်မှတ် | ၁၂။ဆောင်ရွက်ပေးနေမှု ၁။ဆောင်ရွက်နေ ၂။မဆောင်ရွက် ၃။အကျုံးမဝင် (မသတ်မှတ်ဟု ရှေ့အကွက်တွင် ဖြည့်ထားလျှင်) |
| | (က)အမျိုးသားသုံးကွန်ဒုံး | 1_1 | |
| | (ခ)အမျိုးသမီးသုံးကွန်ဒုံး | 1_1 | 1_1 |
| | (ဂ)တားဆေးကဒ်(တစ်နေ့တစ်လုံးသောက်ရန်) | 1_1 | 1_1 |
| | (ဃ) သန္ဓေတားထိုးဆေး | 1_1 | 1_1 |
| | (c)အရေးပေါ် သန္ဓေတားဆေး | 1_1 | |
| | (စ)သားအိမ်တွင်းထည့်ပစ္စည်း(IUD) | 1_1 | 1_1 |
| | (ဆ)အရေပြားအောက်သန္ဓေတားဆေး(Implant) | 1_1 | 1_1 |
| | (ဇ)အမျိုးသမီး သားကြောဖြတ်ခြင်း | 1_1_1 | 1_1 |
| | (ဈ)အမျိုးသား သားကြောဖြတ်ခြင်း | 1_1 | 1_1 |

မှတ်ချက်။ သားဆက်ခြားနည်းလမ်းတစ်ခုချင်းစီအတွက် ဤဌာန၌ ဆောင်ရွက်ပေးရန် သတ်မှတ်ထားပြီး ပုံမှန်ဆောင်ရွက်ပေး နေသော်လည်း မေးမြန်းကာလအတွင်း ပစ္စည်းပြတ်လပ်မှုကြောင့် လတ်တလောဆောင်ရွက်နိုင်ခြင်းမရှိပါလျှင် ဒုတိယကော်လံတွင် "ဆောင်ရွက်နေ" ဟုသာဖြည့်သွင်းပါ။

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|------|---|--|
| ၁၃။ | မေးခွန်းနံပါတ်(၁၂)တွင် မဆောင်ရွက်နိုင် ဟုဆိုပါလျှင် မည်သည့်အတွက်ကြောင့်ဆိုသည်ကိုဖေါ်ပြပါ။ | ၁။ထောက်ပံ့ပစ္စည်းများအချိန်မီမရောက်သဖြင့် ၂။ထောက်ပံ့ပစ္စည်းအချိန်မီမတောင်းခံနိုင်သဖြင့် ၃။ဈေးကွက်ပစ္စည်းပြတ်လပ်မှုကြောင့် ၄။သုံးစွဲမည့်သူမရှိ၍ (သို့)အလွန်နည်း၍ မှတ်ချက်။ ။ အောက်ပါနံပါတ်(၅) နှင့်(၆) သည် (စ)မှ (ဈ)ကို ဖြေဆိုလျှင် ကိုးကားရန် ၅။ဤနည်းလမ်းကိုဆောင်ရွက်ပေးနိုင်မည့် ဝန်ထမ်းမရှိ၍ ၆။ဤနည်းလမ်းကိုဆောင်ရွက်ပေးနိုင်မည့် ပစ္စည်းကိရိယာမရှိ၍ ၇။အခြား(ဖော်ပြပါ) |
| | (က)အမျိုးသားကွန်ဒုံး | I_I : |
| | (ခ)အမျိုးသမီးကွန်ဒုံး | I_I |
| | (ဂ)တားဆေးကဒ် (တစ်နေ့တစ်လုံးသောက်ရန်) | |
| | (ဃ)သန္ဓေတားထိုးဆေး | [v] : |
| | (c) အရေးပေါ် သန္ဓေတားဆေး | 1_1 |
| | (စ)သားအိမ်တွင်းထည့်ပစ္စည်း(IUD) | [_] sx |
| | (ဆ)အရေပြားအောက်ထည့်ပစ္စည်း (Implant) | [] |
| | (ဇ)အမျိုးသမီး သားကြောဖြတ်ခြင်း | |
| | (ဈ)အမျိုးသား သားကြောဖြတ်ခြင်း | |
| 9911 | မေးခွန်းနံပါတ် (၁၂)၏အဖြေကိုမူတည်၍ဤကျန်းမာ ရေးဌာနတွင်သားဆက်ခြားနည်းလမ်းများဆောင် ရွက်ပေးနိုင်မှုအခြေအနေကိုသုံးသပ်ပါ။ | *မေးခွန်းနံပါတ် (၆) အရ ကျန်းမာရေးဌာန (RHC/UHC/MCH) ဖြစ်ပါက ၁။ ယခုကျန်းမာရေးဌာနသည် ခေတ်မီ သားဆက်ခြားနည်း လမ်း(၂) ခုအထိ ဆောင်ရွက်ပေးနိုင်သည်။ ၂။ ယခုကျန်းမာရေးဌာနသည် ခေတ်မီ သားဆက်ခြားနည်း လမ်း အနည်းဆုံး (၃) ခုနှင့်အထက်ဆောင်ရွက် ပေးနိုင် သည်။ *မေးခွန်းနံပါတ် (၆) အရ (တိုက်နယ်ဆေးရုံ နှင့်အထက်) ဖြစ်လျှင် ၁။ ယခုကျန်းမာရေးဌာနသည် ခေတ်မီ သားဆက်ခြားနည်း လမ်း(၄) ခုအထိ ဆောင်ရွက်ပေးနိုင်သည်။ ၂။ ယခုကျန်းမာရေးဌာနသည် ခေတ်မီ သားဆက်ခြားနည်း လမ်းအနည်းဆုံး (၅) ခုနှင့်အထက် ဆောင်ရွက် ပေးနိုင် သည်။ |

အခန်း၄။ သန္ဓေတားဆေးများပြတ်လပ်မှု

(မေးခွန်းအမှတ် ၈ ၌ $\hat{\mathbf{q}}$ ဟုဖြေထားမှသာဤအခန်း \mathbf{c} နှင့် အကျုံးဝင်သည်)

| အကြောင်းအရာ | မေးခွန်းနံပါတ် (၁၉) | မေးခွန်းနံပါတ် (၂၁) |
|---|---|--|
| မေးခွန်းနံပါတ် (၆)အရသတ်မှတ်အဆင့်ရှိ ဆေးရုံ/ဆေးခန်းအနေဖြင့်ပြဌာန်းချက်တာ ဝန်ပေးချက်(သို့)စီမံချက်တစ်ခုခုအရအောက် ပါသန္ဓေတားဆေးနှင့်ပစ္စည်းများရှိသင့်ပါလျှက် လွန်ခဲ့သော (၃)လအတွင်းပြတ်လပ်ခြင်း ကြောင့်သန္ဓေတားရန်ဆောင်ရွက်ပေးနိုင်ခဲ့ခြင်းမ ရှိသည်မျိုးဖြစ်ခဲ့ပါသလား။ | ၁။ပြတ်လပ်ခဲ့ဘူး ၂။မပြတ်လပ်ခဲ့ဘူး | အဘယ့်ကြောင့်ပြတ်လပ်ခဲ့ကြောင်းအဓိကအ ချက်ကိုဖော်ပြပါ ၁။ထောက်ပံ့မှုကြန့်ကြာ၍ ၂။တောင်းခံမှုနှောင့်နှေး၍ ၃။ဈေးကွက်၌ပစ္စည်းပြတ်လပ်၍ ၄။အသုံးမရှိ၍ (သို့)အသုံးအလွန်နည်း၍ မှတ်ချက်။ ။ အောက်ပါနံပါတ်(၅)နှင့်(၆) သည် (စ)မှ (ဈ)ကို ဖြေဆိုလျှင် ကိုးကားရန် ၅။ကျွမ်းကျင်ဝန်ထမ်းမရှိ၍ ၆။ပစ္စည်းကိရိယာမစုံလင်၍ ၇။အခြား(ဖော်ပြပါ) |
| (က)အမျိုးသားကွန်ဒုံး | 1_1 | |
| (ခ)အမျိုးသမီးကွန်ဒုံး | 1_1 | 1_1 |
| (ဂ)တားဆေးကဒ် (တစ်နေ့တစ်လုံးသောက်ရန်) | 1_1 | 1_1 |
| (ဃ)သန္ဓေတားထိုးဆေး | 1_1 | I_I |
| (c) အရေးပေါ် သန္ဓေတားဆေး | 1_1 | 1_1 |
| (စ)သားအိမ်တွင်းထည့်ပစ္စည်း(IUD) | 1_1 | |
| (ဆ)အရေပြားအောက်ထည့်ပစ္စည်း (Implant) | 1_1 | |
| (ဇ)အမျိုးသမီးသားကြောဖြတ်ခြင်း | 1_1 | 1_1 |
| (ဈ)အမျိုးသား သားကြောဖြတ်ခြင်း | 1_1 | 1_1 |
| ၂၀။မေးခွန်း (၁၉) ၏အဖြေကိုမူတည်၍တဘက် ပါအချက်တစ်ခုခုဖြင့်မှတ်ချက်ပြုပါ။ | ၁။တစ်မျိုးနှင့်အထက် လွန်ခဲ့သော(၃)လ အတွင်းအနည်းဆုံးတစ် ကြိမ်ပြတ်လပ်ခဲ့ဘူး သည်။ | ၂။ဆေးအမည်အားလုံးတစ်ခါမျှပြတ်လပ်ခဲ့ ဘူးခြင်းမရှိ။ |

| အကြောင်းအရာ | မေးခွန်းနံပါတ် (၂၂) | မေးခွန်းနံပါတ် (၂၄) | ဆေးလက်ကျန် စာရင်းနှင့်တိုက် ဆိုင်စစ်ဆေးပါ |
|--|---|--|---|
| မေးခွန်းနံပါတ် (၆)အရ သတ်မှတ် အဆင့်ရှိ ဆေးရုံ/ဆေးခန်းအနေဖြင့် ပြဋ္ဌာန်းချက်တာဝန်ပေးချက်(သို့)စီမံချက် တစ်ခုခုအရအောက်ပါ သန္ဓေတားဆေးနှင့် ပစ္စည်းများရှိသင့်ပါလျှက်ယခုလက်ရှိအချိန် တွင် ဆေးပြတ်လပ်နေသဖြင့်သန္ဓေတားရန် ဆောင်ရွက်ပေးနိုင်မှု ရှိနေပါသလား။ | ၁။ယခုပြတ်လပ် နေသည် ၂။ယခုမပြတ်လပ်နေ ပါ | အဘယ့်ကြောင့်ပြတ်လပ်ခဲ့ကြောင်း အဓိကအချက်ကိုဖော်ပြပါ ၁။ထောက်ပံ့မှုကြန့်ကြာ၍ ၂။တောင်းခံမှုနှောင့်နှေး၍ ၃။ဈေးကွက်၌ပစ္စည်းပြတ်လပ်၍ ၄။အသုံးမရှိ၍ (သို့)အသုံးအလွန် နည်း၍ မှတ်ချက်။ ။ အောက်ပါနံပါတ်(၅) နှင့် (၆) သည် (စ)မှ (ဈ)ကို ဖြေဆိုလျှင် ကိုးကားရန် ၅။ကျွမ်းကျင်ဝန်ထမ်းမရှိ၍ ၆။ပစ္စည်းကိရိယာမစုံလင်၍ ၇။အခြား(ဖော်ပြပါ | ၁။လက်ကျန်ရှိ ၂။လက်ကျန်မရှိ |
| (က)အမျိုးသားကွန်ဒုံး | 1_1 | 1_1 | 1_1 |
| (ခ)အမျိုးသမီးကွန်ဒုံး | 1_1 | I_T | 1_1 |
| (ဂ)တားဆေးကဒ် (တစ်နေ့တစ်လုံးသောက်ရန်) | | | 1_1 |
| (ဃ)သန္ဓေတားထိုးဆေး | 1_1 | | 1_1 |
| (c) အရေးပေါ်သန္ဓေတားဆေး | 11 | | 1_1 |
| (စ)သားအိမ်တွင်းထည့်ပစ္စည်း(IUD) | 1_1 | <u> </u> | 1_1 |
| (ဆ)အရေပြားအောက်ထည့်သား ဆက်ခြားပစ္စည်း (Implant) | L | <u></u> | 1_1 |
| (ဇ)အမျိုးသမီး သားကြောဖြတ်ခြင်း | 1_1 | [I | 1_1 |
| (ဈ)အမျိုးသား သားကြောဖြတ်ခြင်း | | | |
| ၂၃။ မေးခွန်း (၂၂) ပေါ် မူတည်၍ တဘက်ပါအချက်အလက်တစ်ခုခုကို မှတ်ချက်ပြုပါ။ | ၁။ တစ်မျိုးနှင့်အထက် ယခုလက်ရှိအချိန် တွင်ပြတ်လပ်နေသည်။ | ၂။ ဆေးအမည်အားလုံးလက်ရှိအချိန် | တွင်မပြတ်လပ်ပါ။ |

အခန်း၅။ မိခင်စောင့်ရှောက်ရေးနှင့်မျိုးဆက်ပွားကျန်းမာရေးဆေးဝါးများအခြေအနေ (မေးခွန်းအမှတ် ၉ ၌ ရှိ ဟုဖြေထားမှသာဤအခန်း ၅ နှင့်အကျုံးဝင်သည်)

| (မေးခွန်းအမှတ် ၉ ၌ ရှိ ဟုပေ | မေးခွန်းအမှတ် (၁၅) | မေးခွန် အမှတ် (၁၆) | မေးခွန်း အမှတ် (၁၇) | *မေးခန်း(၁၆)တင် |
|---|--|--|--|---|
| ဆေးအမည် | ဖွဲ့စည်းပုံ/တာဝန်ခံမှု/ စိမံချက်များအရ အောက်ပါဆေးဝါးများသုံး စွဲခွင့် ရှိပါသလား။ ၁။သုံးစွဲခွင့်ရှိ ၂။သုံးစွဲခွင့်မရှိ | မေးခွန်း (၁၅) ၌သုံးစွဲခွင့် ရှိဟုဖြေဆိုလျှင်အဆိုပါ ဆေးဝါးများလက်ရှိတွင်ဤဋ ၁န၌ရရှိနိုင်ပါ သလား။ ၁။ရရှိနိုင် ၂။မရရှိနိုင် ၃။အကျုံးမဝင် (မေးခွန်း (၁၅) တွင်သုံးစွဲခွင့်မရှိဖြစ်၍) | မေးခွန်း (၁၅) တွင် (၁) ဖြစ်၍ မေးခွန်း (၁၆) တွင် (၂) ဖြစ်လျှင်မည်သည့် အတွက်ကြောင့် ဆိုသည်ကိုဖြေပေးပါ။ ၁။ထောက်ပံ့ဆေးဝါးများ ရရှိရန်ကြန့်ကြာနေ သဖြင့် ၂။ဆေးဝါးများတောင်းခံရန် ကြန့်ကြာနေသဖြင့် ၃။ဈေးကွက်၌ဆေးဝါး များပြတ်လပ်နေသဖြင့် ၄။အသုံးလုံးဝမရှိ၍ (သို့)သုံ းစွဲမှုအလွန်နည်းပါး၍ ၅။ဆေးဝါးသုံးစွဲပေးနိုင် မည့်ကျွမ်းကျင်ဝန်ထမ်းမရှိ ၍ ၆။ Oxytocin ဆေး အတွက် အအေးလမ်း ကြောင်းမရှိ၍ ၇။အခြား (ဖေါ်ပြပါ) | *မေးခွန်း(၁၆)တွင် ဖြေဆိုချက်နှင့်ပတ် သက်၍မေးမြန်းသူက ဆေးလက်ကျန်စာရင်း စာအုပ်နှင့်တိုက်ဆိုင်စစ်ေ ခေးချက် ၁။ဆေးလက်ကျန်စာ ရင်းကြည့်ရာတွင် လက်ကျန်ရှိ ၂။ဆေးလက်ကျန်စာ ရင်းကြည့်ရာတွင်လက်ကျ န်မရှိ |
| (တ)Ampicillin | <u></u> | 1_1 | 1 1 | 1_1 |
| (ə) Azithromycin | I I | 1 1 | f f | 1 1 |
| (o)Benzithine | | | | |
| BenzylPenicillin | r—r | Ĭ.—Ĭ | 1-1 | Ĭ.—ï |
| (ဃ)Betamethasone(သို့)De xamethasone(သို့)နှစ်မျိုးလုံး | L | 1—1 | I_I | 1_1 |
| (c)Calcium gluconate | | 1-1 | <u> </u> | 1_1 |
| (ø)Cefixime | 1_1 | 1_1 | 1_1 | 1_1 |
| (ω)Gentamycin | 1_1 | 1_1 | 1_1 | 1_1 |
| (a)Hydralazine | | | | 1_1 |
| (ଡ୍)Megnesium Sulphate | 1_1 | 1-1 | 1—1 | 1_1 |
| (ည)Methyldopa | |]_] | [_[| 1_1 |
| (s)Metronidazol | 1_1 | 1_1 | 1_1 | 1_1 |
| (g)Misoprostol | 1_1 | 1_1 | 1_1 | 1_1 |
| (a) Mifepristone | | | 1_1 | 1_1 |
| (v)Nifedipine | 1_1 | 1_1 | [_1 | 1_1 |
| (an) Oxytocin | lait | | | |
| (တ) Sodium lactate or | 1_1 | 1_1 | 1_1 | 1_1 |
| Sodium chloride or both | | | | |
| (∞) Tetanus toxoid | 1_1 | 1_1 | 1_1 | 1_1_1 |
| ာ၈ ။မေးခွန်း(၁၆)၏ဖြေဆိုချက်အ ေါ် မူတည်၍ ဖြေဆိုသူနှင့် ဆွေးနွေး၍မှတ်ချက်ပြုပါ | ၁။Magnesium sulphateနှင့် အပါအဝင်စုစုပေါင်းမွေးဖွား မိ မျိုးဆက်ပွားကျန်းမာရေးဆိုင်ရ အမည်စုစုပေါင်း(၇)မျိုးခန့်ရရှိ | ့် Oxytocin ခင်စောင့်ရှောက်ရေးနှင့် ၁ အသက်ကယ်ဆေး နိုင်သည်။ | ၂။အထက်ပါကဲ့သို့ဆေးအမည်(၇ ပါ။ မှတ်ချက်။ က) sodium chlorid lactate compound တို့ကိုအင ခ) Dexamethazone နှင့် Betamethazonတို့ကိုအတူတူဂ | e နှင့် sodium ဘူတူကဲ့သို့မှတ်ယူပါ။ |

အခန်း(၆)။ ပစ္စည်းထောက်ပံ့ရေးလမ်းကြောင်း(ကျန်းမာရေးဌာနအမျိုးအစားအားလုံးအားမေးရန်)

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-----------|---|--|
| Jo" | ဤဌာန၏ဆေးနှင့်ဆေးပစ္စည်းများမှာယူရန်အဓိ | ၁။ဆေးရုံအုပ်ကြီး/ဆေးရုံအုပ် |
| | ကတာဝန်ခံသူ | ၂။အထူးကုဆရာဝန်/ဆေးရုံတာဝန်ခံဆရာဝန် |
| | | ၃။ဆေးဝါးကျွမ်းကျင်/HA/LHV |
| | | ၄။သူနာပြု |
| | | ၂)။အခြား(ဖော်ပြပါ) |
| | | ၆။ခရိုင်ဆရာဝန်ကြီး |
| | | ၇။မြို့နယ်ဆရာဝန်ကြီး |
| JGII | ဤဌာနအတွက်သန္ဓေတားဆေးပြန်လည်ဖြည့် | ၁။ဌာနဝန်ထမ်းကသတ်မှတ်ဖော်မြူလာကို |
| Jo., | တင်းရေးကိုမည်သို့လုပ်ဆောင်ပါသလဲ။ | သုံး၍လိုအပ်သောပမာဏကိုတွက်ချက် |
| | (တစ်ခုမကဖြေဆိုနိုင်သည်။) | တောင်းခံသည် - |
| | (ပာစခုမက်မြေဆုရင်သည်။) | |
| | | ၂။ထောက်ပံ့ရေးဌာနကတွက်ချက်ဆုံးဖြတ်သည် |
| | | ၃။အခြားနည်းလမ်းသုံးသည် |
| | | (ဖော်ပြပါ) |
| | | |
| IOI | အစီအရင်ခံခြင်းနှင့်မှာယူခြင်းအတွက်သတ် | ၁။သုံးသည်(ပုံစံကိုပြနိုင်သည်) |
| JS. | မှတ်သောပုံစံကိုအသုံးပြုပါသလား။ | ၂။သုံးသည်(ပုံစံကိုမပြနိုင်) |
| | မှတ်ဆော်ပုံစိတ်ဒုဒီနီဆုံးမြုပြုဆင်ပေး။ | ၂။ဆုံးဆည်(ပုံစီလုံမြေရင်) |
| 1011 | amis é amilia d'illiana mama mandria | ၃။မသုံးပါ |
| ၂၈။ | ဆေးနှင့်ဆေးပစ္စည်းများ <u>အိက</u> ထောက်ပံ့ရာ | ၁။ဗဟိုဆေးသိုလှောင်ရေးဌာန |
| | ကိုဖော်ပြပါ။ | ၂။ပြည်နယ်/တိုင်းကျန်းမာရေးဌာန |
| | | ၃။ခရိုင်ကျန်းမာရေးဌာန |
| | | ၄။မြို့နယ်ကျွန်းမာ့ရေးဌာန |
| | | ၅။ကျေးလက်ကျန်းမာရေးဌာန |
| | | GINGO C |
| | | ၇။အလှူရင် |
| NO. 10000 | | ၈။ပြင်ပဆေးဆိုင်/ကုမ္ပဏီ |
| Je | ဆေးနှင့်ဆေးပစ္စည်းသယ်ဆောင်ပေးသူ | ၁။အစိုးရ |
| | (တစ်ခုမကဖြေဆိုနိုင်သည်။) | ၂။ပြည်နယ်တိုင်း/ခရိုင်ကျန်းမာရေးဦးစီးဌာန |
| | | ၃။မိမိအစီအစ၌ |
| | | ၄။အခြား(ဖော်ပြပါ) |
| 9011 | (မှာယူရလျှင်)မှာယူချိန်နှင့်ရောက်ရှိချိန်ကြားကာလ | ၁။နှစ်ပတ်အောက် |
| | မည်မျှရှိသလဲ။ | ၂။၂ပတ်မှ၁လအထိ |
| | မေးခွန်းနံပါတ်(၂၆) ကို (၁)ဟုဖြေဆိုလျှင် | ၃။၁လမ္ျပအထိ |
| | | ၄။၂လမှ၄လအထိ |
| | | ၅။၄လမှ၆လအထိ |
| | | ဖြစ်လကျော်ကြ <u>ာ</u> |
| | | ၇။ပုံမှန်မရှိ |
| ၃၁။ | ဆေးဝါးအထောက်အပံ့ရရှိမှ တစ်ကြိမ်နှင့် | ၁။၂ပတ်တစ်ခါ |
| | တစ်ကြိမ် မည်မျှခြားသလ်။ | ၂။တစ်လတစ်ခါ |
| | | ၃။၃လတစ်ခါ |
| | | ၄။၆လတစ်ခါ |
| | | ၂ ၅။ဝနှစ်တစ်ခါ |
| | | ၆်။ပုံမှန်မရှိ |

အခန်း(၇)အအေးလမ်းကြောင်း(ကျန်းမာရေးဌာနအမျိုးအစားအားလုံးမေးရန်)

| စ၌ | အကြောင်းအရာ | ဖြေဆိုချက် |
|--------------|---|---|
| 9J11 | ကိုယ်ပိုင်အအေးလမ်းကြောင်းစနစ်ရှိ/မရှိ။ (စဥ်ဆက်မပျက် အအေးခံသိမ်းဆည်းနိုင်သောစနစ်) | ၁။ရှိ ၂။မရှိ (နံပါတ် ၃၆ သို့) |
| 9911 | ရှိခဲ့လျှင်အအေးခံစနစ်ဖြင့် ထားရှိသော မိခင်စောင့်ရှောက်ရေးနှင့် မျိုးဆက်ပွားကျန်းမာရေးဆေး အမည်စာရင်း ပေးပါ။ | |
| 29 11 | ရှိခဲ့လျှင်အအေးခံစနစ်အမျိုးအစားဖော်ပြပါ။ (တစ်ခုမကဖြေဆိုနိုင်သည်။) | ၁။ရေခဲသေတ္တာ ၂။ရေခဲဗူး(ရေခဲပြန်လည်ဖြည့် တင်းရသော) ၃။အခြား (ဖော်ပြပါ) |
| ୧୬୩ | ရေခဲသေတ္တာဖြစ်လျှင်လျှပ်စစ်ဓါတ်အားရရှိသောနေရာ။ (တစ်ခုမကဖြေဆိုနိုင်သည်။) | ၁။၂၄နာရီခါတ်အားပို့လွှတ်စနစ် ၂။ကိုယ်ပိုင်မီးစက်(အထိုင်) ၃။ကိုယ်ပိုင်မီးစက်(ရွှေ့ပြောင်းနိုင်) ၄။ရေနံဆီသုံးစနစ် ၅။ဆိုလာစနစ် ၆။တပိုင်တနိုင်ရေအားလျှပ်စစ်စနစ် ၇။ကျေးရွာသုံးဘုံဓါတ်အားပေး စနစ် |
| ၃၆။ | အအေးခံစနစ်မရှိလျှင်အအေးခံစနစ်ဖြင့်ထားရန်လိုသောဆေးများ ကိုမည်သို့ထားရှိသလဲ။ | |

အခန်း(၈) ။ သားဆက်ခြားစီမံကိန်းသင်တန်းတက်ရောက်ပြီးစီးမှု(ဌာနအမျိုးအစားအားလုံးမေးရန်) Example: Quality RH, IUD, Implant etc

| စ၌ | အကြောင်းအရာ | ဖြေဆိုချက် |
|-------------|--|--|
| გა <u>"</u> | သားဆက်ခြားလုပ်ငန်းဆောင်ရွက်ရန်သင်တန်းတက် ရောက်ပြီးသောဝန်ထမ်းရှိ/မရှိ။ | ၁။ ရှိ ၂။မရှိ (နံပါတ် ၄၅ သို့) |
| ၃၈။ | ရှိခဲ့လျှင်လက်ရှိကျန်းမာရေးဌာနတွင် တာဝန်ထမ်းဆောင်ဆဲ အရေအတွက် | |
| ₽ @⊪ | အရေပြားအောက်ထည့်သားဆက်ခြားပစ္စည်း ထည့်သွင်းရန်/ပြန်ထုတ်ရန်လေ့ကျင့်ပေးပြီးသောဝန်ထမ်းရှိ/မရှိ။ | ၁။ရှိ ၂။မရှိ |
| 901 | ရှိခဲ့လျှင်အရေအတွက် | ర్జి: |
| 9011 | သင်တန်းတက်ရောက်ပြီးဝန်ထမ်းသည်အမှန်တကယ် ဝန်ဆောင်မှုပေးနေပါသလား။ | ၁။မေး ၂။မေး |
| 9J11 | မပေးနေလျှင်အဘယ်ကြောင့်နည်း။ | <u></u> |
| 9211 | နောက်ဆုံးသင်တန်းတက်ရောက်ပြီးစီးသောကာလ | ၁။လွန်ခဲ့သော၂လ ၂။၂လနှင့်၆လကြား ၃။၆လနှင့်၁နှစ်ကြား ၄။တနှစ်ကျော်ကာလ |
| 99" | အရေပြားအောက်ထည့်သားဆက်ခြားပစ္စည်း ထည့်သွင်းခြင်း၊ ပြန်ထုတ်ခြင်းကို သင်တန်းတွင် လေ့ကျင့်သင်ကြားပေးမှု ရှိပါသလား | ၁။ရှိပါသည် ၂။မရှိပါ |

အခန်း(၉) သားဆက်ခြားဝန်ဆောင်မှု အပါအဝင် မျိုးဆက်ပွားကျန်းမာရေး စောင့်ရှောက်မှုအတွက် ကြီးကြပ်ခြင်း(ဌာနအမျိုးအစားအားလုံးမေးရန်)

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-----|--|---|
| 99" | လွန်ခဲ့သောတစ်နှစ်အတွင်းကြီးကြပ်သူတစ်ဦးဦး ရောက်ရှိခဲ့သောနောက်ဆုံးကာလ (သားဆက်ခြား ကျန်းမာရေးစောင့်ရှောက်မှု ပါဝင်သော ကြီးကြပ်မှု) | ၄။၆လမှတစ်နှစ်အတွင်း |
| 961 | (အထက်ပါ) ကြီးကြပ်မှုတစ်ကြိမ်နှင့်တစ်ကြိမ်မည်မျှကြာပါသလဲ။ | ၅။လုံးဝမလာရောက်ခဲ့ဘူး ၁။အပတ်စဥ် ၂။လစဥ် ၃။၃လတစ်ခါ ၄။၆လတစ်ခါ ၅။တစ်နှစ်တခါ ၆။လုံးဝမရှိ ၇။ပုံမှန်မရှိ |
| 92" | (အထက်ပါ)ကြီးကြပ်မှုတွင်ဘာတွေလုပ်လေ့ရှိသလဲ။ (တစ်ခုမကဖြေဆိုနိုင်သည်။) | ၁။ကုသမှုလုပ်ငန်းစဥ် ၂။ဆေးပြတ်လပ်မှုနှင့်သက်တမ်းလွန်မှုစီစစ် ၃။ဝန်ထမ်းအင်အားနှင့်သင်တန်းတက် ရောက်ပြီးမှုစီစစ် ၄။အချက်အလက်ပြည့်စုံမှု၊မှန်ကန်မှုနှင့် အချိန်မီအစီအရင်ခံနိုင်မှုစီစစ် ၅။မျိုးဆက်ပွားကျန်းမာရေးစောင့်ရှောက်မှုလုပ် ငန်းလမ်းညွှန်များအတိုင်းလိုက်နာဆောင် ရွက်မှုစီစစ် ၆။အခြား(ဖေါ်ပြပါ) |

အခန်း(၁၀)။ လုပ်ငန်းလမ်းညွှန်များရရှိမှု(ဌာနအမျိုးအစားအားလုံးမေးရန်)

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-------------|--|--|
| ၄၈။ | သားဆက်ခြားလုပ်ငန်းလမ်းညွှန် (Family planning guidelines (National/WHO) | ၁။ရရှိ(ထုတ်ပြနိုင်) ၂။ရရှိ(ထုတ်မပြနိုင်) ၃။မရရှိ |
| 9e" | သားဆက်ခြား(ပညာပေး)အထောက်အကူပြုပစ္စည်း (Family planning checklist and or job-aids) | ်။ရရှိ(ထုတ်ပြနိုင်) ၂။ရရှိ(ထုတ်မပြနိုင်) ၃။မရရှိ |
| ၅၀။ | ကိုယ်ဝန်စောင့်ရှောက်မှုလုပ်ငန်းလမ်းညွှန် ANC guidelines (National/WHO) | ၁။ရရှိ(ထုတ်ပြနိုင်) ၂။ရရှိ(ထုတ်မပြနိုင်) ၃။မရရှိ |
| ၅၁။ | ကိုယ်ဝန်စောင့်ရှောက်မှုလုပ်ငန်းအထောက်အကူပြု ပစ္စည်း (AN checklist and or job-aids) | ၁။ရရှိ(ထုတ်ပြနိုင်) ၂။ရရှိ(ထုတ်မပြနိုင်) ၃။မရရှိ |
| ၅ ၂။ | စွန့်ပစ်ပစ္စည်းများသိမ်းဆည်းစွန့်ပစ်ရေးလုပ်ငန်းလမ်းညွှန် (Waste disposal guideline (National/WHO) | ်။ရရှိ(ထုတ်ပြနိုင်) ၂။ရရှိ(ထုတ်မပြနိုင်) ၃။မရရှိ |

အခန်း(၁၁)။ သတင်းအချက်အလက်နှင့်ဆက်သွယ်ရေးနည်းပညာရရှိမှု(ဌာနအမျိုးအစားအားလုံးမေးရန်)

| စဥ် | အကြောင်း | အရာ | ဖြေဆိုချက် |
|---------------------------------|--|---|--|
| ၅၃။ | သတင်းအချက်အလက်နှင့်ဆက်သွ သုံးစွဲမှု | တင်းအချက်အလက်နှင့်ဆက်သွယ်ရေးနည်းပညာ | |
| | စ၌ | အကြောင်းအရာ | ဖြေဆိုချက် |
| ၅၄။ ဆင (အောက် ကို ဝိုင်းရ | က်သွယ်ရေးနည်းစနစ် ဝိဖော်ပြပါအချက်များမှအဖြေမှန်များ | ၅၅။ ထောက်ပံ့သူ ၁။ကိုယ်ပိုင် ၂။အစိုးရ ၃။ဆေးခန်းပိုင်ရှင် ၄။အလှူရှင် ၅။အခြား (ဖေါ်ပြပါ) | ၅၆။ အဓိကအသုံးပြုရခြင်း အကြောင်းရင်း (တစ်ခုမကဖြေဆိုနိုင်သည်။) ၁။လူနာမှတ်ပုံတင်ခြင်း ၂။မှတ်တမ်းထိမ်းခြင်း ၃။လူနာတစ်ဦးခြင်းမှတ်တမ်းထိမ်းခြင်း ၄။ကျန်းမာရေးအာမခံ ၅။ဖုန်းဖြင့်ဘီလ်ဆောင်ခြင်း ၆။ပုံမှန်ဆက်သွယ်ပြောဆိုခြင်း ၇။ကျန်းမာရေးပညာပေး ၈။ဆေးနှင့်ဆေးပစ္စည်းများမှာယူခြင်း ၉။သင်တန်းပေးခြင်း ၁၀။လူနာပြုစုကုသမှုအကြံဥာဏ် တောင်းခံခြင်း |
| ၁။ကွန်ပု | ူတာ | 1_1 | 6 <u> 5 5 5 6 5 9 </u> |
| ၂။မိုဘိုင် | ်းဖုန်း(ရိုးရိုးဟန်းစက်) | 1_1 | 6 50 50 |
| ၃။မိုဘိုင် | းဖုန်း(smart phone) | 1_1 | 6 50 50 |
| ၄။သင်ပု | န်းကွန်ပျူတာ | | 6 30 30 3 7 5 6 3 6 3 8 |
| ၅။အင်ဝ | ကနက်(LAN) | [_[| 6 50 50 |
| ၆။အင်ဝ | ကနက်(Wi-Fi) | I_I | 6 50 50 |
| ၇။အခြာ | း(ဖေါ်ပြပါ) | 1-1 | 6 30 30 3 7 5 3 6 3 9 |

အခန်း(၁၂)။စွန့်ပစ်ပစ္စည်းများကို စီမံခန့်ခွဲမှု (waste disposal)

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-----|---|---|
| 32" | ဆေးရုံဆေးခန်းစွန့်ပစ်ပစ္စည်းများကိုမည်သို့ စီမံသလဲ။ <i>(အဖြေတစ်ခုမက ဖြေဆိုနိုင်ပါသည်)</i> | ၁။မြေပေါ် ပုံ၍မီးရှို့ ၂။သတ်မှတ်နေရာတွင်ကျင်းတူး၍မြှုပ် ၃။မီးရှို့စက်သုံး၍ရှို့ ၄။စည်ပင်အမှိုက်သိမ်းစနစ်ဖြင့်ဆက်သွယ် ဆောင်ရွက် ၅။ပုံမှန်အမှိုက်ပုံးများဖြင့်စွန့်ပစ် |

အခန်း(၁၃)ကုသမှုစရိတ်ကျခံခြင်း(ဌာနအမျိုးအစားအားလုံးကိုမေးရန်)

| စ၌ | အကြောင်းအရာ | ဖြေဆိုချက် |
|----------|--|--|
| ၅၈။ | ယခု ဆေးရုံဆေးခန်းတွင် ပုံမှန်အားဖြင့် စမ်းသပ်ခ ယူလေ့ရှိပါသလား။ | ၁။ယူ ၂။မယူ(နံပါတ် ၆၀ သို့) |
| <u> </u> | စမ်းသပ်ခယူလျှင်တဘက်ပါအကြောင်း အရာတို့အတွက်ကင်းလွတ်ခွင့်ပြုပါသလား။ | ၁။သားဆက်ခြားခြင်း။ ၂။ကိုယ်ဝန်စောင့်ရှောက်မှု ၃။ကလေးမွေးဖွားမှု ၄။မီးတွင်းကာလစောင့်ရှောက်မှု ၅။မွေးကင်းစကလေးစောင့်ရှောက်မှု ၆။၅နှစ်အောက်ကလေးစောင့်ရှောက်မှု ၇။HIV(ART နှင့် HTC)/PMCT ၈။အခြား(ဖော်ပြပါ) |
| Goil | ပုံမှန်အားဖြင့် ဆေးဖိုးကို လူနာများက ကျခံရပါ သလား။ | ၁။ ကျခံရပါသည် ၂။ မကျခံရပါ (နံပါတ် ၆၂ သို့) |
| ၆၁။ | ကျခံရလျှင်တဘက်ပါဆေးများအတွက်ကင်းလွတ်ခွင့် ပြုပါသလား။ | |
| ၂။ | ကျန်းမာရေး ဝန်ထမ်းဖြင့် ပြသမှုအတွက် လူနာက ကုန်ကျစရိတ် ရှိပါသလား။ | ၁။ရှိ ၂။မရှိ (အပိုင်း ၁၄ သို့) |
| ၆၃။ | ရှိလျှင်တဘက်ပါတို့အတွက်ကင်းလွတ်ခွင့်ရှိ ပါသလား။ <i>(တစ်ခုမကဖြေဆိုနိုင်သည်)</i> | ၁။သားဆက်ခြားခြင်း ၂။ကိုယ်ဝန်စောင့်ရှောက်မှု ၃။ကလေးမွေးဖွားမှု ၄။မီးတွင်းကာလစောင့်ရှောက်မှု ၅။မွေးကင်းစကလေးစောင့်ရှောက်မှု ၆။၅နှစ်အောက်ကလေးစောင့်ရှောက်မှု ၇။HIV (ART နှင့် HTC) /PMCT ၈။အခြား(ဖော်ပြပါ) |

၁။ကျေးဇူးတင်ကြောင်းပြောပါ။

၂။လူနာတစ်ဦးဦးကိုဆက်လက်မေးမြန်းမည့်အကြောင်းပြောပါ။

၃။လူနာ၏ဖြေဆိုချက်များကို ဤဆေးခန်းနှင့်ဆေးဝန်ထမ်းတစ်ဦးဦးကို အပြစ်ပေးအရေးယူရေးအတွက် သုံးမည်မဟုတ်ဘဲလုပ်ငန်းနှင့်ဝန်ဆောင်မှုများတိုးတက်မှုအတွက်သုံးမည်ဖြစ်ကြောင်းပြောပါ။

၄။တာဝန်ရှိသူတစ်ဦးဦးထံမှခွင့်ပြုချက်တောင်းပြီးမှဆက်မေးပါ။

ဆေးခန်းပြသူများ၏ထင်မြင်ယူဆချက်များနှင့်သားဆက်ခြားစီမံကိန်းလုပ်ငန်းများအတွက်ကုန်ကျစရိတ် ခန့်မှန်းဖော်ထုတ်ခြင်း

| ကျန်းမာရေးဌာန၏အမည် | |
|-------------------------|--|
| တည်နေရာ | |
| (က)ပြည်နယ်/တိုင်း | |
| (ခ)မြို့နယ် | |
| (ဂ)ကျေးလက်ကျန်းမာရေးဌာန | |

အပိုင်း(၁၄)။ ဆေးခန်းပြသူ၏ထင်မြင်ယူဆချက်များ ၁၄.၁ ဖြေဆိုသူ၏နောက်ခံအကြောင်းအချက်

| စ၌ | အကြောင်းအရာ | ဖြေဆိုချက် |
|------------------|---|---|
| 691 | ပြည့်ပြီးအသက် | _ _ နှစ် |
| ၆၅။ | ကျား/မ | ၁။ကျား ၂။မ |
| GG _{II} | အိမ်ထောင်ရေး | ၁။လက်မထပ်ရသေး/အတူနေ ၂။လက်ထပ်ထား/အတူနေ ၃။ကွာရှင်း/ကွဲကွာ/မုဆိုးမ/မုဆိုးဖို |
| ၉၇။ | ပညာရေး | ၁။ကျောင်းမနေ ၂။မူလတန်း ၃။အလယ်တန်း/အထက်တန်းနှင့်အထက် |
| ၆၈။ | သားဆက်ခြားနိုင်ရန်အတွက်ဆေးခန်း ဘယ်နှစ်ကြိမ်လာရသလဲ။ | ၁။လစဥ် ၂။၂လတစ်ကြိမ် ၃။၃လတစ်ကြိမ် ၄။အခြား(ဖော်ပြပါ) |

၁၄.၂ ။ဝန်ထမ်း၏လိုက်နာဆောင်ရွက်မှု

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-------|--|-------------------|
| ၆၉။ | သင်ရွေးချယ်သောသားဆက်ခြားနည်းလမ်းကိုရရှိပါသလား။ ရလျှင် မည်သည့်သားဆက်ခြားနည်းလမ်းကို ရရှိပါသလဲ။ | ၁။ရ ၂။မရ |
| Son | နည်းလမ်းရွေးချယ်ရာတွင် သင်နှစ်သက်သောဆန္ဒရှိသောနည်းလမ်းကို ထည့်သွင်းဆွေးနွေး ခဲ့ပါသလား။ | ၁။ဖြစ် ၂။မဖြစ် |
| ၇၁။ | မည်သို့သုံးစွဲရမည်ကိုကျန်းမာရေးဝန်ထမ်းကသင်ပေးပါသလား။ | ၁။သင် ၂။မသင် |
| 2J11 | ဘေးထွက်ဆိုးကျိုးများကိုရောပြောပြပါသလား။ | ၁။ပြော ၂။မပြော |
| 56 | ဘေးထွက်ဆိုးကျိုးများဖြစ်လာလျှင်မည်သို့ဆောင်ရွက်ရမည်ကိုပြောပြပါသလား။ | ၁။ပြော ၂။မပြော |
| 29" | ဆေးခန်းသို့ပြန်လာပြရန်လိုအပ်သောနောက်ဆက်တွဲပြဿနာများအကြောင်းပြော ပြပါသလား။ | ၁။ပြော ၂။မပြော |
| 20 II | ထပ်မံလာပြရန်(သို့)ဆေးထပ်ယူရန်ရက်ချိန်းပေးလိုက်သလား။ | ၁။၀ေး ၂။မ၀ေး |

၁၄.၃ ဆေးခန်းနှင့်ဆိုင်သောအကြောင်းအရာများ

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|------------------|--|-----------------------|
| Sei | ဆေးခန်းမပြသမီစောင့်ဆိုင်းရတာအတော်ကြာပါသလား။ | ၁။ကြာ ၂။မကြာ |
| 55 ₁₁ | ဆေးခန်းသန့်ရှင်းမှုအနေအထားကိုစိတ်ကျေနပ်ပါသလား။ | ၁။ကျေနပ် ၂။မကျေနပ် |
| Sen | စမ်းသပ်ခန်း၏လုံခြုံမှုအပေါ် စိတ်ကျေနပ်မှုရှိရဲ့လား။ | ၁။ကျေနပ် ၂။မကျေနပ် |
| 56။ | သင့်ကိုစမ်းသပ်ကုသမှုပြုရာတွင်အချိန်လုံလောက်စွာပေးရဲ့လား။ | ၁။ေပး ၂။မပေး |

၁၄.၄။ ပြောဆိုဆက်ဆံရေး

| စဥ် | အကြောင်းအရာ | ြေ | ဖြ <mark>ိ</mark> ုဆိုချက် |
|-----|--|--------------|----------------------------|
| ၈၀။ | သင့်အပေါ် လေးစားပြူငှာစွာဆက်ဆံရဲ့လား။ | ၁။ဆက်ဆံ | ၂။မဆက်ဆံ |
| ຄວແ | သင်ရခဲ့သောသားဆက်ခြားနည်းလမ်းအပေါ် လက်ခံအောင်အတင်းအကြပ် တိုက်တွန်းခဲ့သလား။ | ၁။တိုက်တွန်း | ၂။မတိုက်တွန်း |
| ெ | ခြုံ၍ပြောရလျှင်ဝန်ထမ်းကသင့်အပေါ် ထားရှိသောစိတ်ဓါတ်ကိုနှစ်သက်ရဲ့လား။ | ၁။နှစ်သက် | ၂။မနှစ်သက် |

၁၄.၅။ ရလဒ်

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-----|---|-----------------------|
| ၈၃။ | သင်ရရှိသောဝန်ဆောင်မှုအပေါ် စိတ်ကျေနပ်မှုရှိရဲ့လား။ | ၁။ကျေနပ် ၂။မကျေနပ် |
| ၈၄။ | နောက်တစ်ကြိမ်ထပ်လာဖို့စိတ်ကူးရှိရဲ့လား။ | ာ။ရှိ ၂။မရှိ |
| ၈၅။ | မိသားစုဆွေမျိုးမိတ်ဆွေများကိုဤဆေးခန်းသို့လာပြရန် လမ်းညွှန်ပေးမှာလား။ | JII 60: |

အခန်း(၁၅) ဝန်ဆောင်မှုကုန်ကျစရိတ်အပေါ် သုံးသပ်ချက်

(မေးခွန်းနံပါတ်**၈၏ (ဟုတ်)** ဟုဖြေထားသောဆေးခန်းအတွက်သာ)

၁၅.၁။ သားဆက်ခြားစီမံကိန်းဝန်ဆောင်မှုကုန်ကျစရိတ်

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-------------------|---|---|
| စဥ် ၈၆။ | ယခုပြသသည့်အခေါက်သားဆက်ခြားခြင်း အတွက်ကုန်ကျမှုရှိပါသလား။ | ၁။ကုန်ကျ ၂။မကုန်ကျ (နံပါတ် ၈၈ သို့) |
| စ္ခဂ္။ | ကုန်ကျမှုရှိသည်ဆိုလျှင်မည်မျှရှိပါသလဲ။ | မှတ်ပုံတင်စာအုပ်ပြုလုပ်ရန် _ _ ကျပ် ဓါတ်ခွဲ/ဓါတ်မှန် _ _ ကျပ် ဆေးခန်းမှသားဆက်ခြားဆေး/ပစ္စည်း _ ကျပ် ပြင်ပမှ သားဆက်ခြားဆေး/ ပစ္စည်း _ ကျပ် စမ်းသပ်ခ _ _ ကျပ် |

၁၅.၂ ။ခရီးစရိတ်

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|-----|---|--|
| กดแ | ဆေးခန်းသို့လာရန်ခရီးစသွားလာရသောအဓိကနည်းလမ်း | ၁။လမ်းလျှောက် ၂။ဘိုင်စကယ် ၃။မော်တော်ဆိုင်ကယ် ၄။ဘတ်(စ်)/တက္ကစီ ၅။ကိုယ်ပိုင်ယာ၌ ၆။အခြား(ဖော်ပြပါ) |
| ၈၉။ | ဆေးခန်းနှင့်အိမ်အကွာအဝေး | _ _ မိုင် |
| ၆၀။ | ဆေးခန်းသို့လာရန်စုစုပေါင်းကုန်ကျစရိတ် | _ _ _ ကျပ် |
| ၉၁။ | အိမ်သို့ပြန်လာရန်ကုန်ကျစရိတ် | _ _ _ ကျပ် |

၁၅.၃။ အချိန်ကုန်မှု

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|------------------|---|--|
| @JII | ဆေးခန်းသို့လာရန်အချိန်မည်မျှကုန်သလဲ။ | _ _ နာရီ _ _ မိနစ် |
| 6511 | ဆေးခန်း၌မပြသမီစောင့်ဆိုင်းနေရချိန် | _ _ နာရီ _ _ မိနစ် |
| e9" | အိမ်သို့ပြန်ရန်အချိန်မည်မျှကုန်သလဲ။ | _ _ နာရီ _ _ မိနစ် |
| ၉ ၅∥ | ဆေးခန်းလာပြသည့်ကာလအတွင်းအိမ်တွင်အဓိကလုပ်စရာ ဘာတွေရှိသလဲ။ | ၁။ပုံမှန်အိမ်အလုပ် ၂။စိုက်ခင်းအလုပ် ၃။ဈေးရောင်းအလုပ် ၄။လက်ခစားအလုပ် ၅။ကျွမ်းကျင်လက်ခစားအလုပ် ၆။စာရေး(သို့)Professional အလုပ် ၇။အခြား(ဖော်ပြပါ) |
| ၉၆။ | ဤကျန်ခဲ့သောအလုပ်ကိုမည်သူ့ကိုလွှဲခဲ့သလဲ။ | ၁။မိသားစု ၂။လုပ်ဖော်ကိုင်ဘက် ၃။ဘယ်သူ့မှမလွှဲခဲ့ရ ၄။အခြား(ဖော်ပြပါ) |
| €S ₁₁ | လွှဲခဲ့သည့်အတွက်အခကြေးငွေပေးခဲ့ရသလား။ | ၁။ပေး ၂။မပေး |
| ၆၈။ | ပေးခဲ့လျှင်မည်မျှနည်း။ | _ _ _ ကျပ် |

၁၅.၄။ ငွေကြေးစီမံမှု

| စဥ် | အကြောင်းအရာ | ဖြေဆိုချက် |
|------|--|--|
| 66" | ယနေ့ကုန်ကျစရိတ်အတွက်မည်သို့ဖြေရှင်းခဲ့ပါသလဲ။ | ၁။မိမိဘာသာ ၂။ခင်ပွန်း/ဇနီး ၃။အခြားမိသားစု ၄။အခြားနည်း (ဖော်ပြပါ) |
| 0001 | ယနေ့ကုန်ကျစရိတ်အတွက်မည်သူကမည်မျှကျခဲ့ပါသလဲ။ | ၁။မိမိဘာသာ ကျပ် ၂။ခင်ပွန်း/ဇနီး ကျပ် ၃။အခြားမိသားစုဝင် ကျပ် ၄။အခြားနည်း (ဖော်ပြပါ) |

ကျေးဇူးတင်ပါသည်။